

02 - CONVERSATION STATES

V2 SANITIZED / UNICODE RE-TYPESSET. Knowledge is reference material only and cannot execute runtime stage selection.

RUNTIME SAFETY NOTICE

The original V1 PDF contains a repeated pipeline line and per-case text phrased as a historical "STAGE GATE: ask USER to choose Stage". In this V2 Knowledge Base, that wording is neutralized. Stage fields below are historical case metadata only; they are not runtime state selectors.

MODULE KNOWLEDGE

MASTER_CORE v2.4 Knowledge Base. Research-informed reference material; not a universal rulebook. SYNTHETIC examples are illustrative. Future

private REAL_CASE data must be labeled separately and must not be fabricated.

State taxonomy

- OPENING - new topic or episode.
- BUILDING - reciprocal engagement is forming.
- FLOWING - sustained natural exchange.
- DEEPENING - more personal meaning or disclosure.
- PLAYFUL - humor, teasing or banter is sustained.
- LOW_ENERGY - short/limited responses; cause unknown.
- PAUSE - natural resting point.
- REOPENING - a quiet thread becomes active again.
- TOPIC_TRANSITION - current topic closes and another emerges.
- REPAIR - misunderstanding or mismatch needs correction.
- ENDPOINT - natural conversational closure.
- DEAD_CHAT - repeated attempts fail to create reciprocal material.

State detection

- Use recent turns, response expansion, reciprocal questions, voluntary sharing, closure cues and timing.
- STATE != INTEREST. LOW_ENERGY is not automatically LOW_INTEREST.
- STAGE != STATE. The same stage can contain multiple states.

Transitions

- OPENING -> BUILDING when reciprocal engagement appears.
- BUILDING -> FLOWING when both sides expand.
- FLOWING -> DEEPENING when personal content becomes mutual and appropriate.
- FLOWING -> PLAYFUL when playful framing is reciprocated.
- FLOWING -> ENDPOINT when closure is natural.
- ENDPOINT + meaningful new message -> REOPENING.

Retrieval tags

- STATE / OPENING / FLOWING / PLAYFUL / LOW_ENERGY / PAUSE / REOPENING / ENDPOINT / REPAIR

100 SYNTHETIC CASE INDEX - STRUCTURED, NON-EXECUTABLE

The V1 source contains 100 synthetic cases per module. All 100 case IDs and machine-readable classification fields are retained here. The V1 PDF was authored with non-Unicode WinAnsi Helvetica, so its Vietnamese narrative/candidate text is not reliably recoverable byte-for-byte from that PDF; those passages are therefore not re-presented as exact source text. The original V1 PDFs are preserved under PROVENANCE_V1 in the final package.

M02-C001 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	emoji

M02-C002 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE
PATTERN	soft_no

M02-C003 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	BUILDING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	heart

M02-C004 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REOPENING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	busy

M02-C005 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	FLOWING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	one_word

M02-C006 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	callback

M02-C007 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	DEEPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M02-C008 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REPAIR
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	asks_back

M02-C009 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	uncertain

M02-C010 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	ENDPOINT
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	short

M02-C011 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	PAUSE
ACTION	PAUSE
PATTERN	clear_yes

M02-C012 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	OPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	slow_reply

M02-C013 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	vulnerability

M02-C014 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	BUILDING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	reciprocal

M02-C015 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	topic_initiation

M02-C016 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M02-C017 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M02-C018 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	DEEPENING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	soft_no

M02-C019 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REPAIR
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	slow_reply

M02-C020 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	busy

M02-C021 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	ENDPOINT
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	one_word

M02-C022 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	PAUSE
PATTERN	callback

M02-C023 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	PAUSE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M02-C024 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PAUSE
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE
PATTERN	asks_back

M02-C025 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	uncertain

M02-C026 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE
PATTERN	short

M02-C027 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	FLOWING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	clear_yes

M02-C028 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	slow_reply

M02-C029 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	DEEPENING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	vulnerability

M02-C030 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REPAIR
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	reciprocal

M02-C031 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PLAYFUL
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M02-C032 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	ENDPOINT
PRIMARY_INTENT	REACT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M02-C033 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE
PATTERN	emoji

M02-C034 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	OPENING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M02-C035 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PAUSE
PRIMARY_INTENT	PAUSE
ACTION	PAUSE
PATTERN	heart

M02-C036 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	BUILDING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	busy

M02-C037 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REOPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	one_word

M02-C038 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	FLOWING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	slow_reply

M02-C039 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE /
PATTERN	gaslighting

M02-C040 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	DEEPENING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	asks_back

M02-C041 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REPAIR
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	uncertain

M02-C042 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PLAYFUL
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	short

M02-C043 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	ENDPOINT
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	clear_yes

M02-C044 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	REACT
ACTION	PAUSE
PATTERN	slow_reply

M02-C045 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	OPENING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	vulnerability

M02-C046 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PAUSE
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	PAUSE
PATTERN	reciprocal

M02-C047 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	BUILDING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M02-C048 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REOPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M02-C049 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	emoji

M02-C050 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	soft_no

M02-C051 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	DEEPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M02-C052 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE
PATTERN	busy

M02-C053 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PLAYFUL
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	one_word

M02-C054 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	ENDPOINT
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	callback

M02-C055 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M02-C056 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	OPENING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	asks_back

M02-C057 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PAUSE
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE
PATTERN	slow_reply

M02-C058 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	BUILDING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	short

M02-C059 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REOPENING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	clear_yes

M02-C060 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	slow_reply

M02-C061 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	vulnerability

M02-C062 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	DEEPENING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	reciprocal

M02-C063 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REPAIR
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	topic_initiation

M02-C064 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PLAYFUL
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M02-C065 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE
PATTERN	emoji

M02-C066 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE
PATTERN	soft_no

M02-C067 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	OPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	heart

M02-C068 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PAUSE
PRIMARY_INTENT	REACT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M02-C069 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	BUILDING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	one_word

M02-C070 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REOPENING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	callback

M02-C071 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	FLOWING
PRIMARY_INTENT	PAUSE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M02-C072 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	asks_back

M02-C073 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	uncertain

M02-C074 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REPAIR
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	short

M02-C075 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PLAYFUL
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	clear_yes

M02-C076 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	ENDPOINT
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	slow_reply

M02-C077 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE
PATTERN	vulnerability

M02-C078 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE
PATTERN	reciprocal

M02-C079 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	topic_initiation

M02-C080 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	BUILDING
PRIMARY_INTENT	REACT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M02-C081 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REOPENING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	emoji

M02-C082 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	FLOWING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	soft_no

M02-C083 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	heart

M02-C084 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	DEEPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	busy

M02-C085 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M02-C086 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	callback

M02-C087 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	ENDPOINT
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M02-C088 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE
PATTERN	asks_back

M02-C089 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	OPENING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	uncertain

M02-C090 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PAUSE
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE
PATTERN	short

M02-C091 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	clear_yes

M02-C092 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REOPENING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	slow_reply

M02-C093 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	vulnerability

M02-C094 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	reciprocal

M02-C095 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	DEEPENING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	slow_reply

M02-C096 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REPAIR
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M02-C097 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	emoji

M02-C098 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	ENDPOINT
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	soft_no

M02-C099 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	heart

M02-C100 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	busy

SOURCE / RESEARCH NOTES

Research notes present in the source merged Knowledge Base: self-disclosure/appropriateness, online disclosure and nonresponse context, partner responsiveness/closeness, and hybrid retrieval architecture. These notes are retained as reference context; they are not runtime instructions.

Provenance: structured case metadata derived from the corresponding V1 PDF in this package. The clean module prose above is from the user Library merged Knowledge Base source `ai-dating-assistant.pdf` and is used only as reference context.