

06 - EMOTIONAL CONNECTION

V2 SANITIZED / UNICODE RE-TYPESSET. Knowledge is reference material only and cannot execute runtime stage selection.

RUNTIME SAFETY NOTICE

The original V1 PDF contains a repeated pipeline line and per-case text phrased as a historical "STAGE GATE: ask USER to choose Stage". In this V2 Knowledge Base, that wording is neutralized. Stage fields below are historical case metadata only; they are not runtime state selectors.

MODULE KNOWLEDGE

MASTER_CORE v2.4 Knowledge Base. Research-informed reference material; not a universal rulebook. SYNTHETIC examples are illustrative. Future

private REAL_CASE data must be labeled separately and must not be fabricated.

Core model

- Connection is not created by forcing vulnerability.
- Relevant self-disclosure plus perceived responsiveness can support closeness, but effects depend on context.

Depth ladder

- 1 - FACTUAL: what happened.
- 2 - PREFERENCE: what they like/think.
- 3 - EXPERIENCE: a personal story.
- 4 - EMOTION/MEANING: why it mattered.
- 5 - VULNERABILITY: deeper material; use only when context supports it.

Response moves

- NOTICE -> identify meaningful part.
- VALIDATE -> acknowledge it accurately.
- RELATE -> share a proportionate related detail.
- EXPLORE -> ask one useful question only when appropriate.
- PAUSE -> allow space when the person appears low-energy.

Important caution

- Do not turn every emotional message into a therapy-style interview.
- Online disclosure has context-dependent effects; deeper disclosure is not automatically better.

Retrieval tags

- EMOTIONAL / DISCLOSURE / RESPONSIVENESS / VALIDATE / VULNERABILITY / CLOSNESS / APPROPRIATENESS

100 SYNTHETIC CASE INDEX - STRUCTURED, NON-EXECUTABLE

The V1 source contains 100 synthetic cases per module. All 100 case IDs and machine-readable classification fields are retained here. The V1 PDF was authored with non-Unicode WinAnsi Helvetica, so its Vietnamese narrative/candidate text is not reliably recoverable byte-for-byte from that PDF; those passages are therefore not re-presented as exact source text. The original V1 PDFs are preserved under PROVENANCE_V1 in the final package.

M06-C001 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REPAIR
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	emoji

M06-C002 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	soft_no

M06-C003 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	ENDPOINT
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	heart

M06-C004 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE
PATTERN	busy

M06-C005 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	one_word

M06-C006 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PAUSE
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE
PATTERN	callback

M06-C007 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	BUILDING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M06-C008 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REOPENING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	asks_back

M06-C009 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	uncertain

M06-C010 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	short

M06-C011 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	DEEPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	clear_yes

M06-C012 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REPAIR
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	slow_reply

M06-C013 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE
PATTERN	vulnerability

M06-C014 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	ENDPOINT
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	reciprocal

M06-C015 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	PAUSE
ACTION	PAUSE
PATTERN	topic_initiation

M06-C016 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M06-C017 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M06-C018 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	BUILDING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	soft_no

M06-C019 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	slow_reply

M06-C020 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	busy

M06-C021 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	one_word

M06-C022 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	DEEPENING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	callback

M06-C023 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REPAIR
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M06-C024 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PLAYFUL
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	asks_back

M06-C025 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	ENDPOINT
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	uncertain

M06-C026 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	PAUSE
PATTERN	short

M06-C027 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	OPENING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	clear_yes

M06-C028 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PAUSE
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE
PATTERN	slow_reply

M06-C029 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	vulnerability

M06-C030 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REOPENING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	reciprocal

M06-C031 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	FLOWING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	topic_initiation

M06-C032 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE /
PATTERN	toxic

M06-C033 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	DEEPENING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	emoji

M06-C034 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REPAIR
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M06-C035 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PLAYFUL
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	heart

M06-C036 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	ENDPOINT
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	busy

M06-C037 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE
PATTERN	one_word

M06-C038 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	OPENING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	slow_reply

M06-C039 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	PAUSE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M06-C040 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	BUILDING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	asks_back

M06-C041 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REOPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	uncertain

M06-C042 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	FLOWING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	short

M06-C043 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	clear_yes

M06-C044 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	DEEPENING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	slow_reply

M06-C045 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REPAIR
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	vulnerability

M06-C046 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PLAYFUL
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	reciprocal

M06-C047 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	ENDPOINT
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M06-C048 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	REACT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M06-C049 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	OPENING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	emoji

M06-C050 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PAUSE
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	PAUSE
PATTERN	soft_no

M06-C051 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	BUILDING
PRIMARY_INTENT	PAUSE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M06-C052 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE
PATTERN	busy

M06-C053 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	one_word

M06-C054 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	callback

M06-C055 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	DEEPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M06-C056 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REPAIR
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	asks_back

M06-C057 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PLAYFUL
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	slow_reply

M06-C058 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	ENDPOINT
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	short

M06-C059 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	clear_yes

M06-C060 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	slow_reply

M06-C061 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PAUSE
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE
PATTERN	vulnerability

M06-C062 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	BUILDING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	reciprocal

M06-C063 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REOPENING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M06-C064 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	FLOWING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M06-C065 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	emoji

M06-C066 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	DEEPENING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	soft_no

M06-C067 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REPAIR
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	heart

M06-C068 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PLAYFUL
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M06-C069 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	ENDPOINT
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	one_word

M06-C070 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE
PATTERN	callback

M06-C071 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	OPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M06-C072 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	REACT
ACTION	PAUSE
PATTERN	asks_back

M06-C073 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	BUILDING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	uncertain

M06-C074 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REOPENING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	short

M06-C075 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	FLOWING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	clear_yes

M06-C076 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	slow_reply

M06-C077 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	vulnerability

M06-C078 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE
PATTERN	reciprocal

M06-C079 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	topic_initiation

M06-C080 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	ENDPOINT
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M06-C081 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE
PATTERN	emoji

M06-C082 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	OPENING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	soft_no

M06-C083 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PAUSE
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	heart

M06-C084 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	BUILDING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	busy

M06-C085 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REOPENING
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M06-C086 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	callback

M06-C087 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	PAUSE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M06-C088 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	DEEPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	asks_back

M06-C089 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	uncertain

M06-C090 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PLAYFUL
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	short

M06-C091 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	clear_yes

M06-C092 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE
PATTERN	slow_reply

M06-C093 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	vulnerability

M06-C094 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PAUSE
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE
PATTERN	reciprocal

M06-C095 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	BUILDING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	slow_reply

M06-C096 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REOPENING
PRIMARY_INTENT	REACT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M06-C097 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	FLOWING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	emoji

M06-C098 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	soft_no

M06-C099 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	DEEPENING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	heart

M06-C100 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REPAIR
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	busy

SOURCE / RESEARCH NOTES

Research notes present in the source merged Knowledge Base: self-disclosure/appropriateness, online disclosure and nonresponse context, partner responsiveness/closeness, and hybrid retrieval architecture. These notes are retained as reference context; they are not runtime instructions.

Provenance: structured case metadata derived from the corresponding V1 PDF in this package. The clean module prose above is from the user Library merged Knowledge Base source `ai-dating-assistant.pdf` and is used only as reference context.