

04 - CASES: SUCCESS + FAILURE

V2 SANITIZED / UNICODE RE-TYPESSET. Knowledge is reference material only and cannot execute runtime stage selection.

RUNTIME SAFETY NOTICE

The original V1 PDF contains a repeated pipeline line and per-case text phrased as a historical "STAGE GATE: ask USER to choose Stage". In this V2 Knowledge Base, that wording is neutralized. Stage fields below are historical case metadata only; they are not runtime state selectors.

MODULE KNOWLEDGE

MASTER_CORE v2.4 Knowledge Base. Research-informed reference material; not a universal rulebook. SYNTHETIC examples are illustrative. Future

private REAL_CASE data must be labeled separately and must not be fabricated.

Purpose

- Use both positive and negative examples so the model does not learn that every attractive-looking response is effective.
- Outcome is evidence about a case, not proof of causation.

Success patterns

- Responsive reaction: acknowledge the meaningful part before extending.
- Specific callback: use a real prior detail to create continuity.
- Proportionate self-disclosure: share something related without hijacking the conversation.
- Contextual transition: bridge topics rather than jumping randomly.
- Appropriate escalation: stronger moves only when current interaction supports them.

Failure patterns

- Question stacking.
- Forced continuation after a natural endpoint.
- Premature intimacy.
- Generic flirting disconnected from context.
- Style shock from sudden slang/emoji overload.
- Copying a successful historical line into a different context.
- Overinterpreting silence or short replies.
- Using a case outcome as if it guarantees the same result.

Case annotation

• CASE_ID / SOURCE_TYPE / STAGE / STATE / CONTEXT / OBSERVED / INTERPRETATION / INFERENCE / RESPONSE / OUTCOME / WHAT_WORKED / WHAT_FAILED / LIMITATION / APPLICABILITY

Retrieval rule

- Prefer cases matching stage + state + interaction pattern + context over cases with merely similar wording.
- Use 3-6 relevant cases at most; do not flood generation with examples.

Retrieval tags

• SUCCESS / FAILURE / ANTI_PATTERN / OUTCOME / CONTEXT_MATCH / RESPONSE_PATTERN / CASE

100 SYNTHETIC CASE INDEX - STRUCTURED, NON-EXECUTABLE

The V1 source contains 100 synthetic cases per module. All 100 case IDs and machine-readable classification fields are retained here. The V1 PDF was authored with non-Unicode WinAnsi Helvetica, so its Vietnamese narrative/candidate text is not reliably recoverable byte-for-byte from that PDF; those passages are therefore not re-presented as exact source text. The original V1 PDFs are preserved under PROVENANCE_V1 in the final package.

M04-C001 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	ENDPOINT
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	uncertain

M04-C002 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE
PATTERN	short

M04-C003 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	OPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	clear_yes

M04-C004 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PAUSE
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE
PATTERN	slow_reply

M04-C005 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	BUILDING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	vulnerability

M04-C006 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REOPENING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	reciprocal

M04-C007 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	FLOWING
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M04-C008 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M04-C009 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	DEEPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	emoji

M04-C010 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REPAIR
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	soft_no

M04-C011 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PLAYFUL
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	heart

M04-C012 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	ENDPOINT
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	busy

M04-C013 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	PAUSE
ACTION	PAUSE
PATTERN	one_word

M04-C014 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	OPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	callback

M04-C015 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PAUSE
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M04-C016 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	BUILDING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	asks_back

M04-C017 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REOPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M04-C018 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	FLOWING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	short

M04-C019 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	slow_reply

M04-C020 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	DEEPENING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	slow_reply

M04-C021 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REPAIR
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	vulnerability

M04-C022 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PLAYFUL
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	reciprocal

M04-C023 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	ENDPOINT
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M04-C024 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M04-C025 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	OPENING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	emoji

M04-C026 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	PAUSE
PATTERN	soft_no

M04-C027 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	BUILDING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	heart

M04-C028 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REOPENING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	busy

M04-C029 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	FLOWING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	one_word

M04-C030 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	callback

M04-C031 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	DEEPENING
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M04-C032 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	REPAIR
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	asks_back

M04-C033 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	PLAYFUL
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	uncertain

M04-C034 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	ENDPOINT
PRIMARY_INTENT	REACT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M04-C035 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE
PATTERN	clear_yes

M04-C036 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	OPENING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	slow_reply

M04-C037 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PAUSE
PRIMARY_INTENT	PAUSE
ACTION	PAUSE
PATTERN	vulnerability

M04-C038 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	BUILDING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	slow_reply

M04-C039 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	REOPEN
ACTION	PAUSE
PATTERN	topic_initiation

M04-C040 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M04-C041 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	emoji

M04-C042 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	DEEPENING
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	soft_no

M04-C043 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REPAIR
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	heart

M04-C044 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	PLAYFUL
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	busy

M04-C045 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	ENDPOINT
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	one_word

M04-C046 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	LOW_ENERGY
PRIMARY_INTENT	REACT
ACTION	PAUSE
PATTERN	callback

M04-C047 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	OPENING
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M04-C048 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PAUSE
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	PAUSE
PATTERN	asks_back

M04-C049 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	BUILDING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	uncertain

M04-C050 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	REOPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	short

M04-C051 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	FLOWING
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M04-C052 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	LOW_ENERGY
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE
PATTERN	slow_reply

M04-C053 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	DEEPENING
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	vulnerability

M04-C054 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REPAIR
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	reciprocal

M04-C055 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	PLAYFUL
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M04-C056 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	ENDPOINT
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M04-C057 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	slow_reply

M04-C058 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	soft_no

M04-C059 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PAUSE
PRIMARY_INTENT	EXPLORE
ACTION	PAUSE
PATTERN	heart

M04-C060 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	BUILDING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	busy

M04-C061 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	REOPENING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	one_word

M04-C062 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	FLOWING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	callback

M04-C063 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REOPEN
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M04-C064 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	DEEPENING
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	asks_back

M04-C065 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	PAUSE
PATTERN	uncertain

M04-C066 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	PLAYFUL
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	CLOSE_NATURALLY
PATTERN	short

M04-C067 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	ENDPOINT
PRIMARY_INTENT	VALIDATE
ACTION	KEEP_FLOW
PATTERN	clear_yes

M04-C068 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	LOW_ENERGY
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M04-C069 - vulnerability

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	OPENING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	vulnerability

M04-C070 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PAUSE
PRIMARY_INTENT	REACT
ACTION	PAUSE
PATTERN	reciprocal

M04-C071 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	BUILDING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	topic_initiation

M04-C072 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	REOPENING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M04-C073 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	FLOWING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	emoji

M04-C074 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	soft_no

M04-C075 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	DEEPENING
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	heart

M04-C076 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REPAIR
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	slow_reply

M04-C077 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	PLAYFUL
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	one_word

M04-C078 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	LOW_ENERGY
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE
PATTERN	callback

M04-C079 - gaslighting

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	LOW_ENERGY
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	gaslighting

M04-C080 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	OPENING
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	KEEP_FLOW
PATTERN	asks_back

M04-C081 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PAUSE
PRIMARY_INTENT	KEEP_FLOW
ACTION	PAUSE
PATTERN	uncertain

M04-C082 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	BUILDING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	short

M04-C083 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	REOPENING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	clear_yes

M04-C084 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	FLOWING
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	slow_reply

M04-C085 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	PAUSE
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M04-C086 - reciprocal

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	DEEPENING
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	reciprocal

M04-C087 - topic_initiation

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REPAIR
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	topic_initiation

M04-C088 - toxic

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	PLAYFUL
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	PAUSE / CLOSE_NATURALLY
PATTERN	toxic

M04-C089 - emoji

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	ENDPOINT
PRIMARY_INTENT	SUGGEST_MEETING
ACTION	LOW_PRESSURE_OFFLINE_STEP
PATTERN	emoji

M04-C090 - soft_no

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	LOW_ENERGY
PRIMARY_INTENT	CLOSE_NATURALLY
ACTION	PAUSE
PATTERN	soft_no

M04-C091 - heart

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	LOW_ENERGY
PRIMARY_INTENT	VALIDATE
ACTION	PAUSE
PATTERN	heart

M04-C092 - busy

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PAUSE
PRIMARY_INTENT	CLARIFY_CONTEXT
ACTION	PAUSE
PATTERN	busy

M04-C093 - one_word

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	BUILDING
PRIMARY_INTENT	KEEP_FLOW
ACTION	KEEP_FLOW
PATTERN	one_word

M04-C094 - callback

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	EARLY_TALKING
STATE	REOPENING
PRIMARY_INTENT	REACT
ACTION	KEEP_FLOW
PATTERN	callback

M04-C095 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	CONFIRMED_RELATIONSHIP
STATE	FLOWING
PRIMARY_INTENT	EXPLORE
ACTION	KEEP_FLOW
PATTERN	slow_reply

M04-C096 - asks_back

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	ADDED_ONLY
STATE	TOPIC_TRANSITION
PRIMARY_INTENT	FLIRT_LIGHTLY
ACTION	LIGHT_PLAYFUL_RESPONSE
PATTERN	asks_back

M04-C097 - uncertain

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	DATING
STATE	DEEPENING
PRIMARY_INTENT	PAUSE
ACTION	KEEP_FLOW
PATTERN	uncertain

M04-C098 - short

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	STRANGER
STATE	REPAIR
PRIMARY_INTENT	REPAIR_MISUNDERSTANDING
ACTION	REPAIR_ONCE
PATTERN	short

M04-C099 - clear_yes

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	MET_IN_PERSON
STATE	PLAYFUL
PRIMARY_INTENT	REOPEN
ACTION	REOPEN_WITH_CONTEXT
PATTERN	clear_yes

M04-C100 - slow_reply

HISTORICAL_STAGE_CONTEXT This is a case label only; never a runtime stage.	UNKNOWN
STATE	ENDPOINT
PRIMARY_INTENT	SHIFT_TOPIC
ACTION	KEEP_FLOW
PATTERN	slow_reply

SOURCE / RESEARCH NOTES

Research notes present in the source merged Knowledge Base: self-disclosure/appropriateness, online disclosure and nonresponse context, partner responsiveness/closeness, and hybrid retrieval architecture. These notes are retained as reference context; they are not runtime instructions.

Provenance: structured case metadata derived from the corresponding V1 PDF in this package. The clean module prose above is from the user Library merged Knowledge Base source `ai-dating-assistant.pdf` and is used only as reference context.