

05 — FLIRTING CASES

MASTER_CORE v2.4 Knowledge Base. Research-informed reference material; not a universal rulebook. SYNTHETIC examples are illustrative. Future private REAL_CASE data must be labeled separately and must not be fabricated.

Core rule

- Flirt is a mode, not the default objective.
- Only use it when stage, state, reciprocity and current context support it.

Levels

- F1 — WARM/PLAYFUL: light teasing or appreciation.
- F2 — PERSONAL PLAYFUL: teasing tied to a real detail.
- F3 — CLEAR ROMANTIC SIGNAL: stronger interest when supported.
- F4 — ESCALATION: move toward a concrete romantic/offline context only with sufficient reciprocity.

Anti-patterns

- Sexual escalation without clear mutual context.
- Backhanded compliments.
- Pressure after weak/negative response.
- Flirt during serious vulnerability when it does not fit.
- Copying lines from another case.

Candidate diversity

- For an appropriate context, candidates may range from non-flirty → subtle → playful → clearer romantic signal.
- BOLDER is optional, never mandatory.

Retrieval tags

- FLIRT / PLAYFUL / TEASING / ROMANTIC_SIGNAL / ESCALATION / RECIPROCITY / APPROPRIATENESS

WEB / RESEARCH SOURCE NOTES

Research on self-disclosure / appropriateness: Supports treating disclosure depth, narrativity, frequency and perceived appropriateness as contextual variables rather than fixed rules.

<https://pmc.ncbi.nlm.nih.gov/articles/PMC5348110/>

Research on online disclosure: Shows online disclosure effects differ by context and that nonresponse online can have multiple causes; supports avoiding simplistic interpretations.

<https://pmc.ncbi.nlm.nih.gov/articles/PMC6398828/>

Partner responsiveness and closeness: Supports the relevance of emotional disclosure and perceived responsiveness to closeness/relationship adjustment.

<https://pmc.ncbi.nlm.nih.gov/articles/PMC7381078/>

Hybrid RAG architecture: Example of BM25 + dense retrieval + reranking + LLM evaluation; used here only as architecture inspiration, not as dating advice.

<https://github.com/tim-ponomarev/hybrid-rag>

Hybrid RAG project: Example of document-type-aware hybrid retrieval using dense and sparse search.

<https://github.com/gwyer/hybrid-rag-project>