

07 — TOPIC TRANSITION

MASTER_CORE v2.4 Knowledge Base. Research-informed reference material; not a universal rulebook. SYNTHETIC examples are illustrative. Future private REAL_CASE data must be labeled separately and must not be fabricated.

Goal

- Move topics without making the conversation feel like a questionnaire or random subject jump.

Transition types

- BRIDGE — current topic naturally points to the next.
- CALLBACK — return to an earlier detail.
- SELF_DISCLOSURE — share a related personal detail.
- CONTEXT — current event/environment suggests the next topic.
- CLEAN_RESET — use only after the previous topic has genuinely closed.

Rules

- Do not transition merely to avoid silence.
- Do not abandon meaningful vulnerability too quickly.
- Do not stack a new topic onto an unanswered question without reason.
- Prefer contextual continuity over novelty.

Multi-response generation

- For the same situation, candidates may differ as: direct reaction / callback / self-share / playful bridge / light question.
- All candidates must preserve the locked PRIMARY_INTENT.

Retrieval tags

- TRANSITION / BRIDGE / CALLBACK / TOPIC_CHANGE / SELF_DISCLOSURE / CONTINUITY

WEB / RESEARCH SOURCE NOTES

Research on self-disclosure / appropriateness: Supports treating disclosure depth, narrativity, frequency and perceived appropriateness as contextual variables rather than fixed rules.

<https://pmc.ncbi.nlm.nih.gov/articles/PMC5348110/>

Research on online disclosure: Shows online disclosure effects differ by context and that nonresponse online can have multiple causes; supports avoiding simplistic interpretations.

<https://pmc.ncbi.nlm.nih.gov/articles/PMC6398828/>

Partner responsiveness and closeness: Supports the relevance of emotional disclosure and perceived responsiveness to closeness/relationship adjustment.

<https://pmc.ncbi.nlm.nih.gov/articles/PMC7381078/>

Hybrid RAG architecture: Example of BM25 + dense retrieval + reranking + LLM evaluation; used here only as architecture inspiration, not as dating advice.

<https://github.com/tim-ponomarev/hybrid-rag>

Hybrid RAG project: Example of document-type-aware hybrid retrieval using dense and sparse search.

<https://github.com/gwyer/hybrid-rag-project>