






Web Programming

Ung Văn Giàu

```
______ modifier_ob.
         mirror object to mirror
        mirror_mod.mirror_object
        peration == "MIRROR_X":
        ### Index = True
        mirror_mod.use_y = False
        _operation == "MIRROR_Y"
         Lrror_mod.use_x = False
         mlrror_mod.use_y = True
         mulrror_mod.use_z = False
          operation == "MIRROR_Z":
          rror_mod.use_x = False
          Lrror_mod.use_y = False
          Irror_mod.use_z = True
           election at the end -add
           ob.select= 1
           er ob.select=1
             Stand Query
Lab
           ta.objects[one.name].se
           Int("please select exact)
           -- OPERATOR CLASSES ----
           vpes.Operator):
            X mirror to the selecte
           ject.mirror_mirror_x"
           ext.active_object is not
          ontext):
```

Problem 1. Datepicker

Use jQuery to insert a datepicker that open an interactive calendar in a small overlay when you focus on a standard form input field.



Problem 2. Tabs

Tabs is a single content area with multiple panels, each associated with a header in a list.

Click tabs to swap between content that is broken into logical sections.

Use jQuery or Bootstrap to insert the tabs.

Proin elit arcu, rutrum commodo, vehicula tempus, commodo a, risus.
Curabitur nec arcu. Donec sollicitudin mi sit amet mauris. Nam
elementum quam ullamcorper ante. Etiam aliquet massa et lorem.
Mauris dapibus lacus auctor risus. Aenean tempor ullamcorper leo.
Vivamus sed magna quis ligula eleifend adipiscing. Duis orci. Aliquam
sodales tortor vitae ipsum. Aliquam nulla. Duis aliquam molestie erat. Ut
et mauris vel pede varius sollicitudin. Sed ut dolor nec orci tincidunt
interdum. Phasellus ipsum. Nunc tristique tempus lectus.

Problem 3. Accordion

Accordion displays collapsible content panels for presenting information in a limited amount of space. Use iQuery or Bootstrap to insert the accordion.


Section 1

Mauris mauris ante, blandit et, ultrices a, suscipit eget, quam. Integer ut neque. Vivamus nisi metus, molestie vel, gravida in, condimentum sit amet, nunc. Nam a nibh. Donec suscipit eros. Nam mi. Proin viverra leo ut odio. Curabitur malesuada. Vestibulum a velit eu ante scelerisque vulputate.

- Section 2
- Section 3
- Section 4

Problem 4. Dialog (Bootstrap modal)

Dialog is used to open content in an interactive overlay. Use jQuery or Bootstrap to insert the dialog.



Problem 5. Full screen Overlay Navigation

Create a full screen overlay navigation menu.


Normal

Fullscreen Overlay Nav Example

Click on the element below to open the fullscreen overlay navigation menu.


≡ open

Clicked Open



Problem 6. "Go to top" Button

Create the "Go to top" button




Problem 7. Student Management System

Create a complete webpage like the following.

Student Management System

Class List

- Lớp 1
- Lớp 2



Problem 7. Student Management System

- Use Get Method to get data from:
 - URL: 45.76.156.126/getdata.php
 - Parameter Name: Type
 - Parameter Value: Student or Class
- Write the following functions:
 - Insert into top of the list
 - Update
 - Delete
 - Sort by Name before showing the list
 - Show the list by class
 - Find by Name