



Câu 1 :  
a)

The screenshot shows the GitHub interface for creating a new fork of the repository 'render-examples / express-hello-world'. The page title is 'Create a new fork'. Below the title, there is a brief explanation of forking and a link to 'View existing forks'. A note states 'Required fields are marked with an asterisk (\*)'. The form includes fields for 'Owner' (set to 'NguyenThanhTrung-N2T') and 'Repository name' (set to 'express-hello-world', with a green checkmark indicating it is available). A 'Description' field contains the text 'Express Hello World Example on Render https://render.com'. A checkbox labeled 'Copy the main branch only' is checked. At the bottom, there is a green 'Create fork' button and a note: 'You are creating a fork in your personal account.'

b)



c)



d)


1.

```

app.js
@@ -2,9 +2,11 @@ const express = require("express");
const app = express();
const port = process.env.PORT || 3001;
- app.get("/", (req, res) => res.type("html").send(html));
+ app.get("/", (req, res) => res.type("html").send(html));
- const server = app.listen(port, () => console.log('Example app listening on port ${port}!'));
+ const server = app.listen(port, () =>
+   console.log('Example app listening on port ${port}!'),
+ );
server.keepAliveTimeout = 120 * 1000;
server.headersTimeout = 120 * 1000;
@@ -13,7 +15,7 @@ const html = `
<!DOCTYPE html>
<html>
<head>
- <title>Hello from Render!</title>
+ <title>Hello from 23521683 - NguyenThanhTrung!</title>
<script src="https://cdn.jsdelivr.net/npm/canvas-confetti@1.5.1/dist/confetti.browser.min.js"></script>
<script>
  setTimeout(() => {
@@ -54,8 +56,8 @@ const html = `
</head>
<body>
<section>
-   Hello from Render!
+   Hello from 23521683 - NguyenThanhTrung!
</section>
</body>
</html>
- `
+ `

```

2.



e)

