

Bài 2:


Thiết kế database như sau:

Table - dbo.Employees			Table - dbo.DVDLibrary	Table - dl
	Column Name	Data Type	Allow Nulls	
🔑	EmployeeID	int	<input type="checkbox"/>	
	FirstName	nvarchar(50)	<input checked="" type="checkbox"/>	
	LastName	nvarchar(50)	<input checked="" type="checkbox"/>	
	BirthDate	datetime	<input checked="" type="checkbox"/>	
	Designation	nvarchar(50)	<input checked="" type="checkbox"/>	
	City	nvarchar(50)	<input checked="" type="checkbox"/>	
▶			<input type="checkbox"/>	

Xây dựng 1 chương trình windowform như sau dùng datagridview:

The screenshot shows a Windows Form titled "Employee Details". Inside the form is a DataGridView with the following columns: EmployeeID, FirstName, LastName, BirthDate, Designation, and City. The first row of the grid is highlighted with an asterisk (*) in the first column. Below the grid, there are four navigation buttons: "<|", "<", ">", and ">|". To the right of these are three action buttons: "Add New", "Delete", and "Exit".

Khi người dùng chạy chương trình dữ liệu trong bảng Employees sẽ được hiển thị:



The image shows a Windows-style application window titled "Employee Details". It features a data grid with columns for EmployeeID, FirstName, LastName, BirthDate, Designation, and City. The first two rows are populated with data, and a third row is highlighted with an asterisk, indicating a new record. Below the grid is a large gray area for data entry. At the bottom, there are navigation buttons (back, forward, etc.) and three main action buttons: "Add New", "Delete", and "Exit".

	EmployeeID	FirstName	LastName	BirthDate	Designation	City
▶	1	Toan	Ha Khanh	2/21/1980	Faculty	Ha Noi
	2	Khanh	Tran	2/24/1973	Faculty	Hue
*						

Navigation buttons: |< < > >|

Action buttons: Add New Delete Exit

Người dùng click vào nút Add New thì thêm 1 row trắng vào datagridview. Và cho phép người dùng nhập dữ liệu vào database.

Người dùng click vào nút Delete thì xóa row được chọn