

Developing a Machine Learning-Based Tool for Autism Screening Using Psychological Medical Records

Hao Nguyen Thi Bich¹, Thanh Nguyen Van Quoc², Nhut Nguyen Minh³, and
Thuan Nguyen Dinh⁴

Faculty of Information Systems, University of Information Technology - Vietnam
National University, Ho Chi Minh City, Vietnam
{21521447@gm.uit.edu.vn, 21522049@gm.uit.edu.vn,
nhutnm.17@grad.uit.edu.vn, thuannd@uit.edu.vn}

Abstract. Autism Spectrum Disorder (ASD) is a neurodevelopmental condition that impacts social interaction and behavior, where early detection is crucial for optimizing intervention outcomes. This study proposes a machine learning-based screening tool that utilizes psychological medical records (EMR) to identify ASD in children aged 1 to 8 years. We conducted an experiment using two datasets: (1) a publicly available dataset from a prior study, consisting of approximately 300 records with information on ASD status and responses to 10 evaluation questions; and (2) an EMR dataset from a pediatric psychology clinic, comprising about 600 records that include assessments from parents through interviews and from clinicians via direct examinations. Both datasets were labeled by psychology experts based on evaluation criteria such as eye contact, pointing, imitation, and others.

The EMR dataset from the clinic includes 18 labeled features corresponding to evaluation criteria. For the public dataset, we analyzed the experimental questions and mapped them to the 18 features of the EMR dataset, selecting 10 statistically significant features. Both datasets underwent preprocessing to handle missing data, encode features, and select features with significant impact on the outcome label. This resulted in 10 key features used for training machine learning classification models. Four machine learning models were implemented: Decision Tree, XGBoost, CatBoost, and Overall Local Accuracy (OLA). Results showed that OLA exhibited superior adaptability across both standard and potentially noisy datasets. However, initial experiments revealed two main challenges: (1) class imbalance (90% ASD vs. 10% non-ASD), and (2) feature bias due to the high accuracy of expert-labeled EMR data, causing models to over-rely on certain features. These limitations reduced the models' reliability in real-world applications.

To address these issues, we applied the SMOTE-IPF technique to balance the ASD and non-ASD class ratios and enhanced the OLA framework by incorporating dynamic weighting and regularization to reduce dependency on specific features. The proposed screening tool offers a cost-effective and scalable solution, particularly suitable for resource-constrained settings.

Keywords: Autism Spectrum Disorder, Machine Learning, Psychological Medical Records, SMOTE-IPF, OLA, Screening Tool

1 Introduction

Autism Spectrum Disorder (ASD) is a neurodevelopmental condition characterized by challenges in social interaction, communication, and repetitive behaviors, affecting individuals across childhood, adolescence, and adulthood [1]. Early detection in children is critical for timely interventions that optimize long-term outcomes. However, as children age, diagnosis and intervention become increasingly complex due to overlapping symptoms with other mental health disorders. According to the U.S. Centers for Disease Control and Prevention (CDC), the prevalence of ASD in the United States has risen sharply from 1 in 150 children in 2000 to 1 in 36 in 2023 [2]. In Vietnam, while official statistics are lacking, preliminary estimates suggest a prevalence of approximately 1 in 68 children, driven by increased societal awareness, improved diagnostic capabilities, and potential environmental and lifestyle factors.

Traditional screening tools, such as M-CHAT-R/F and ADOS, are resource-intensive, requiring specialized expertise and limiting their accessibility in low-resource settings, particularly in developing countries like Vietnam [3]. The absence of specific medical tests for ASD further complicates diagnosis, relying heavily on subjective observational assessments. Recent advancements in artificial intelligence (AI) and machine learning (ML) offer promising opportunities for automated ASD screening by leveraging electronic medical records (EMR). However, using EMR for ASD prediction remains a nascent field, particularly in contexts like Vietnam, where medical data is often heterogeneous, imbalanced (fewer ASD cases), and prone to feature bias (over-reliance on specific indicators) [4]. Previous ML studies have applied models like Decision Trees, XGBoost, and CatBoost, achieving high accuracy in controlled settings but struggling with real-world generalizability due to data imbalances and dominant features.

This study proposes an ML-based ASD screening tool utilizing psychological EMRs from children aged 1-8 years, addressing practical challenges such as class imbalance and feature bias. We evaluate four ML models-Decision Tree, XGBoost, CatBoost, and an enhanced Overall Local Accuracy (OLA) framework-introducing SMOTE-IPF for data augmentation and tailored adjustments to OLA to mitigate bias. Our contributions include: (1) a robust dataset combining 300 public records and 600 clinical EMRs, preprocessed with expert guidance; (2) an improved OLA framework for adaptive and unbiased predictions; and (3) a cost-effective, scalable tool tailored for resource-constrained settings.

The paper is organized as follows: Section 2 reviews related work, Section 3 describes the datasets and preprocessing, Section 4 details the methodology, Section 5 presents experimental results and analysis, and Section 6 discusses contributions, limitations, and future directions.

2 Related Works

Harshita Chandrappa [5] proposed a hybrid machine learning framework for predicting Autism Spectrum Disorder (ASD) across all age groups. The system incorporates multiple ML classifiers such as Decision Tree, Naive Bayes, Random Forest, SVM, and Logistic Regression into a web-based diagnostic application. Through preprocessing and classification on a structured ASD dataset, their approach demonstrated high accuracy in predicting ASD traits. Among the models evaluated, Support Vector Machine and Random Forest yielded the best results in terms of accuracy and robustness. The authors highlighted the importance of early screening and presented a chatbot-based interface to assist users in understanding ASD symptoms and diagnosis.

Jose A. Saez [6] introduced SMOTE-IDF, a novel text classification method combining SMOTE oversampling with IDF weighting to tackle class imbalance in textual datasets. Using a Deep Neural Network (DNN) classifier, SMOTE-IDF balances minority class samples while preserving the significance of rare, informative terms. Tested on datasets like 20 Newsgroups, it outperformed traditional oversampling and baseline classifiers in accuracy, precision, recall, and F1-score, highlighting the value of hybrid sampling and feature weighting for imbalanced textual data.

B. D. Hung [8] introduced KSI, a novel hybrid method that combines clustering with SMOTE and iterative noise filtering (IPF) to enhance classification performance on imbalanced datasets. While traditional SMOTE and SMOTE-IPF approaches are commonly used for over-sampling minority classes, they often generate noisy or overlapping samples, reducing classification accuracy. KSI addresses this by using k-means clustering to identify local distributions where minority instances may dominate or be sparse. Synthetic samples are only generated in regions where local minority density is low, followed by IPF to remove noise. Experiments on multiple UCI datasets demonstrated that KSI outperforms baseline methods (SMOTE, IPF, SMOTE-IPF) in terms of G-mean and AUC, particularly on noisy and borderline samples.

Youngkyu Hong [9] proposed a dual-branch learning framework to address bias in image classification. It uses Bias-Contrastive Learning (BCL) to capture spurious correlations in a biased branch and Bias-Balanced Learning (BBL) to focus on robust features in an unbiased branch. By minimizing biased branch loss and maximizing unbiased branch agreement with true labels, the method reduces reliance on dataset biases, outperforming traditional debiasing techniques on datasets like Biased-MNIST and ImageNet-9.

Y. Zeng [10] introduces Ola, an advanced omni-modal language model capable of understanding images, audio, and video. It uses progressive modality alignment-gradually learning from image-text, audio, then video-to reduce training costs. Ola supports streaming speech generation and demonstrates state-of-the-art performance among open-source omni-modal models, rivaling specialized systems across diverse tasks.

3 Dataset

3.1 Public Dataset

The public dataset was sourced from Kaggle [17], consisting of responses to 10 behavioral screening questions designed to detect ASD symptoms in children. The dataset is balanced, with an approximately equal distribution between ASD and non-ASD labels, each record includes binary responses to 10 questions, personal information and other relevant details. These 10 questions in the dataset are labeled to correspond with evaluation topic, which also support the labeling of the private dataset under the guidance and verification of psychological experts.

- Total samples: 292 records
- Class distribution: 141/292 records ASD about 48,3%
- Number and types of features: 20 columns included raw columns and label columns

3.2 Private Dataset

The private dataset was collected from the medical records of the Psychology Clinic, featuring a more complex structure and class imbalance due to medical records in favor of disease data. It contains over 600 samples, with richer information such as personal information, acknowledging behavior from relatives of children and evaluating from a specialist after a direct examination at the clinic. A major challenge in this dataset is the excessive dominance of a single feature, which represents the standard assessment by doctors. This feature exhibits a bias tendency, affecting the final clinical outcomes and resulting in model decisions with high experimental accuracy but prone to misapplication in practical settings.

Step 1: Collect raw data This study utilizes a dataset comprising over 1,200 pediatric psychological records collected from a child psychology clinic, covering various conditions such as Autism Spectrum Disorder (ASD), intellectual developmental disorder, language disorder, and attention deficit hyperactivity disorder. The initial step involved standardizing the data by converting PDF records into structured Excel tables. The records were then categorized by condition, resulting in the selection of over 800 cases related to ASD and non-clinical cases.

Step 2: Filter data Records with missing or substandard data were filtered out, yielding a refined dataset of about 600 records. Then, data labeling was performed to assign features known to influence ASD prediction, including eye contact [11], pointing gestures [12], response to name [13], joint attention [14], imitation [15], and symbolic play [16]... These behavioral indicators were selected based on their strong association with early autism markers and clinical diagnostic standards. To ensure privacy, personal information was anonymized through encoding before further preprocessing.

Step 3: Prepare dataset

- Number of samples: 594 records
- Class distribution: 550/594 records ASD-Tracking and ASD about 93%
- Number and types of features: 36 columns included raw columns and label columns

3.3 Summary Dataset

The research utilized two datasets to evaluate an ASD detection approach. The public dataset from Kaggle contains 292 balanced records with 20 features, including 10 binary behavioral responses. The private dataset, collected from a psychology clinic, comprises 594 records with 36 features, predominantly ASD cases (93%), derived from standardized medical records.

These datasets have 18 labeled features that are used for analysis and predict. These labeled features are listed below:

Table 1: List of labeled features in the dataset		
Feature 1	Feature 2	Feature 3
Medical History	Task Requesting	Symbolic Play
Speech Delay	Response to Name in Infants	Repetitive/Stereotyped Play
Behavioral Rigidity	Toe Walking after 3 years	Social Communication Skills
Behavioral Isolation	Making a Point	Turn-Taking Play
Sensorimotor Play	Joint Attention	Imitation
Functional Play	Eye Contact	Combinatorial Play

4 Proposed Methodology

Below is a image and detail for each implementation method:




Fig. 1: Overview of implementation methods

4.1 Data Preprocessing

Effective data preprocessing is crucial to ensure the quality and usability of electronic medical records (EMR) for developing an Autism Spectrum Disorder (ASD) screening tool. The pipeline comprised five sequential stages, each with a clear *objective* and *method*, as detailed below.

Step 1: Anonymization .

Objective: Protect participant privacy.

Method: All personally-identifiable information (e.g., names, ID numbers) was either encrypted or removed before model training.

Step 2: Redundant Column Removal .

Objective: Reduce noise and data complexity.

Method: Columns lacking analytical value-such as purely administrative metadata-were eliminated.

Step 3: Missing Value Imputation .

Objective: Ensure data completeness.

Method: Numerical attributes were imputed with the median, while categorical attributes were filled with the mode; domain-expert psychology rules guided these choices where appropriate.

Step 4: Feature Encoding .

Objective: Convert categorical data to numerical format suitable for machine learning.

Method:

- Target variable (ASD diagnosis) was encoded as binary - 0 (non-ASD) and 1 (ASD).
- Behavioral features were encoded as binary (0/1) or ordinal values (0, 0.5, 1).

Step 5: SMOTE-IPF Balancing .

Based on domain knowledge, SMOTE-IPF (Synthetic Minority Oversampling Technique with Iterative Partitioning Filter) [6] was ultimately selected due to its superior performance in both class balancing and noise reduction.

In contrast, SMOTE-KNN [7] focuses on handling missing values before oversampling. It first imputes missing features using KNN, then applies SMOTE. However, it lacks a mechanism to remove borderline/unsafe samples, potentially introducing noise.

To further enhance training quality, unsafe ASD samples (flagged as negative) were selectively amplified via KNN-based resampling. This produced three datasets:

- A0: Baseline dataset after SMOTE-IPF.
- A1: Unsafe ASD samples were fully amplified.
- A2: Selective amplification based on neighborhood voting.

These datasets were exported in Excel format for subsequent model training. Empirical results showed that SMOTE-IPF consistently produced better class balance with reduced overfitting, making it the preferred preprocessing strategy.

4.2 Classification Models

Decision Tree Model .

A hierarchical structure of binary decisions based on feature thresholds to classify samples as ASD or non-ASD. Its simplicity and interpretability make it suitable for clinical applications. However, Decision Trees are prone to overfitting, especially on imbalanced datasets, and may overly rely on dominant features, such as specific behavioral indicators, leading to biased predictions. The model was implemented with default parameters, using Gini impurity as the splitting criterion, and evaluated on the preprocessed dataset. Additionally, its performance benefits from pruning techniques to reduce complexity, though it struggles with noisy data and lacks robustness against feature interactions, necessitating careful preprocessing to enhance accuracy in ASD classification.

XGBoost Model .

An ensemble learning method based on gradient boosting, XGBoost integrates multiple weak learners (decision trees) to enhance predictive performance. It effectively manages complex feature interactions and employs regularization to reduce overfitting. However, in imbalanced datasets, XGBoost may favor dominant features, potentially reducing its generalizability in pediatric ASD classification. Additionally, its efficiency stems from parallel processing and optimized tree pruning, though it requires careful hyperparameter tuning to address bias and improve adaptability across diverse data distributions.

CatBoost Model .

CatBoost is an advanced Gradient Boosting Decision Trees (GBDT) algorithm that builds an ensemble of symmetric (oblivious) decision trees to enhance predictive performance and computational efficiency. Unlike traditional Decision Trees, CatBoost combines multiple weak learners with ordered boosting and regularization to reduce overfitting, achieving superior generalization on complex datasets. It was configured with a depth of 6 and 100 iterations, leveraging its ability to process ordinal features (e.g., poor-moderate-good encodings) directly.

However, CatBoost may still struggle with bias toward dominant features in imbalanced datasets, as applied in this study.

OLA (Overall Local Accuracy) [18]

OLA Model OLA is a Dynamic Classifier Selection (DCS) technique from the DESlib library [19], dynamically selecting the most competent classifier for each test sample based on its local accuracy within a region of competence. For each test instance x , OLA identifies the k -nearest neighbors in the training set, evaluates the classification accuracy of each base classifier on these neighbors, and selects the classifier with the highest local accuracy to predict x .

This approach excels in handling complex, heterogeneous, or imbalanced datasets, such as pediatric psychological records, where global models may underperform in specific regions of the feature space. A key strength of OLA is its flexibility in combining diverse base classifiers within a pool.

In this study, OLA was applied to an ensemble comprising DecisionTreeClassifier (simple but prone to overfitting), KNeighborsClassifier (effective in local regions), XGBClassifier (robust boosting for hard samples), and RandomForestClassifier (resilient to overfitting with many features). By leveraging local accuracy, OLA dynamically identifies the most suitable classifier for each sample, enhancing fairness and accuracy in ASD classification.

Implemented with custom code to integrate with the SMOTE-IPF preprocessed dataset, OLA mitigates feature bias and improves robustness on imbalanced data. It was hypothesized to outperform the other methods due to its ability to adapt to local data patterns, making it a promising tool for accurate and fair ASD diagnosis in pediatric settings.

Framework with OLA This subsection illustrates the enhanced OLA pipeline designed to mitigate feature bias, particularly caused by dominant features such as TiepXucMat:

- **Step 1:** Data Preprocessing
 - Standardization with StandardScaler: Transform data to a standard normal distribution (mean=0, variance=1) to reduce the influence of features with large values (e.g., TiepXucMat), ensuring efficient model performance.
 - Dimensionality Reduction with PCA (Principal Component Analysis): Reduce data dimensions, removing noise and bias from dominant features while lowering computational cost.
- **Step 2:** Create PCA-based Group - Using PCA-reduced Data
 - Model Group Creation: PCA-based group - XGBClassifier, CatBoostClassifier, and RandomForestClassifier trained on PCA data, focusing on key features to minimize noise.
 - This diversity enhances flexibility, allowing OLA to select the most suitable model for each test sample.
- **Step 3:** Deploy OLA Model

Implement with the above models on the PCA-processed dataset to provide predictions for each data sample.

4.3 Evaluation Metrics and Validation

This section defines the evaluation metrics and validation techniques used to assess the performance of the proposed Overall Local Accuracy (OLA) model, alongside Decision Tree, XGBoost, and CatBoost, on the preprocessed ASD dataset.

Evaluation Metrics Recall, Specificity, Precision, F1-score

Prioritizing the Recall (sensitivity) metric is driven by the primary goal of maximizing the detection of ASD cases, even if it results in some false negatives. This is particularly critical because missing a diagnosis of ASD in a child can lead to a lack of early intervention, potentially causing severe long-term developmental impacts. Recall measures the proportion of actual ASD cases correctly identified by the model, making it a preferred metric over Precision, F1-score. Even the low Specificity but high Recall is still rated as a suitable model.

Validation Techniques

Cross-Validation A 5-fold stratified cross-validation was conducted. Process: The dataset was divided into 5 folds with preserved class distribution. Each fold was used once as test while others served as training.


Feature Importance Analysis Evaluates the influence of original features on the model's predictions, providing insights into feature relevance for the ASD classification task.

5 Result and Discussion


5.1 Experimental Results

Evaluation Balancing Private Dataset .

Two chart 2D PCA visualization bellow reveal that SMOTE-IPF yields a more uniform distribution compared to SMOTE-KNN, with synthetic samples exhibiting tighter clustering and reduced overlap between classes. This indicates SMOTE-IPF's higher reliability in balancing the private dataset while preserving class separability, enhancing the robustness of subsequent model training. Therefore, private dataset with SMOTE-IPF over 800 records were balanced used for model.



(a) PCA with SMOTE-KNN



(b) PCA with SMOTE-IPF

Fig. 2: Comparison of PCA visualizations on private dataset using SMOTE-KNN and SMOTE-IPF.

Evaluation on Public and Private Datasets

Public Dataset

a1) Metrics Cross Validation:
Observations on Performance Metrics

- The Decision Tree model yields moderately low results, performing the least effectively among the evaluated models.
- CatBoost delivers good performance, though it is slightly outperformed by XGBoost, with a minimal difference of approximately 0.01.
- XGBoost exhibits very strong results, demonstrating high effectiveness.
- Overall Local Accuracy (OLA) model also achieves very good performance, showcasing its adaptability to the data and surpassing both XGBoost and CatBoost in overall outcomes.

General comment, the Online Learning Algorithm (OLA) demonstrates superior effectiveness, with exceptional adaptability and high accuracy, positioning it as a highly promising model for deployment and further development on real-world datasets. XGBoost and CatBoost are also robust choices, with XGBoost slightly outperforming CatBoost by a marginal difference, indicating their strength in handling complex predictive tasks. Conversely, the Decision Tree model exhibits the lowest performance, making it more suitable for simpler problems or scenarios where model interpretability is prioritized over predictive power.

Table 2: Cross-validation performance (Public dataset)

Model	Fold	Recall	Specificity	Precision	F1-Score
Decision Tree	1	0.895	0.714	0.680	0.773
	2	0.842	0.893	0.842	0.842
	3	0.789	0.714	0.842	0.714
	4	0.889	0.857	0.800	0.842
	5	0.684	0.893	0.842	0.743
	Mean	0.820	0.813	0.757	0.783
XGBoost	1	1.000	0.929	0.957	0.950
	2	0.947	0.964	0.947	0.947
	3	1.000	1.000	1.000	1.000
	4	1.000	0.857	0.818	0.900
	5	0.947	1.000	1.000	0.973
	Mean	0.979	0.950	0.944	0.954
CatBoost	1	1.000	0.857	0.826	0.905
	2	1.000	0.964	0.950	0.974
	3	0.895	1.000	1.000	0.944
	4	1.000	0.893	0.857	0.923
	5	0.947	0.963	0.947	0.947
	Mean	0.968	0.935	0.916	0.939
OLA	1	1.000	1.000	1.000	1.000
	2	1.000	0.964	0.959	0.979
	3	1.000	1.000	1.000	1.000
	4	1.000	0.964	0.947	0.973
	5	0.947	1.000	1.000	0.973
	Mean	0.989	0.986	0.979	0.985

a2) Chart Feature Importance Analysis:

General comment, the chart results reveal that the dataset lacks significant column bias, resulting in a relatively uniform distribution across features. The models effectively recognize these features and produce graphs with balanced distributions, ranked from best to worst in a single run as follows: CatBoost

Table 3: Cross-validation performance (Private dataset)

Model	Fold	Recall	Specificity	Precision	F1-Score
Decision Tree	1	0.920	0.820	0.836	0.876
	2	0.760	0.940	0.927	0.835
	3	0.840	0.840	0.840	0.840
	4	0.880	0.740	0.772	0.822
	5	0.740	0.840	0.822	0.779
	Mean	0.828	0.836	0.839	0.830
XGBoost	1	0.920	0.900	0.902	0.911
	2	0.940	0.960	0.959	0.949
	3	0.900	0.900	0.900	0.900
	4	0.960	0.840	0.857	0.906
	5	0.800	0.880	0.870	0.833
	Mean	0.904	0.896	0.898	0.900
CatBoost	1	0.900	0.880	0.882	0.891
	2	0.920	1.000	1.000	0.958
	3	0.920	0.920	0.918	0.909
	4	0.940	0.780	0.810	0.870
	5	0.820	0.880	0.872	0.845
	Mean	0.896	0.892	0.896	0.895
OLA	1	0.940	1.000	1.000	0.969
	2	0.980	1.000	1.000	0.990
	3	1.000	1.000	1.000	1.000
	4	0.980	0.980	0.980	0.980
	5	0.920	1.000	1.000	0.958
	Mean	0.964	0.996	0.996	0.979
Fw OLA	1	0.969	0.973	0.979	0.974
	2	0.980	0.973	0.980	0.980
	3	0.969	0.987	0.990	0.979
	4	0.980	0.987	0.990	0.985
	5	0.938	1.000	1.000	0.968
	Mean	0.967	0.984	0.988	0.977

b2) Chart Feature Importance Analysis:

The bias column evaluation charts reveal the following insights:

The dataset exhibits a significant bias toward the "TiepXucMat" (Eye Contact) column across all four models, leading to overly optimistic evaluation metrics. However, when applied to new datasets in real-world scenarios, the results fall short of expectations if the "TiepXucMat" column is not accurately assessed.

Although CatBoost shows lower Cross Validation performance compared to other models, it maintains a better distribution of the biased column. However, it cannot be conclusively regarded as the best model for column distribution.

OLA remains a promising model for further improvement due to its flexible adaptability.

General comment, the dataset is predominantly biased toward the "TiepXuc-Mat" column, necessitating enhancements to the adaptable OLA model. These improvements should aim to achieve a more uniform and balanced differentiation across columns, ensuring that the screening process does not miss positive cases.




Fig. 4: Baseline feature importance in private dataset

To address this, Enhanced OLA was applied to reduce bias and diversify feature influence.




Fig. 5: Enhanced OLA framework with TiepXucMat

Summary: Enhanced OLA framework successfully reduced the dominance of *TiepXucMat*, improving balance among features and robustness for ASD classification on the private dataset.

5.2 Discussion

This section analyzes the performance patterns across the evaluated models, discusses the improvements of OLA’s local selection mechanism over global bias, compares our results with related work, and highlights limitations, strengths, weaknesses, and the practical applicability of OLA on the private dataset.

Table 4: Compare Recall on public and private datasets

Model	Public	Private
Decision Tree	0.820	0.828
XGBoost	0.979	0.904
CatBoost	0.968	0.896
OLA	0.989	0.964
OLA Framework	—	0.967

Compare Recall on public and private datasets, as depicted in the provided table, highlight the performance of various machine learning models across public and private datasets, with a focus on Recall as the primary metric due to its importance in ensuring maximum detection of ASD cases. The table shows that OLA and the OLA Framework in practical data achieved the highest Recall scores of 0.964 and 0.967, respectively, significantly outperforming CatBoost (0.896), XGBoost (0.904), and Decision Tree (0.828). This superior performance underscores OLA’s exceptional flexibility in dynamically selecting optimal models, reinforcing its robustness and adaptability across diverse datasets.

A notable observation is the decline in accuracy when these models are applied to the private clinical dataset compared to the public dataset. XGBoost dropped from 0.979 to 0.904, CatBoost from 0.968 to 0.896, and OLA from 0.989 to 0.964—a reduction of only 0.025. This decrease indicates that while all models perform well (above 0.9 on average), their effectiveness diminishes in real-world settings with unstable data, failing to replicate the high accuracy observed in controlled experiments. The private dataset’s variability reflects the challenges of real-world clinical environments, where data inconsistencies are common.

Further analysis of column bias reveals a significant skew toward the “TiepX-ucMat” (Eye Contact) column in the private dataset, which likely contributed to the overly optimistic results in initial evaluations. This bias suggests that the models’ predictions may overly rely on a single feature, potentially leading to inaccurate assessments when applied practically. The OLA Framework was introduced to address this limitation, balancing feature weights and integrating the 10-question framework across 10 screening themes. Post-implementation, the OLA Framework successfully mitigated this bias, still achieving a Recall of 0.967, demonstrating its ability to adapt to real-world data fluctuations.

⁰ OLA Framework doesn’t need to be assessed on public dataset so “—”.

6 Conclusion

This study introduces a screening tool leveraging machine learning models trained on psychological medical records of children, utilizing the Overall Local Accuracy (OLA) framework following advanced preprocessing techniques. These include balancing class labels with SMOTE-IPF and mitigating column bias through the OLA framework. Traditional models, including advanced ones like CatBoost, struggled with imbalanced data, facing limitations due to a "column causing data bias" that undermined reliability, particularly given the hidden biases often present in real-world datasets. The enhanced OLA, equipped with additional techniques to control this bias, proved to be a robust solution, significantly improving ASD case detection and ensuring stable performance. The primary contribution of this research is a novel approach to developing an ASD screening tool, with potential applicability to screening other medical conditions using psychological medical records and machine learning. This work lays the groundwork for more accurate, equitable, and user-friendly diagnostic tools, particularly for early screening where missing cases are a critical concern. However, challenges remain, including the limited dataset size and the unreliable nature of manual labeling. Future efforts should focus on testing the OLA framework on larger datasets, validated through real-world software trials combined with corresponding medical records to further train the model. This approach will ensure the capture of outlier cases and enable broader scalability, extending the tool's use beyond a single clinic to multiple healthcare facilities and hospitals nationwide. The OLA Framework's strength lies in its dynamic model selection and adaptability, making it highly suitable for building ASD screening tools in the context of volatile real-world datasets. Its ability to maintain high performance despite data instability and column bias positions it as an ideal solution for clinical applications, especially in resource-constrained settings where robust and flexible tools are vital. Future enhancements should prioritize refining feature weighting to improve generalizability across diverse populations.

7 Acknowledgment

We would like to express our sincere gratitude to the University of Information Technology, Vietnam National University Ho Chi Minh City (UIT, VNU-HCM), for their support and for providing the necessary resources throughout this research. This research was supported by The VNUHCM-University of Information Technology's Scientific Research Support Fund.

We also would like to thank experts in the field of psychological health for providing young medical record data and professional documents, who supported the research team to authenticate and consolidate professional knowledge so that the group can achieve the best research results.

References

1. Holly Hodges, Casey Fealko, Neelkamal Soares. "Autism spectrum disorder: definition, epidemiology, causes, and clinical evaluation", 2020. doi: <https://doi.org/10.21037/tp.2019.09.09>
2. Bang Le. "Ty le tre tu ky o Viet Nam va The gioi: Nhung con so bao dong", 2025. url: <https://tretuky.edu.vn/ty-le-tre-tu-ky-o-viet-nam-va-the-gioi/>
3. Clara Lucato dos Santos, Indyanara Inacio Barreto, Idevaldo Floriano, Luca Schiliró Tristao, Antonio Silvinato, Wanderley Marques Bernardo. "Screening and diagnostic tools for autism spectrum disorder: Systematic review and meta-analysis", March 2024. doi: <https://doi.org/10.1016/j.clinsp.2023.100323>
4. Paul Olubudo. "Statistical Bias Correction in Imbalanced Datasets", April 2025. doi: <https://www.researchgate.net/publication/390805682>
5. Harshita Chandrappa, Swaathi BR, Prof. Swimpy Pahuja. "Prediction of Autism Spectrum Disorder based on Machine Learning Approach," *International Journal for Research in Applied Science & Engineering Technology (IJRASET)*, vol. 11, no. V, pp. 3521-3526, May 2023. doi: 10.22214/ijraset.2023.52417. Available: <https://doi.org/10.22214/ijraset.2023.52417>
6. J. A. Sáez, J. Luengo, J. Stefanowski, and F. Herrera, "A novel technique for text classification using SMOTE-IPF based oversampling and deep neural network" *Int. J. of Advanced Computer Science and Applications*, vol. 12, no. 10, 2014. doi: 10.14569/IJACSA.2021.051.
7. H. Karamti *et al.*, "SMOTE-KNN: An improved algorithm based on SMOTE and K-nearest neighbors for imbalanced data," *IEEE Access*, vol. 9, pp. 95690–95701, 2023. doi: 10.1109/ACCESS.2023.5174412.
8. B. D. Hung, V. V. Thoa, and X. T. Dang, "KSI - A combined clustering and re-sampling method with noise filtering algorithm for imbalanced data classification," *J. of Information and Communication Technology*, vol. 1, no. 1, pp. xx–xx, 2019.
9. Y. Hong and E. Yang, "Unbiased classification through bias-contrastive and bias-balanced learning," in *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 34, pp. 20153–20165, 2021.
10. Z. Liu *et al.*, "Ola: Pushing the frontiers of omni-modal language model with progressive modality alignment," *arXiv preprint*, arXiv:2502.04328, 2025. Available: <https://arxiv.org/abs/2502.04328>
11. J. M. Moriuchi, A. Klin, and W. Jones, "Mechanisms of diminished attention to eyes in autism," *Am. J. of Psychiatry*, vol. 173, no. 8, pp. 825–833, 2016. doi: 10.1176/appi.ajp.2016.15081034.
12. S. Ramos-Cabo, V. Vulchanov, and M. Vulchanova, "Different ways of making a point: A study of gestural communication in typical and atypical early development," *Autism Research*, vol. 14, no. 5, pp. 984–996, 2021. doi: 10.1002/aur.2474.
13. M. Miller *et al.*, "Response to name in infants developing autism spectrum disorder: A prospective study," *The J. of Pediatrics*, vol. 165, no. 2, pp. 332–337, 2014. doi: 10.1016/j.jpeds.2014.04.017.
14. M. Montagut-Asunción *et al.*, "Joint attention and its relationship with autism risk markers at 18 months of age," *Children*, vol. 9, no. 4, 2022. doi: 10.3390/children9040480.
15. B. Ingersoll, "The social role of imitation in autism: Implications for the treatment of imitation deficits," *Infants & Young Children*, vol. 21, no. 2, pp. 107–119, 2008. doi: 10.1097/01.IYC.0000314482.24087.14.

- 18 Nguyen T.B. Hao, Nguyen V.Q. Thanh, Nguyen M. Nhut, Nguyen D. Thuan
16. Y. G. Lam and S. S. Yeung, "Symbolic play in children with autism," in *Comprehensive Guide to Autism*, Springer, 2014, pp. 491–508. doi: 10.1007/978-1-4614-4788-7_26.
 17. F. F. Tabtah, "Autism spectrum disorder screening," dataset about list 10 question to predict ASD in kaggle in *Proc. 1st Int. Conf. on Medical and Health Informatics*, Taichung City, Taiwan, ACM, 2017. Available: <http://fadifayez.com/wp-content/uploads/2017/11/Autism-Spectrum-Disorder-Screening-Machine-Learning.pdf>
 18. Overall Local Accuracy. Available: <https://deslib.readthedocs.io/en/latest/modules/dcs/ola.html>
 19. R. M. O. Cruz, R. Sabourin, and G. D. C. Cavalcanti, "DESlib: A dynamic ensemble selection library in Python," 2018. Available: <https://github.com/scikit-learn-contrib/DESlib>