

Drivers API

Endpoints

GET /api/drivers

Get ALL drivers

URL: <http://localhost:8080/api/drivers>

Method: GET

Headers:

- **Content-Type:** application/json

Example of return data:

```
{
  "status": "success",
  "message": "Get all drivers successfully",
  "data": [
    {
      "id": "20240410121021",
      "name": "Ho Thanh Nhan",
      "address": "124 Vo Thi Sau, Quan 10, TP.HCM",
      "phone_number": "0976481171",
      "license": "C2",
      "cccd": "54865484654",
      "routeId": "TP.HCM - BaRiaVungTau",
      "status": "available",
      "vehicleId": "1",
      "vehicleType": "Truck",
      "email": "hothanhnhanhot@gmail.com",
      "createdAt": null
    },
    {
      "id": "20240410121712",
      "name": "Nguyen Van Troi",
      "address": "456 Nguyen Van Cu, Quan 5, TP.HCM",
      "phone_number": "0909123456",
      "license": "B1",
      "cccd": "1234567890",
      "routeId": "TP.HCM - Long An",
      "status": "available",
      "vehicleId": "2",
      "vehicleType": "Couch",
      "email": "nguyenvana@example.com",
      "createdAt": null
    }
  ]
}
```

```
]
}
```

GET /api/drivers/{id}

Get a driver by ID.

URL: `http://localhost:8080/api/drivers/{id}`

Method: GET

Headers:

- **Content-Type:** application/json

Example of return data:

```
{
  "status": "success",
  "message": "Get driver by id successfully",
  "data": {
    "id": "20240410230323",
    "name": "Tran Thi C",
    "address": "122 Le Van Sy, Quan Tan Binh, TP.HCM",
    "phone_number": "05418234567",
    "license": "A2",
    "cccd": "54865484654",
    "routeId": "TP.HCM - BaRiaVungTau",
    "status": "available",
    "vehicleId": "1",
    "vehicleType": "Truck",
    "email": "hothanhnhanhot@gmail.com",
    "createdAt": "23-03-23 10-04-2024"
  }
}
```

POST /api/drivers

Create a new driver.

URL: `http://localhost:8080/api/drivers`

Method: POST

Headers:

- **Content-Type:** application/json

Body: *Must* include all these field:

```
{
  "address": "124 Vo Thi Sau, Quan 10, TP.HCM",
  "cccd": "54865484654",
  "license": "C2",
  "name": "Ho Thanh Nhan",
  "phone_number": "0976481171",
  "email": "hothanhnhanhot@gmail.com"
}
```

PUT /api/drivers{id}

Update a new driver with id.

URL: <http://localhost:8080/api/drivers/{id}>

Method: PUT

Headers:

- **Content-Type:** application/json

Body: *Should include one/any* these fields:

```
{
  "address": "124 Vo Thi Sau, Quan 10, TP.HCM",
  "cccd": "54865484654",
  "license": "C2",
  "name": "Ho Thanh Nhan",
  "phone_number": "0976481171",
  "email": "hothanhnhanhot@gmail.com"
}
```

Return data:

```
{
  "status": "success",
  "message": "Update driver successfully",
  "data": {
    "id": "20240410230323",
    "name": "Tran Thi C",
    "address": "122 Le Van Sy, Quan Tan Binh, TP.HCM",
    "phone_number": "05418234567",
    "license": "A2",
    "cccd": "54865484654",
    "routeId": "TP.HCM - BaRiaVungTau",
    "status": "available",
    "vehicleId": "1",
    "vehicleType": "Truck",
  }
}
```

```
    "email": "hothanhnhhanhot@gmail.com",  
    "createdAt": "23-03-23 10-04-2024"  
  }  
}
```

PUT /api/drivers/{id}/vehicle

Update vehicle for a driver with id.

URL: `http://localhost:8080/api/drivers/{id}/vehicle`

Method: PUT

Headers:

- `Content-Type: application/json`

Body: *Must* include these fields:

```
{  
  "vehicleId": "1234",  
  "vehicleType": "Truck"  
}
```

Interaction

This API endpoint also interacts with the Vehicle Service API to add the driver to the vehicle. The Vehicle Service API is called with the following details:

URL: `URL ben phia Tam cung cap`

Method: ???

Headers: `Content-Type: application/json`

Body: *Must* include these fields:

```
{  
  "driverId": "1234"  
}
```

Return data:

```
{  
  "status": "success",  
  "message": "Update vehicle successfully",  
  "data": {
```

```
{
  "id": "20240410230323",
  "name": "Tran Thi C",
  "address": "122 Le Van Sy, Quan Tan Binh, TP.HCM",
  "phone_number": "05418234567",
  "license": "A2",
  "cccd": "54865484654",
  "routeId": "TP.HCM - BaRiaVungTau",
  "status": "available",
  "vehicleId": "1",
  "vehicleType": "Truck",
  "email": "hothanhnhanhot@gmail.com",
  "createdAt": "23-03-23 10-04-2024"
}
```

PUT /api/drivers/{id}/route

Update route for a driver with id.

URL: `http://localhost:8080/api/drivers/{id}/route`

Method: PUT

Headers:

- `Content-Type: application/json`

Body: *Must* include these fields:

```
{
  "routeId": "1234"
}
```

Interaction

This API endpoint also interacts with the Route Service API to add the driver's vehicle to the route. The Route Service API is called with the following details:

URL: `URL ben phia Thach cung cap`

Method: ???

Headers: `Content-Type: application/json`

Body: *Must* include these fields:

```
{
  "driverId": "1234"
}
```

Return data:

```
{
  "status": "success",
  "message": "Update route successfully",
  "data": {
    "id": "20240410230323",
    "name": "Tran Thi C",
    "address": "122 Le Van Sy, Quan Tan Binh, TP.HCM",
    "phone_number": "05418234567",
    "license": "A2",
    "cccd": "54865484654",
    "routeId": "TP.HCM - BaRiaVungTau",
    "status": "available",
    "vehicleId": "1",
    "vehicleType": "Truck",
    "email": "hothanhnhanhot@gmail.com",
    "createdAt": "23-03-23 10-04-2024"
  }
}
```

DELETE /api/drivers/{id}

Delete a driver by ID.

URL: `http://localhost:8080/api/drivers/{id}`

Method: `DELETE`

Headers: `Content-Type: application/json`

Return data:

```
{
  "status": "success",
  "message": "Delete driver successfully",
  "data": {
    "id": "20240410230323",
    "name": "Tran Thi C",
    "address": "122 Le Van Sy, Quan Tan Binh, TP.HCM",
    "phone_number": "05418234567",
    "license": "A2",
    "cccd": "54865484654",
    "routeId": "TP.HCM - BaRiaVungTau",
    "status": "available",
    "vehicleId": "1",
    "vehicleType": "Truck",
    "email": "hothanhnhanhot@gmail.com"
  }
}
```

```
}  
}
```

-- End of file --