Nguyễn Nhật Dương

22639261

DHKTPM18C

Nhóm TH: 3

Tuần 01

Docker build



Docker compose up



Docker ps



Gui du lieu voi orderId hop le





Gui du lieu voi orderId khong hop le


File Edit Selection View Go Run Terminal Help
22639261_NguyenNhatDuong_Tuan01
EXPLORER
22639261_NGUYENNHATDUONG_TUAN01
rabbitmq_nodejs
consumer
node_modules
consumer_dlq.js
consumer.js
Dockerfile
package.json
producer
node_modules
Dockerfile
package.json
producer_dlq.js
producer.js
docker-compose.yml
README.md
OUTLINE
TIMELINE
docker-compose.yml
producer.js
consumer_dlq.js
producer_dlq.js
package.json
Welcome
rabbitmq_nodejs > producer > producer_dlq.js > app.post("/send") callback
Process success
No results
console.log(" Waiting for RabbitMQ... ");
await new Promise((r) => setTimeout(r, 3000));
app.post("/send", async (req, res) => {
const { message, orderId } = req.body;
// if (!message || !orderId) {
if (!message) {
return res.status(400).json({ error: "message or orderId is required" });
const data = {
message: message,
orderId: orderId,
timestamp: new Date()
channel.sendToQueue(
QUEUE,
Buffer.from(JSON.stringify(data)),
persistent: true // Message không bị mất khi RabbitMQ restart
PROBLEMS OUTPUT TERMINAL PORTS DEBUG CONSOLE
docker
ted access to vhost '/'
producer | Producer connected to RabbitMQ
producer | Sent: {
producer | message: 'Test send gui du lieu voi orderID khong hop le',
producer | orderId: undefined,
producer | timestamp: 2026-01-22T13:07:06.516Z
producer | }
producer | Da gui du lieu thanh cong!
consumer | Processing: {"message":"Test send gui du lieu voi orderID khong hop le","timestamp":"2026-01-22T13:07:06.516Z"}
consumer | Send to DLQ
Ln 46, Col 1 Spaces: 2 UTF-8 LF JavaScript Go Live
ENG 8:07 PM 1/22/2026


localhost:15672/#/queues/%2F/order_queue.dlq
Finish update
RabbitMQ
RabbitMQ 4.2.2
Erlang 27.3.4.6
Refreshed 2026-01-22 20:09:51
Refresh every 5 seconds
Virtual host All
Cluster rabbit@204844448962
User user
Log out
Overview
Connections
Channels
Exchanges
Queues and Streams
Admin
Queue order_queue.dlq
Overview
Queued messages last minute ?
Ready 3
Unacked 0
Total 3
Message rates last minute ?
Currently idle
Details
Features
arguments: x-queue-type: classic
durable: true
queue storage version: 2
Policy
Operator policy
Effective policy definition
State idle
Consumers 0
Consumer capacity ? 0%
Total Ready Unacked In memory Persistent Transient, Paged Out
Messages ? 3 3 0 1 3 0
Message body bytes ? 297 B 297 B 0 B 99 B 297 B 0 B
Process memory ? 7.1 KiB
Consumers (0)
Bindings (1)
Publish message
Message will be published to the default exchange with routing key order_queue.dlq, routing it to this queue.
ENG 8:09 PM 1/22/2026