

**VIETNAM NATIONAL UNIVERSITY - HO CHI
MINH CITY
INTERNATIONAL UNIVERSITY**

SCHOOL OF COMPUTER SCIENCE & ENGINEERING



Web Application Development

Lab 5 Practice

Đặng Nguyễn Nhật Vy - ITITDK22102

1 CREATE

The image shows two screenshots of a web application. The top screenshot displays the 'Add New Student' form, which includes fields for Student Code, Full Name, Email, and Major. The bottom screenshot shows the 'Student List' page, which displays a table of students and a success message indicating that a student was added successfully.

1. Add New Student Form

Student Code *
BA120
Format: 2 letters + 3+ digits

Full Name *
Son Thach

Email *
thachson@email.com

Major *
Business Administration

+ Add Student Cancel

2. Student List - MVC

Student Management System
MVC Pattern with Jakarta EE & JSTL

Student added successfully

+ Add New Student

ID	STUDENT CODE	FULL NAME	EMAIL	MAJOR	ACTIONS
29	BA120	Son Thach	thachson@email.com	Business Administration	Edit Delete
28	SA221	Son Lê	son@email.com	Business Administration	Edit Delete
26	IT123	Joe Build	buildjoe@email	Computer Science	Edit Delete
25	SV772	Tran Lifer	lif@email.com	Computer Science	Edit Delete
23	SV008	Tans Tran	tan@email.com	IT	Edit Delete

Explain: The user enters data into a form, such as an “Add Student” form, and submits it to the server using the POST method. The server then receives the submitted data and executes an INSERT INTO SQL command to add the new record to the database. If the insertion is successful, the server redirects the user back to the list page and displays a success message.

2 UPDATE

HTTP Status 500 – Internal Server ErrorStudent List - MVC

localhost:8080/student-management-mvc/student?action=list&message=Student%20added%20successfully

SummarizeA☆Sign in

Student added successfully

Add New Student

ID	STUDENT CODE	FULL NAME	EMAIL	MAJOR	ACTIONS
29	BA120	Sơn Thạch	thachson@email.com	Business Administration	EditDelete
28	SA221	Sơn Lê	son@email.com	Business Administration	EditDelete
26	IT123	Joe Build	buildjoe@email	Computer Science	EditDelete
25	SV772	Tran Lifer	lif@email.com	Computer Science	EditDelete
23	SV008	Tans Tran	tan@email.com	IT	EditDelete
21	IT755	Lins Tran	lin@email.com	Data Science	EditDelete
20	IT009	Alex Frans	alex@email.com	IT	EditDelete

HTTP Status 500 – Internal Server ErrorEdit Student

localhost:8080/student-management-mvc/student?action=edit&id=28

SummarizeA☆Sign in

Edit Student

Student Code *

SA221

Format: 2 letters + 3+ digits

Full Name *

Trương Sơn

Email *


son@email.com

Major *

Business Administration

Update Student

Cancel



Explain:


Step 1 - Load old data into the edit form:

The update process begins when the user clicks the “Edit” button on the list page, which sends the student’s ID to the server. The server then uses this ID to query the database, retrieve the existing record, and return an edit form that is already prefilled with the current data so the user can review and modify it.

Step 2 - Submit updated data:

After reviewing the prefilled form, the user makes the necessary changes and clicks “Save,” causing the form to send the updated information back to the server through a POST (or PUT) request. The server then executes an UPDATE SQL command based on the provided ID to modify the record in the database, and once the update is completed, the user is redirected back to the list page.

3 DELETE



The image displays two screenshots of a web application running on localhost:8080, titled "Student List - MVC".

Top Screenshot: The application shows a table of students. A modal dialog box is open, asking "Are you sure you want to delete this student?" with "OK" and "Cancel" buttons. The table lists students with columns: ID, STUDENT CODE, FULL NAME, EMAIL, MAJOR, and ACTIONS (Edit, Delete).

ID	STUDENT CODE	FULL NAME	EMAIL	MAJOR	ACTIONS
29	BA120	Sơn Thạch	thachson@email.com	Business Administration	Edit Delete
28	SA221	Trường Sơn	son@email.com	Business Administration	Edit Delete
26	IT123	Joe Build	buildjoe@email	Computer Science	Edit Delete
25	SV772	Tran Lifer	lif@email.com	Computer Science	Edit Delete
23	SV008	Tans Tran	tan@email.com	IT	Edit Delete
21	IT755	Lins Tran	lin@email.com	Data Science	Edit Delete
20	IT009	Alex Frans	alex@email.com	IT	Edit Delete
16	SV006	Sans Triles	sanstrile@company.co.uk	IT	Edit Delete
15	IT112	Joe Build	buildjoe@email.com	Computer Science	Edit Delete

Bottom Screenshot: The application shows the same table after deleting student ID 20. The URL in the address bar is localhost:8080/student-management-mvc/student?action=list&message=Student%20deleted%20successfully. The table now lists 9 students.

ID	STUDENT CODE	FULL NAME	EMAIL	MAJOR	ACTIONS
29	BA120	Sơn Thạch	thachson@email.com	Business Administration	Edit Delete
28	SA221	Trường Sơn	son@email.com	Business Administration	Edit Delete
26	IT123	Joe Build	buildjoe@email	Computer Science	Edit Delete
23	SV008	Tans Tran	tan@email.com	IT	Edit Delete
21	IT755	Lins Tran	lin@email.com	Data Science	Edit Delete
20	IT009	Alex Frans	alex@email.com	IT	Edit Delete
16	SV006	Sans Triles	sanstrile@company.co.uk	IT	Edit Delete
15	IT112	Joe Build	buildjoe@email.com	Computer Science	Edit Delete
5	SV005	David Wilson	david.w@email.com	Computer Science	Edit Delete

Explain: When the client sends a delete request (usually a GET or POST containing the ID), the server receives the ID and executes a DELETE FROM SQL statement to remove the corresponding record. After deletion, the server redirects back to the list page to update the information.

