```
1#!/bin/sh
                                                                                1#!/bin/sh
 2# WebUI icon used from http://icons8.com
                                                                                2# WebUI icon used from http://icons8.com
                                                                                4ADDON NAME=`basename "$0"`
 4ADDON NAME=`basename "$0"`
 6ADDON DIR=/usr/local/addons/${ADDON NAME}
                                                                                6ADDON DIR=/usr/local/addons/${ADDON NAME}
                                                                                7PATCH_DIR=${ADDON_DIR}/patch
7PATCH_DIR=${ADDON_DIR}/patch
                                                                                8WWW DIR=/etc/config/addons/www/${ADDON NAME}
8WWW DIR=/etc/config/addons/www/${ADDON NAME}
9LOG DIR=${ADDON DIR}/log
                                                                                9LOG DIR=${ADDON_DIR}/log
                                                                               10GLOBAL LOGFILE=${LOG DIR}/inst.log
10GLOBAL LOGFILE=${LOG DIR}/inst.log
11GLOBAL ERRFILE=${LOG DIR}/inst.err
                                                                               11GLOBAL ERRFILE=${LOG DIR}/inst.err
12PATCH REVOKE ERRFILE=${ADDON DIR}/log/revoke.err
                                                                               12PATCH REVOKE ERRFILE=${ADDON DIR}/log/revoke.err
13FIRMWARE DIR=/firmware/rftvpes
                                                                               13FIRMWARE DIR=/firmware/rftvpes
14CUSTOMIZED_FIRMWARE_DIR=${ADDON_DIR}/customized_firmware
                                                                               14CUSTOMIZED_FIRMWARE_DIR=${ADDON_DIR}/customized_firmware
15RC DIR=/usr/local/etc/config/rc.d
                                                                               15RC DIR=/usr/local/etc/config/rc.d
16CK FIRMWARE FILE=${FIRMWARE DIR}/hb-uni-sen-cap-moist.xml
                                                                               16CK FIRMWARE FILE=${FIRMWARE DIR}/hb-dis-ep-42bw e v1 0.xml
18PATCHSUBDIR COMMON=common
                                                                               18PATCHSUBDIR_COMMON=common
19PATCHSUBDIR VERSION=le 343
                                                                               19PATCHSUBDIR VERSION=le 343
20check_ccu_fw_version()
                                                                               20check_ccu_fw_version()
21 {
22 model=`grep VERSION /boot/VERSION | awk -F'[=.]' {'print $2'}`
                                                                               22 model=`grep VERSION /boot/VERSION | awk -F'[=.]' {'print $2'}`
                                                                               23 version=`grep VERSION /boot/VERSION | awk -F'[=.]' {'print $3'}`
23 version=`grep VERSION /boot/VERSION | awk -F'[=.]' {'print $3'}`
24 build=`grep VERSION /boot/VERSION | awk -F'[=.]' {'print $4'}`
                                                                               24 build=`grep VERSION /boot/VERSION | awk -F'[=.]' {'print $4'}`
                                                                               25 bdate=`grep VERSION /boot/VERSION | awk -F'[=.]' {'print $5'}`
25
                                                                               27 if [ $model -qe 2 ] && [ $version -qe 45 ]; then
  if [ $model -ge 2 ] && [ $version -ge 45 ]; then
   PATCHSUBDIR_VERSION=ge_345
                                                                               28 PATCHSUBDIR_VERSION=ge_345
28 fi
                                                                               29 fi
   echo "Found firmware version $model.$version.$build - using patch subdirec
                                                                               31 echo "Found firmware version $model.$version.$build - using patch subdirec
31}
                                                                               32}
32
                                                                               33
33convert_lf()
                                                                               34#convert_lf()
34 {
                                                                               35#{
35 filename=`sed -n '2p' $1 | sed 's/+++ .\/patchsource//g' | awk {'print $1
                                                                                    filename=`sed -n '2p' $1 | sed 's/+++ .\/patchsource//g' | awk {'print }
36
   cmpresult=`unix2dos < $filename | cmp - $filename`</pre>
                                                                                    cmpresult=`unix2dos < $filename | cmp - $filename`</pre>
37 if [ "$cmpresult" ]; then
                                                                                    if [ "$cmpresult" ]; then
38
     cmpresult=`dos2unix < $1 | cmp - $1`</pre>
                                                                               39#
                                                                                      cmpresult=`dos2unix < $1 | cmp - $1`</pre>
39
    if [ "$cmpresult" ]; then
                                                                               40#
                                                                                      if [ "$cmpresult" ]; then
40
        echo "dos2unix conversion needed for $1" | tee -a $GLOBAL_LOGFILE
                                                                               41#
                                                                                        echo "dos2unix conversion needed for $1" | tee -a $GLOBAL LOGFILE
41
        dos2unix $1 | tee -a $GLOBAL_LOGFILE | tee -a $GLOBAL_ERRFILE
                                                                               42#
                                                                                        dos2unix $1 | tee -a $GLOBAL_LOGFILE | tee -a $GLOBAL_ERRFILE
42
     fi
                                                                               43#
                                                                                     fi
43
   fi
                                                                               44# fi
44}
                                                                               45#}
45
46MONIT=0
                                                                               47MONIT=0
47check monit()
                                                                               48check monit()
48 {
                                                                               491
   MONIT=`ps -ef|grep \/usr\/bin\/monit|grep -v grep|wc -l`
                                                                               50 MONIT=`ps -ef|grep \/usr\/bin\/monit|grep -v grep|wc -l`
   echo "Found $MONIT monit process(es)" | tee -a $GLOBAL_LOGFILE
                                                                                   echo "Found $MONIT monit process(es)" | tee -a $GLOBAL_LOGFILE
51}
                                                                               52}
52
                                                                               53
53REGA=0
                                                                               54REGA=0
54check_rega()
                                                                               55check_rega()
55{
                                                                               56{
                                                                               57 REGA=`ps -ef|grep \/bin\/ReGaHss|grep -v grep|wc -l`
56 REGA=`ps -ef|qrep \/bin\/ReGaHss|qrep -v qrep|wc -l`
   echo "Found $REGA ReGaHss process(es)" | tee -a $GLOBAL_LOGFILE
                                                                              58 echo "Found $REGA ReGaHss process(es)" | tee -a $GLOBAL_LOGFILE
```

```
58}
 59
                                                                                 60
 60RFD=0
                                                                                 61RFD=0
                                                                                 62check rfd()
 61check rfd()
 62 {
    RFD=`ps -ef|grep \/bin\/rfd|grep -v grep|wc -l`
                                                                                    RFD=`ps -ef|grep \/bin\/rfd|grep -v grep|wc -l`
 64
     echo "Found $RFD rfd process(es)" | tee -a $GLOBAL_LOGFILE
                                                                                     echo "Found $RFD rfd process(es)" | tee -a $GLOBAL_LOGFILE
 65
 66
 67case "$1" in
                                                                                 68case "$1" in
 68
       ""|init|start)
                                                                                 69
                                                                                       ""|init|start)
 69
         check ccu fw version
                                                                                 70
                                                                                         check ccu fw version
 70
 71
         if [ ! -f ${ADDON_DIR}/installed ] || [ ! -f ${CK_FIRMWARE_FILE} ]; t
                                                                                         if [ ! -f ${ADDON_DIR}/installed ] || [ ! -f ${CK_FIRMWARE_FILE} ]; t
 72
           echo "Starting complete installation within '$1' $(date + "%d.%m.%Y
                                                                                           echo "Starting complete installation within '$1' $(date + "%d.%m.%Y
 73
           cp /dev/null $GLOBAL ERRFILE
                                                                                           cp /dev/null $GLOBAL ERRFILE
 74
                                                                                 75
           cp /dev/null $PATCH REVOKE ERRFILE
                                                                                           cp /dev/null $PATCH REVOKE ERRFILE
 75
                                                                                 76
 76
                                                                                 77
           mount -o remount.rw /
                                                                                           mount -o remount.rw /
 77
                                                                                 78
 78
                                                                                 79
           #### Check if monit process exists
                                                                                           #### Check if monit process exists
 79
           check monit
                                                                                 80
                                                                                           check_monit
 80
                                                                                           if [ $MONIT -ge 1 ]; then
                                                                                 81
           if [ $MONIT -ge 1 ]; then
 81
             echo "Stopping monitoring service for ReGaHss and RFD" | tee -a $
                                                                                             echo "Stopping monitoring service for ReGaHss and RFD" | tee -a $
 82
             /usr/bin/monit unmonitor ReGaHss
                                                                                 83
                                                                                             /usr/bin/monit unmonitor ReGaHss
 83
             /usr/bin/monit unmonitor rfd
                                                                                 84
                                                                                             /usr/bin/monit unmonitor rfd
 84
                                                                                 85
                                                                                           fi
 85
                                                                                 86
 86
                                                                                 87
           check rega
                                                                                           check rega
 87
                                                                                 88
           if [ $REGA -ge 1 ]; then
                                                                                           if [ $REGA -ge 1 ]; then
 88
                                                                                 89
                                                                                             /etc/init.d/S70ReGaHss stop | tee -a $GLOBAL LOGFILE
             /etc/init.d/S70ReGaHss stop | tee -a $GLOBAL LOGFILE
 89
                                                                                 90
                                                                                           fi
 90
                                                                                 91
           check rfd
                                                                                           check rfd
 91
                                                                                 92
           if [ $RFD -ge 1 ]; then
                                                                                           if [ $RFD -ge 1 ]; then
 92
             /etc/init.d/S61rfd stop | tee -a $GLOBAL LOGFILE
                                                                                 93
                                                                                             /etc/init.d/S61rfd stop | tee -a $GLOBAL LOGFILE
 93
                                                                                 94
                                                                                           fi
                                                                                 95
 95
                                                                                 96
           cd ${ADDON DIR}
                                                                                           cd ${ADDON DIR}
 96
           cp -ar www/* /www/
                                                                                 97
                                                                                           cp -ar www/* /www/
97
                                                                                 98
           chown root:root /www/config/img/devices/250/hb-*
                                                                                           chown root:root /www/config/img/devices/250/hb-*
98
           chmod 755 /www/config/img/devices/250/hb-*
                                                                                 99
                                                                                           chmod 755 /www/config/img/devices/250/hb-*
99
           chown root:root /www/config/img/devices/50/hb-*
                                                                                100
                                                                                           chown root:root /www/config/img/devices/50/hb-*
100
           chmod 755 /www/config/img/devices/50/hb-*
                                                                                101
                                                                                           chmod 755 /www/config/img/devices/50/hb-*
           chown root:root /www/ise/img/icons_hm_dis_ep_wm55/24/*
                                                                                           chown root:root /www/ise/img/icons_hm_dis_ep_wm55/24/*
101
                                                                                102
102
           chmod 755 /www/ise/img/icons hm dis ep wm55/24/*
                                                                                103
                                                                                           chmod 755 /www/ise/img/icons hm dis ep wm55/24/*
103
                                                                                104
104
           ### Patch some files ###
                                                                                105
                                                                                           ### Patch some files ###
                                                                                106
                                                                                           ./patchworker install ${ADDON_NAME} ${PATCHSUBDIR_VERSION} $model.$
105
                                                                                107
                                                                                108
106
           cd /www
                                                                                           cd /www
107
                                                                                109
108
           if [ ! -f ${CK_FIRMWARE_FILE} ]; then
                                                                                110#
                                                                                            if [ ! -f ${CK_FIRMWARE_FILE} ]; then
109
             echo "Fresh installation - revoking patches not needed." | tee -a 111#
                                                                                              echo "Fresh installation - revoking patches not needed." | tee
110
           else
                                                                                112#
                                                                                            else
             ###########################
111
112
             echo "####### REVOKE COMMON APPLIED PATCHES #######" | tee -a $114#
                                                                                              echo "####### REVOKE COMMON APPLIED PATCHES #######" | tee -a
             for patchfile in `ls ${PATCH_DIR}/revoke/${PATCHSUBDIR_COMMON}/* 115#
113
                                                                                              for patchfile in `ls ${PATCH_DIR}/revoke/${PATCHSUBDIR_COMMON}/
114
               echo "### Rejecting ${PATCHSUBDIR_COMMON} patch file $patchfile 116#
                                                                                                echo "### Rejecting ${PATCHSUBDIR_COMMON} patch file $patchfil
```

```
115
               convert_lf $patchfile
                                                                               117#
                                                                                               convert_lf $patchfile
116
               patch -R -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$PATCH_REVOKE_118#
                                                                                               patch -R -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$PATCH_REVOKE
117
                                                                               119#
118
                                                                               120#
119
             echo "####### REVOKE VERSION DEPENDEND PATCHES ######## | tee - 121#
                                                                                              echo "####### REVOKE VERSION DEPENDEND PATCHES #######" | tee
120
             for patchfile in `ls ${PATCH DIR}/revoke/${PATCHSUBDIR VERSION}/*122#
                                                                                              for patchfile in `ls ${PATCH DIR}/revoke/${PATCHSUBDIR VERSION}.
121
               echo "### Rejecting ${PATCHSUBDIR_VERSION} patch file $patchfil 123#
                                                                                               echo "### Rejecting ${PATCHSUBDIR_VERSION} patch file $patchfi
122
               convert lf $patchfile
                                                                                               convert lf $patchfile
123
               patch -R -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$PATCH_REVOKE_125#
                                                                                               patch -R -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$PATCH_REVOKE
124
             done
                                                                               126#
                                                                                             done
125
                                                                               127#
                                                                                           fi
126
                                                                               128#
127
           ###############################
                                           APPLY
                                                            ################ 129#
                                                                                            ##############################
                                                                                                                           APPLY
                                                                                           echo "####### APPLY COMMON PATCHES #######" | tee -a $GLOBAL LOG
128
           echo "####### APPLY COMMON PATCHES ######## | tee -a $GLOBAL LOGF 130#
129
           for patchfile in ${PATCH DIR}/${PATCHSUBDIR COMMON}/* : do
                                                                               131#
                                                                                            for patchfile in ${PATCH DIR}/${PATCHSUBDIR COMMON}/* : do
130
             echo "### Applying ${PATCHSUBDIR_COMMON} patch file $(basename $p132#
                                                                                              echo "### Applying ${PATCHSUBDIR COMMON} patch file $(basename $
131
             convert lf $patchfile
                                                                               133#
                                                                                              convert lf $patchfile
132
             patch -N -p3 -i $patchfile >> $GLOBAL LOGFILE 2>>$GLOBAL ERRFILE 134#
                                                                                              patch -N -p3 -i $patchfile >> $GLOBAL LOGFILE 2>>$GLOBAL ERRFILE
133
             echo "- done" | tee -a $GLOBAL_LOGFILE | tee -a $GLOBAL_ERRFILE
                                                                               135#
                                                                                              echo "- done" | tee -a $GLOBAL_LOGFILE | tee -a $GLOBAL_ERRFILE
134
                                                                               136#
                                                                                           done
135
                                                                               137#
136
           echo "####### APPLY VERSION DEPENDEND PATCHES #######" | tee -a $138#
                                                                                           echo "####### APPLY VERSION DEPENDEND PATCHES #######" | tee -a
           for patchfile in ${PATCH_DIR}/${PATCHSUBDIR_VERSION}/*; do
137
                                                                               139#
                                                                                            for patchfile in ${PATCH DIR}/${PATCHSUBDIR VERSION}/*; do
138
             echo "Applying ${PATCHSUBDIR VERSION} patch file $(basename $patc140#
                                                                                             echo "Applying ${PATCHSUBDIR VERSION} patch file $(basename $pat
139
                                                                               141#
             convert lf $patchfile
                                                                                              convert lf $patchfile
140
             patch -N -p3 -i $patchfile >> $GLOBAL LOGFILE 2>>$GLOBAL ERRFILE 142#
                                                                                              patch -N -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$GLOBAL_ERRFILE
141
             echo "- done" | tee -a $GLOBAL LOGFILE | tee -a $GLOBAL ERRFILE
                                                                                              echo "- done" | tee -a $GLOBAL LOGFILE | tee -a $GLOBAL ERRFILE
                                                                               143#
142
                                                                               144#
143
                                                                               145#
144
           [[ -f ./config/ic_common.tcl.orig ]] && rm ./config/ic_common.tcl.o146#
                                                                                            [[ -f ./config/ic_common.tcl.orig ]] && rm ./config/ic_common.tcl.
145
           [[ -f ./rega/esp/side.inc.orig ]] && rm ./rega/esp/side.inc.orig
                                                                               147#
                                                                                            [[ -f ./rega/esp/side.inc.orig ]] && rm ./rega/esp/side.inc.orig
146
           [[ -f ./rega/esp/functions.fn.orig ]] && rm ./rega/esp/functions.fn148#
                                                                                            [[ -f ./rega/esp/functions.fn.orig ]] && rm ./rega/esp/functions.f
147
           [[ -f ./rega/pages/tabs/admin/views/programs.htm.orig ]] && rm ./re149#
                                                                                            [[ -f ./reqa/pages/tabs/admin/views/programs.htm.orig ]] && rm ./r
           [[ -f ./rega/esp/datapointconfigurator.fn.orig ]] && rm ./rega/esp/150#
148
                                                                                            [[ -f ./rega/esp/datapointconfigurator.fn.orig ]] && rm ./rega/esp
149
           [[ -f ./webui/webui.js.orig ]] && rm ./webui/webui.js.orig
                                                                               151#
                                                                                            [[ -f ./webui/webui.js.orig ]] && rm ./webui/webui.js.orig
150
                                                                               152
151
           ### Create Symlink to include own js file
                                                                               153
                                                                                           ### Create Symlink to include own js file
152
           echo "(Re-)Creating symlinks for jp_webui_inc.js..." | tee -a $GLOB154
                                                                                           echo "(Re-)Creating symlinks for jp_webui_inc.js..." | tee -a $GLOB
153
           [[!-f/www/webui/js/extern/jp_webui_inc.js]] && ln -s ${ADDON_DI155}
                                                                                           [[ ! -f /www/webui/js/extern/jp_webui_inc.js ]] && ln -s ${ADDON_DI
154
                                                                               156
155
                                                                               157
           cd ${ADDON DIR}
                                                                                           cd ${ADDON DIR}
156
                                                                               158
           echo "Running scripts..." | tee -a $GLOBAL LOGFILE
                                                                                           echo "Running scripts..." | tee -a $GLOBAL LOGFILE
157
           for f in ${ADDON_DIR}/install_*; do echo " - $(basename $f)"; ./$159
                                                                                           for f in ${ADDON_DIR}/install_*; do echo " - $(basename $f)" | te
158
159
           if [ "$(find ${CUSTOMIZED_FIRMWARE_DIR} -type f -iname '*.xml')" ]; 161
                                                                                           if [ "$(find ${CUSTOMIZED_FIRMWARE_DIR} -type f -iname '*.xml')" ];
160
             echo "Copying customized firmware files..." | tee -a $GLOBAL LOGF 162
                                                                                             echo "Copying customized firmware files..." | tee -a $GLOBAL LOGF
161
             cp ${CUSTOMIZED_FIRMWARE_DIR}/*.xml ${ADDON_DIR}${FIRMWARE_DIR}/ 163
                                                                                             cp ${CUSTOMIZED_FIRMWARE_DIR}/*.xml ${ADDON_DIR}${FIRMWARE_DIR}/
162
           else
                                                                               164
                                                                                           else
163
             echo "No customized firmware files found in ${CUSTOMIZED_FIRMWARE165
                                                                                             echo "No customized firmware files found in ${CUSTOMIZED_FIRMWARE
164
                                                                               166
                                                                                           fi
165
                                                                               167
166
           echo "(Re-)Creating symlinks for firmware files..." | tee -a $GLOBA 168
                                                                                           echo "(Re-)Creating symlinks for firmware files..." | tee -a $GLOBA
167
           for f in ${ADDON_DIR}${FIRMWARE_DIR}/*; do rm -f ${FIRMWARE_DIR}/$169
                                                                                           for f in ${ADDON_DIR}${FIRMWARE_DIR}/*; do rm -f ${FIRMWARE_DIR}/$
168
169
                                                                               171
                                                                                           sync
170
           mount -o remount, ro /
                                                                               172
                                                                                           mount -o remount, ro /
171
                                                                               173
           touch ${ADDON_DIR}/installed
                                                                                           touch ${ADDON_DIR}/installed
172
                                                                               174
```

```
173
           if [ $RFD -qe 1 ]; then
                                                                                            if [ $RFD -ge 1 ]; then
174
             /etc/init.d/S61rfd start | tee -a $GLOBAL_LOGFILE
                                                                                176
                                                                                              /etc/init.d/S61rfd start | tee -a $GLOBAL_LOGFILE
175
                                                                                177
                                                                                            fi
176
           if [ $REGA -ge 1 ]; then
                                                                                178
                                                                                            if [ $REGA -ge 1 ]; then
177
             /etc/init.d/S70ReGaHss start | tee -a $GLOBAL LOGFILE
                                                                                179
                                                                                              /etc/init.d/S70ReGaHss start | tee -a $GLOBAL LOGFILE
178
                                                                                180
179
                                                                                181
           if [ $MONIT -ge 1 ]; then
                                                                                            if [ $MONIT -ge 1 ]; then
180
             echo "Starting monitoring service for ReGaHss and RFD" | tee -a
                                                                                              echo "Starting monitoring service for ReGaHss and RFD" | tee -a $
181
             /usr/bin/monit monitor ReGaHss
                                                                                              /usr/bin/monit monitor ReGaHss
                                                                                183
182
             /usr/bin/monit monitor rfd
                                                                                184
                                                                                              /usr/bin/monit monitor rfd
183
                                                                                185
184
                                                                                186
           echo "Installation done." | tee -a $GLOBAL_LOGFILE
                                                                                            echo "Installation done." | tee -a $GLOBAL LOGFILE
185
                                                                                187
186
           echo "Checking for accidently restored unpatched programs.htm"
                                                                                188
                                                                                            echo "Checking for accidently restored unpatched programs.htm"
187
           if [ "$(grep HBOUCFM /www/rega/pages/tabs/admin/views/programs.htm) 189
                                                                                            # TODO
188
             echo "programs.htm is ok"
189
           else
190
             mount -o remount, rw /
191
             patchfile=${PATCH_DIR}/${PATCHSUBDIR_VERSION}/programs.htm.patch
192
             echo "Applying ${PATCHSUBDIR_VERSION} patch file $(basename $patc
193
             convert_lf $patchfile
194
             patch -N -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$GLOBAL_ERRFILE
195
             echo "- done" | tee -a $GLOBAL LOGFILE | tee -a $GLOBAL ERRFILE
196
             mount -o remount, ro /
197
198
199
                                                                                191
           echo "Checking for subsequent customized firmware files..."
                                                                                            echo "Checking for subsequent customized firmware files..."
200
                                                                                192
           changed=0
                                                                                            changed=0
201
                                                                                193
202
                                                                                 194
           for f in ${ADDON_DIR}${FIRMWARE_DIR}/*; do
                                                                                            for f in ${ADDON DIR}${FIRMWARE DIR}/*; do
203
             $(cmp -s ${CUSTOMIZED_FIRMWARE_DIR}/$(basename $f) $f)
                                                                                195
                                                                                              $(cmp -s ${CUSTOMIZED_FIRMWARE_DIR}/$(basename $f) $f)
204
             rc=$?
                                                                                196
                                                                                              rc=$?
205
                                                                                197
             if [ $rc -eq 1 ]; then
                                                                                              if [ $rc -eq 1 ]; then
206
               echo "Difference detected for $(basename $f). Copying..."
                                                                                                echo "Difference detected for $(basename $f). Copying..."
                                                                                198
207
               cp ${CUSTOMIZED_FIRMWARE_DIR}/$(basename $f) $f
                                                                                199
                                                                                                cp ${CUSTOMIZED_FIRMWARE_DIR}/$(basename $f) $f
                                                                                 200
208
               let changed++
                                                                                                let changed++
209
             fi
                                                                                 201
                                                                                              fi
                                                                                202
210
           done
                                                                                            done
211
                                                                                203
212
           if [ $changed -gt 0 ]; then
                                                                                204
                                                                                            if [ $changed -gt 0 ]; then
213
             echo "$changed Firmware file(s) changed" | tee -a $GLOBAL_LOGFILE 205
                                                                                              echo "$changed Firmware file(s) changed" | tee -a $GLOBAL_LOGFILE
214
             check rfd
                                                                                              check rfd
215
             if [ $RFD -ge 1 ]; then
                                                                                207
                                                                                              if [ $RFD -ge 1 ]; then
216
                                                                                208
                                                                                                check monit
               check monit
217
               if [ $MONIT -ge 1 ]; then
                                                                                209
                                                                                                if [ $MONIT -ge 1 ]; then
218
                                                                                                  echo " - restarting RFD [monit]" | tee -a $GLOBAL_LOGFILE
                 echo " - restarting RFD [monit] " | tee -a $GLOBAL_LOGFILE
                                                                                210
219
                                                                                                  /usr/bin/monit restart rfd
                 /usr/bin/monit restart rfd
                                                                                211
220
                                                                                212
221
                 echo " - restarting RFD [init.d]" | tee -a $GLOBAL_LOGFILE
                                                                                213
                                                                                                  echo " - restarting RFD [init.d]" | tee -a $GLOBAL_LOGFILE
222
                 /etc/init.d/S61rfd restart
                                                                                214
                                                                                                  /etc/init.d/S61rfd restart
223
               fi
                                                                                215
                                                                                                fi
224
             fi
                                                                                216
                                                                                              fi
225
                                                                                217
           else
                                                                                            else
226
                                                                                218
             echo "Nothing changed - nothing to do"
                                                                                              echo "Nothing changed - nothing to do"
227
                                                                                219
           fi
                                                                                            fi
228
         fi
                                                                                220
                                                                                          fi
229
                                                                                221
       ;;
                                                                                       ;;
230
                                                                                222
```

274

275

276

277

278

279

echo "Version: \$(cat \${ADDON_DIR}/VERSION)"

echo "Update: /addons/\${ADDON_NAME}/update-check.cgi"

echo "Name: JP HB Devices"

echo "Operations: uninstall"

#echo "Config-Url: \${CONFIG_URL}"

281 282

283

284

285

echo "Info: (c) 2018-2021 jp112sdl
br>(c) 2019-2021 TomMajor (Red

echo "Info: <a target='_blank' href='https://github.com/TomMajor

echo "Version: \$(cat \${ADDON_DIR}/VERSION)"

echo "Update: /addons/\${ADDON_NAME}/update-check.cgi"

echo "Name: HB-TM-JP AddOn Reduced"

echo "Operations: uninstall"

```
286 ;;
287
288 *)
289 echo "Usage: $ADDON_NAME {start|info|uninstall}" > & 280 exit 1
291 ;;
292
293 esac
294
295exit $?
296
298 evit $1
299 exit $2
289 evit $2
280 evit $2
280 exit $2
281
282 *)
283 echo "Usage: $ADDON_NAME {start|info|uninstall}" > & 2
284 exit $1
285 ;;
286
287esac
287esac
288
289exit $?
290
```