# Splunk Cloud Victoria — Complete Operational Reference

Version: 4.0 (Architecture-Corrected Edition) | Date: 2026-02-04

Scope: Akamai WAF / DDoS / Bot security events into Splunk Cloud Victoria with Enterprise Security

Audience: Security Engineers, Splunk Architects, SOC Analysts, Platform Engineers

This document reflects a **corrected architecture**. The Akamai SIEM Integration app (Splunkbase App 4310) can run its data input (modular input) directly on a Splunk Cloud Victoria search head — no external VM required for qualifying tenants. This edition presents **Path A (Cloud Native)** as the primary approach and **Path B (Heavy Forwarder)** as fallback.

■■ All claims verified against Splunkbase App 4310 listing, Akamai TechDocs, and Splunk Cloud Platform documentation. Statements that cannot be verified are marked 'tenant validation required'.

| Attribute | Path A — Cloud Native | Path B — Heavy Forwarder |
|---|---|---|
| Collection host | Splunk Cloud SH (App 4310 modular input) | On-prem Heavy Forwarder |
| Java requirement | Java 8+ on Cloud SH PATH (tenant validation required) | Java 8+ on HF (you control this) |
| Cloud compatibility | Victoria only (Option 2 per Splunkbase) | Victoria + Classic |
| External infra needed | None | HF server + network connectivity |
| Sourcetype | `akamaisiem` (both paths) | `akamaisiem` (both paths) |
| App 4310 role | Collection + Parsing + CIM (all-in-one) | Collection on HF; Parsing on Cloud indexers/SH |

## 1. Executive Summary

Akamai WAF / DDoS / Bot Manager security events are exposed via the Akamai SIEM Integration API (REST, EdgeGrid authentication). Events are stored in Akamai's Security Events Collector (ASEC) for **12 hours** and must be actively polled — Akamai does not push events.

Splunkbase App 4310 (Akamai SIEM Integration) is a single app that provides both the Java-based modular input (data collection) and the parsing/CIM configuration. Where you install it determines which role it plays.

### Key Facts

| Fact | Value | Source |
|---|---|---|
| API protocol | REST over HTTPS, EdgeGrid signed requests | Akamai TechDocs |
| Event retention | 12 hours in ASEC | Akamai TechDocs |
| Default batch limit | 150,000 events per API call | Akamai TechDocs |
| API timeout | 2 minutes (120 seconds) | Akamai TechDocs |
| Typical latency | ~5 seconds from edge to API availability | Akamai TechDocs |
| Pagination | Offset-based (cursor returned in each response) | Akamai TechDocs |
| App 4310 SH support | Victoria: Yes (Option 2). Classic: No (use HF). | Splunkbase App 4310 |
| Java requirement | JRE 1.8+ on collection host | Splunkbase App 4310 |
| Required sourcetype | `akamaisiem` | Splunkbase App 4310 |
| CIM models | Web, Intrusion_Detection | App 4310 eventtypes/tags |

## 2. What Changed and Why

| Aspect | Previous Assumption | Corrected Reality |
|---|---|---|
| Collection host | External Linux VM / container required. Splunk Cloud cannot run the connector. | App 4310 can run its modular input on a Splunk Cloud Victoria SH (Option 2 per Splunkbase). External host is fallback only. |
| App 4310 role | Treated as external 'connector' binary separate from Splunk. | Single Splunkbase app providing collection + parsing + CIM. Both connector AND TA in one package. |
| HEC token | Always required (collector POSTs to HEC). | Path A: not required (modular input writes directly to index). Path B: required only if HF forwards via HEC. |
| API credentials | Configured on external VM. | Path A: configured in App 4310 UI on Cloud SH. Path B: on HF. |
| Splunk Cloud docs | Victoria assumed to block all modular inputs on SH. | Official Splunk docs confirm Victoria supports modular/scripted inputs on SH. Splunkbase confirms App 4310 Option 2. |

### Decision Tree — Path A vs Path B

**Step 1:** Is your Splunk Cloud on Victoria Experience? (Check: Support & Services > About)
**Step 2:** If YES → Ask Splunk Support: 'Does our Victoria SH have Java 8+ in PATH?'
**Step 3:** If Java available → Install App 4310 on SH → Try configuring data input
**Step 4:** If data input appears and works → **Path A (Cloud Native)**
**Step 5:** If Java unavailable, input doesn't appear, or execution fails → **Path B (Heavy Forwarder)**

■■ Tenant validation required: Java availability on Splunk Cloud SH varies by tenant. Do NOT assume it is available — always verify with Splunk Support before committing to Path A.

### Decision Tree — Index & Sourcetype Strategy

**Single configId:** 1 index (`waf_akamai`) + 1 sourcetype (`akamaisiem`).
**Multiple configIds, same retention/RBAC:** 1 index + 1 sourcetype. Use `security_configuration_id_s_` field to distinguish.
**Multiple configIds, different retention/RBAC:** Separate indexes per security product. 1 data input per configId.

# 3. Akamai Prerequisites (Both Paths)

Complete all prerequisites before touching Splunk. These are identical for Path A and Path B.

| Step | What | Where | How to Verify |
|---|---|---|---|
| 3.1 | Enable SIEM Integration | Akamai Control Center > Security Configuration > Advanced Settings > Data collection for SIEM Integrations > On | 'SIEM' toggle shows On. Status is Activated on Production network. |
| 3.2 | Verify Production Activation | Security Configuration > Activate > Production | Version status shows 'Active on Production'. |
| 3.3 | Copy configId(s) | Advanced Settings > Web Security Configuration ID field | Record numeric configId. Repeat for each security config in scope. |
| 3.4 | Create API Credentials | Control Center > Account Admin > Identity & access > API Clients > Create | Record: client_token, client_secret, access_token, hostname. Assign 'Manage SIEM' role. |
| 3.5 | Verify API User Role | Identity & access > Users tab > find user > Edit Roles > Manage SIEM | Role listed under user's assigned roles. |
| 3.6 | Verify Network Path | From your collection host (Cloud SH or HF): test connectivity to *.akamaiapis.net:443 | Path A: Splunk Support confirms Cloud SH can reach Akamai. Path B: curl from HF succeeds. |

## Prerequisites Checklist

- ■ SIEM Integration enabled for each security configuration in scope
- ■ Configuration activated on Akamai Production network
- ■ All configIds recorded (WAF, DDoS, Bot as applicable)
- ■ EdgeGrid API credentials created: client_token, client_secret, access_token, hostname
- ■ API user has 'Manage SIEM' role assigned
- ■ Network path from collection host to *.akamaiapis.net:443 confirmed
- ■ Bot Manager events: exception for 'bot management' removed in SIEM settings if bot events needed
- ■ JA4 fingerprint: Include JA4 Client TLS Fingerprint checkbox toggled if desired
- ■ Credentials stored securely (password manager / vault — never in plaintext docs)

## 4. Path A — Splunk Cloud Native Setup (App 4310 on SH)

| Step | Action | Splunk UI Path | Success Looks Like |
|---|---|---|---|
| 4.1 | Confirm Java on Cloud SH | File a Splunk Support ticket: 'Does our Victoria SH have Java 8+ (JRE 1.8) in PATH? Needed for App 4310 (Akamai SIEM Integration).' | Support confirms Java is available. If NO → fall back to Path B. |
| 4.2 | Install App 4310 on Dev SH + indexers | Apps (gear icon) > Install app from file > Upload akamai-siem-integration_x.tgz<br>OR: Browse More Apps > search 'Akamai SIEM Integration' > Install | App visible in Apps list. On Victoria, SSAI installs to all SHs + indexers automatically. |
| 4.3 | Create Dev index | Settings > Indexes > New Index<br>Name: `waf_akamai`<br>App: search<br>Max Size: per retention policy | Index visible in Settings > Indexes list. |
| 4.4 | Configure data input | Settings > Data Inputs > Akamai Security Incident Event Manager API > New<br>Name: akamai_waf_dev<br>Hostname: [EdgeGrid hostname]<br>Security Configuration(s): [configId(s)]<br>Client Token / Client Secret / Access Token: [EdgeGrid creds]<br>Sourcetype: `akamaisiem`<br>Index: `waf_akamai` | Input saved without errors. Input shows as Enabled in data inputs list. |
| 4.5 | Wait 2-5 minutes, verify events | Run SPL:<br>`index=waf_akamai sourcetype=akamaisiem earliest=-15m \| stats count` | count > 0. Events are arriving. |
| 4.6 | Confirm sourcetype and raw format | `index=waf_akamai \| head 5` — inspect _raw field | Events are JSON. Sourcetype is akamaisiem. Timestamp is correct. |
| 4.7 | Verify continuous flow | `index=waf_akamai earliest=-4h \| timechart span=15m count` | No 15-minute gap with 0 events (assuming active WAF traffic). |

■■ If Step 4.4 fails — data input type 'Akamai Security Incident Event Manager API' does not appear under Settings > Data Inputs: (1) Verify app installed. (2) Refresh browser. (3) Check _internal for Java errors. (4) Contact Splunk Support. (5) If unresolvable, fall back to Path B.

If count > 0 in Step 4.5, Path A is working. Skip Section 5 and proceed to Section 6 (Validation).

## 5. Path B — Heavy Forwarder Setup (Fallback)

| Step | Action | Where | Success Looks Like |
|---|---|---|---|
| 5.1 | Provision Heavy Forwarder | On-prem or VM. Linux preferred (CentOS/RHEL/Ubuntu). 4 CPU, 16 GB RAM, 2 GB disk. | Splunk Enterprise installed. HF can reach *.akamaiapis.net:443 and Splunk Cloud. |
| 5.2 | Install Java 8+ on HF | yum install java-1.8.0-openjdk (or apt install openjdk-8-jre). Verify: java -version | java -version shows 1.8.x or higher. |
| 5.3 | Install App 4310 on HF | HF Splunk Web > Apps (gear) > Install app from file > Upload .tgz | App listed in Manage Apps. Restart Splunk if prompted. |
| 5.4 | Configure data input on HF | HF: Settings > Data Inputs > Akamai Security Incident Event Manager API > New<br>Same parameters as Path A Step 4.4. | Input saved without errors. Input enabled. |
| 5.5 | Configure HF forwarding to Cloud | HF: Settings > Forwarding and receiving > Configure forwarding > Add new<br>Target: your Splunk Cloud S2S endpoint | HF telemetry visible in Splunk Cloud. Or use Universal Forwarder credentials. |
| 5.6 | Install App 4310 on Cloud (parsing) | Splunk Cloud: SSAI install of App 4310 on indexers + SH. Disable data input on Cloud SH (it runs on HF only). | App installed. No data input enabled on Cloud. |
| 5.7 | Create Dev index on Cloud | Splunk Cloud: Settings > Indexes > New Index > waf_akamai | Index visible. Events from HF land here. |
| 5.8 | Verify events arriving | `index=waf_akamai sourcetype=akamaisiem earliest=-15m \| stats count by host` | count > 0. host field shows HF hostname. |

If count > 0, Path B is working. Proceed to Section 6 (Validation).

# 6. Validation — Step by Step (Both Paths)

## 6.1 First Validation: Is Data Arriving?

```
index=waf_akamai sourcetype=akamaisiem earliest=-24h | stats count by sourcetype, index, source, host
```

```
index=waf_akamai earliest=-1h | timechart span=5m count
```

```
index=waf_akamai earliest=-15m | head 3
```

| Observation | Meaning | Action |
|---|---|---|
| count > 0, steady flow | ■ Data arriving continuously. | Proceed to 6.2. |
| count > 0 but gaps | Intermittent. Polling may be failing. | Check modular input logs: index=_internal sourcetype=splunkd component=ModularInput* akamai |
| count = 0 | No data arriving. | Verify: (1) Data input enabled? (2) API creds correct? (3) configId valid? (4) Network connectivity? See Section 10. |

## 6.2 Raw Event Inspection

Confirm events are JSON and the correct sourcetype is assigned:

```
index=waf_akamai earliest=-5m | head 1 | table _raw, sourcetype, _time, host, source
```

| What You See | Meaning | Action |
|---|---|---|
| JSON with attackData, httpMessage, geo fields | ■ Correct format. | Proceed to 6.3. |
| Raw text / garbled | Wrong sourcetype or missing parsing. | Verify sourcetype=akamaisiem. Verify App 4310 installed on indexers. |
| Base64 strings in ruleActions, ruleData | Normal — some fields are base64-encoded by Akamai. | App 4310 may decode these. If not, add EVAL in custom CIM app. |

## 6.3 Critical Field Verification

```
index=waf_akamai sourcetype=akamaisiem earliest=-1h
| fieldsummary
| where count > 0
| table field, count, distinct_count, is_exact
| sort -count
```

| Critical Field | Expected Source | Must Be >90% |
|---|---|---|
| attackData.clientIP | Akamai JSON | Yes — source IP of attacker |
| httpMessage.method | Akamai JSON | Yes — HTTP method |
| httpMessage.host | Akamai JSON | Yes — target hostname |
| attackData.ruleActions | Akamai JSON (may be base64) | Yes — WAF action taken |
| httpMessage.requestUrl | Akamai JSON | Yes — URL path attacked |
| httpMessage.status | Akamai JSON | Desirable — HTTP response code |

If critical fields have count > 0 and >90% coverage → parsing is working. Proceed to Section 7 (CIM).

# 7. CIM & ES Readiness — Step by Step

## 7.1 What Is CIM?

The Common Information Model (CIM) is Splunk's schema for normalizing data from different vendors into a standard set of field names. ES correlation searches and dashboards query CIM data models (e.g., Web, Intrusion_Detection), NOT raw Akamai fields. If CIM mapping is missing, events exist in Splunk but ES cannot use them.

**Critical:** ES correlates **only** via enabled OOTB correlation searches and/or custom correlation searches. CIM mapping makes events *available* to those searches via data models, but no correlation happens automatically. You must explicitly enable correlation searches after CIM validation.

## 7.2 What App 4310 Provides

| Component | What It Does | Where |
|---|---|---|
| props.conf | JSON extraction (KV_MODE=json), timestamp assignment, field aliases | Indexers + SH |
| transforms.conf | Field transformations, SEDCMD, EVAL | Indexers + SH |
| eventtypes.conf | Defines event categories (e.g., akamai_attack) | SH |
| tags.conf | Maps eventtypes to CIM data models (tag=web, tag=attack) | SH |

## 7.3 What App 4310 May NOT Guarantee

- All 9 required CIM fields populated for every ES correlation search
- FIELDALIAS coverage for every field ES expects
- Correct EVAL logic for the 'action' field (allowed/blocked mapping)
- Correct vendor_product and app static fields
- Complete Intrusion_Detection model coverage (may only cover Web)

## 7.4 Check If CIM Fields Exist

```
index=waf_akamai sourcetype=akamaisiem earliest=-1h
| fieldsummary
| search field IN (src, dest, http_method, url, status, action, http_user_agent, vendor_product, app)
| table field, count, distinct_count
```

## 7.5 Required CIM Fields for Web Data Model

| CIM Field | Akamai Source Field | Mapping Method |
|---|---|---|
| src | attackData.clientIP | FIELDALIAS |
| dest | httpMessage.host | FIELDALIAS |
| http_method | httpMessage.method | FIELDALIAS |
| url | httpMessage.requestUrl | FIELDALIAS |
| status | httpMessage.status | FIELDALIAS |
| action | attackData.action or ruleActions | EVAL (deny→blocked, alert→allowed) |
| http_user_agent | httpMessage.requestHeaders.User-Agent | FIELDALIAS |
| vendor_product | (static) | EVAL-vendor_product = "Akamai WAF" |

| CIM Field | Akamai Source Field | Mapping Method |
| --- | --- | --- |
| app | (static or configId) | EVAL-app = "waf" |

## 7.6 Remediation: Custom CIM Override App

App name: `SA-akamai-cim-overrides` (local app, deployed via SSAI)

Structure:

```
SA-akamai-cim-overrides/
default/
app.conf
props.conf
metadata/
default.meta
```

Example props.conf:

```
[akamaisiem]
# CIM field aliases — safe to add, won't conflict with vendor TA
FIELDALIAS-src = attackData.clientIP AS src
FIELDALIAS-dest = httpMessage.host AS dest
FIELDALIAS-http_method = httpMessage.method AS http_method
FIELDALIAS-url = httpMessage.requestUrl AS url
FIELDALIAS-status = httpMessage.status AS status
FIELDALIAS-http_user_agent = httpMessage.requestHeaders.User-Agent AS http_user_agent

# EVAL for action mapping (CIM: allowed/blocked/unknown)
EVAL-action = case(
attackData.action=="deny", "blocked",
attackData.action=="alert", "allowed",
attackData.action=="monitor", "allowed",
1==1, "unknown")

# Static vendor fields
EVAL-vendor_product = "Akamai WAF"
EVAL-app = "waf"
```

Deployment: Package as .tar.gz → Install via SSAI on Dev → Validate → Promote to Prod.

## 8. Data Model Validation

### 8.1 Check If Events Populate the Web Data Model

```
| tstats count from datamodel=Web where index=waf_akamai by _time span=1h
```

If count > 0, events are populating the Web data model.

```
| tstats count from datamodel=Web where index=waf_akamai by Web.src, Web.dest, Web.http_method | head 20
```

This confirms CIM fields are available inside the data model.

### 8.2 Interpreting Results

| Result | Meaning | Action |
|---|---|---|
| tstats returns events with CIM fields | ■ Full data model population. | Proceed to acceptance gates. |
| tstats returns count > 0 but no CIM fields | Events are in DM but fields aren't mapped. | Check FIELDALIAS / EVAL in Section 7.6. |
| tstats returns 0 | Events not in data model. | Check: (1) eventtypes/tags set? (2) index in DM allow list? (3) acceleration enabled? (4) acceleration building? |

### 8.3 Why Events May Not Appear in Data Models

• Tags not set: eventtypes.conf must define an eventtype; tags.conf must map it to CIM tags (e.g., tag=web, tag=attack)

• Index not in CIM Setup allow list: Settings > Data models > Web > Edit > Add index to the Constraint field

• Acceleration not enabled: Settings > Data Models > Web > Edit Acceleration > Enable

• Acceleration still building: Check REST: /services/admin/summarization for status

• Tag allow list: ES may restrict which tags are honored — check ES Settings

### 8.4 Verify Acceleration Health

```
| rest /services/admin/summarization by_tstats=t
| search title="*Web*"
| table title, summary.is_inprogress, summary.complete, summary.access_count
```

## 9. Acceptance Gates (7 Gates)

| Gate | Name | Pass Criteria | SPL Check |
| --- | --- | --- | --- |
| 1 | Continuous flow | No hour with 0 events in 24h | `index=waf_akamai earliest=-24h \| timechart span=1h count \| where count=0` |
| 2 | Lag acceptable | p90 ingestion lag < 10 min | `index=waf_akamai earliest=-4h \| eval lag=_indextime-_time \| stats p90(lag) as p90_lag` |
| 3 | No duplicates | Duplicate groups < 10 | `index=waf_akamai earliest=-4h \| stats count by _raw \| where count>1 \| stats count as dup_groups` |
| 4 | Critical fields >90% | attackData.clientIP, httpMessage.method, httpMessage.host, ruleActions all >90% | `See Section 6.3 fieldsummary SPL` |
| 5 | CIM fields >90% | src, dest, http_method, url, action all populated | `See Section 7.4 fieldsummary SPL` |
| 6 | Data model tstats > 0 | Web data model returns events | `See Section 8.1 tstats SPL` |
| 7 | No unexpected sourcetypes | Only akamaisiem in target index | `index=waf_akamai \| stats count by sourcetype` |

### Escalation Triggers

| Condition | Evidence | Escalate To |
| --- | --- | --- |
| Gate 1 fails > 4 hours | Timechart showing gap | Platform Engineering + Akamai team |
| Gate 2: lag > 30 min | p90 lag calculation | Platform Engineering (check API rate limits) |
| Gate 3: > 100 dup groups | Duplicate analysis | Detection Eng (check cursor/checkpoint config) |
| Gate 4: critical field < 50% | fieldsummary output | Akamai team (API version? SIEM config?) |
| Gate 6: tstats = 0 after 24h | tstats query | Splunk admin (DM acceleration, tags, CIM setup) |

## 10. Failure Modes Reference

### API-Side Failures

| ID | Failure | Resolution |
|---|---|---|
| F1 | 429 rate limit | Exponential backoff. Reduce poll frequency. Verify only ONE collector polls each configId. |
| F2 | Expired credentials | Re-provision in Akamai Control Center. Update data input config. |
| F3 | Offset lost / cursor desync | App 4310 uses KVStore for checkpoints. If KVStore reset, use Initial Epoch Time to replay. |
| F4 | Offline > 12 hours | Events permanently dropped from ASEC. Document gap. No replay possible. |
| F5 | API timeout (2 min) | Lower the Limit value in data input config. Default 150,000 may be too high for slow connections. |
| F6 | SIEM not enabled on config | Akamai Control Center > Security Config > Advanced Settings > SIEM > On. Activate on Production. |
| F7 | Proxy interference | Whitelist *.cloudsecurity.akamaiapis.net and *.luna.akamaiapis.net. Do not modify Host/Authorization headers. |

### Splunk-Side Failures

| ID | Failure | Resolution |
|---|---|---|
| F8 | HEC token disabled (Path B only) | Settings > Data Inputs > HTTP Event Collector > Enable token. |
| F9 | Events in wrong index | Check data input config index setting. Verify HEC token's allowed indexes. |
| F10 | Wrong sourcetype | Must be 'akamaisiem'. Check data input config. Check HEC token sourcetype override. |
| F11 | App 4310 not on search head | SSAI install on Dev SH. Search-time extractions require app on SH. |
| F12 | Nested JSON not extracted | App 4310 uses KV_MODE=json. Verify props.conf stanza [akamaisiem] includes this. |
| F13 | Base64 fields not decoded | ruleActions, ruleData, ruleMessages may be base64. Decode in custom EVAL or collector config. |
| F14 | DM acceleration stale | Settings > Data Models > Web > Rebuild Acceleration. Allow time for rebuild. |

## 11. ES Safety — CIM Changes Can Break Prod

Enterprise Security relies on CIM data models. Changes to field aliases, eventtypes, tags, or data model acceleration can have cascading effects on correlation searches, notables, investigations, and dashboards.

### Risk Scenarios

| # | Risk | Impact |
|---|---|---|
| 1 | Incorrect FIELDALIAS | Wrong field values → false positives/negatives in correlation searches. |
| 2 | Overly broad tags/eventtypes | Non-WAF events appear in Web DM → noise in ES dashboards. |
| 3 | Conflicting EVAL across sourcetypes | One sourcetype's EVAL overrides another's → field collisions. |
| 4 | DM acceleration corruption | Stale/inconsistent acceleration → tstats returns incorrect counts. |
| 5 | Editing vendor TA (App 4310) directly | Vendor update overwrites your changes → sudden data model dropout. |

### Safe Change Protocol

1. **Dev only:** All CIM changes in Dev first. Never Prod.
2. **CIM validation:** Run Section 7.4 fieldsummary before and after changes.
3. **DM impact:** Run Section 8.1 tstats before and after changes.
4. **Rebuild acceleration:** After tag/eventtype changes, rebuild DM acceleration.
5. **Gates:** All 7 acceptance gates must pass before Prod promotion.
6. **Prod:** Deploy identical app + config. Re-run all gates against Prod data.

## 12. Dev → Prod Promotion

| Path | Prod Promotion Steps |
|---|---|
| Path A | 1. Install same App 4310 version on Prod SH + indexers (SSAI).<br>2. Create Prod index (waf_akamai).<br>3. Configure data input with same EdgeGrid creds (pointing to same configIds).<br>4. Install custom CIM override app (SA-akamai-cim-overrides) if used.<br>5. Run all 7 acceptance gates against Prod data.<br>6. Enable relevant ES correlation searches. |
| Path B | 1. Deploy HF clone (or same HF with Prod config).<br>2. Create Prod HEC token + index on Splunk Cloud.<br>3. Install App 4310 on Prod indexers + SH (parsing only, no data input on Prod SH).<br>4. Install custom CIM override app if used.<br>5. Run all 7 acceptance gates against Prod data.<br>6. Enable relevant ES correlation searches. |

### What Should NOT Be Done Yet

- Do NOT enable RBA (Risk-Based Alerting) before baseline data exists (minimum 2 weeks of Prod data).
- Do NOT enable multi-source correlation searches until all prerequisite sources are onboarded.
- Do NOT tune detection thresholds in the first week — establish baseline first.

### Prod Promotion Checklist

- ■ Same App 4310 version as Dev deployed to Prod
- ■ Prod index created (waf_akamai or equivalent)
- ■ Data input configured and events flowing
- ■ Custom CIM app deployed (if applicable)
- ■ All 7 acceptance gates pass on Prod data
- ■ Data model acceleration healthy
- ■ ES correlation searches enabled (OOTB and/or custom)

## 13. Verification & References

### Official Documentation Sources

| Source | URL |
|---|---|
| Splunkbase App 4310 | https://splunkbase.splunk.com/app/4310 |
| Splunkbase App 4310 (Classic — has Splunk Cloud install instructions) | https://classic.splunkbase.splunk.com/app/4310/ |
| Akamai TechDocs — SIEM Splunk Connector | https://techdocs.akamai.com/siem-integration/docs/siem-splunk-connector |
| Akamai TechDocs — SIEM Integration Overview | https://techdocs.akamai.com/siem-integration/docs/akamai-siem-integration-for-splunk-and-cef-syslog |
| Splunk Docs — Private Apps on Cloud | https://docs.splunk.com/Documentation/SplunkCloud/latest/Admin/PrivateApps |
| Splunk Docs — Victoria vs Classic Experience | https://docs.splunk.com/Documentation/SVA/current/Architectures/SCPExperience |
| Splunk Docs — Install Add-ons in Splunk Cloud | https://docs.splunk.com/Documentation/AddOns/released/Overview/SplunkCloudinstall |
| Splunk Docs — Determine Your Experience | https://help.splunk.com/en/splunk-cloud-platform/administer/admin-manual/.../determine-your-splunk-cloud-platform-experience |
| Splunk CIM Documentation | https://docs.splunk.com/Documentation/CIM/latest/User/Overview |

### Tenant Validation Required Statements

The following claims in this document depend on your specific Splunk Cloud tenant configuration and must be verified:

| # | Statement | How to Verify |
|---|---|---|
| TV-1 | Java 8+ is available on your Splunk Cloud Victoria SH | File Splunk Support ticket requesting confirmation. |
| TV-2 | App 4310 data input (modular input) registers on your Cloud SH | Install app → check Settings > Data Inputs for 'Akamai Security Incident Event Manager API'. |
| TV-3 | Splunk Cloud SH can make outbound HTTPS to *.akamaiapis.net | Check with Splunk Support for Cloud-side network egress. |
| TV-4 | App 4310 passes SSAI (Self-Service App Install) vetting | Attempt install via SSAI. If rejected, install via Support ticket. |
| TV-5 | KVStore is available and healthy on your SH (required for offset checkpointing) | REST: /services/server/info \| search kvStoreStatus |

### Document Change History

| Version | Date | Change |
|---|---|---|
| v1.0 | 2024-12 | Initial release — external collector assumed for all Splunk Cloud deployments. |
| v2.0 | 2025-01 | Expanded operational procedures to match website depth (25 pages). |
| v3.0 | 2025-02 | Architecture correction: Path A (Cloud Native) / Path B (HF Fallback). Verified against Splunkbase 4310. |
| v4.0 | 2026-02-04 | Enhanced operational depth: full Splunk UI paths, SPL examples, CIM remediation code, decision guidance. |

— End of Document —

No confidential branding. No client or company names.