WaaS - Documentation WebE - FFHS

Nicola Pfister & Jonas Meise

February 8, 2019

Table of Contents

| 1 | Intr | roduction | 2 | | | | | | | | |
|----------------------------|------|-----------------------------|---|--|--|--|--|--|--|--|--|
| 2 Requirements Engineering | | | | | | | | | | | |
| | 2.1 | Purpose & Context | 2 | | | | | | | | |
| | 2.2 | Functional Requirements | 2 | | | | | | | | |
| | | 2.2.1 Target Group | 2 | | | | | | | | |
| | | 2.2.2 Use Cases | 3 | | | | | | | | |
| | 2.3 | Non-functional Requirements | 4 | | | | | | | | |

1 Introduction

TODO

2 Requirements Engineering

• Name of the application: WaaS

• Purpose: TODO

• Names: Nicola Pfister, Jonas Meise

2.1 Purpose & Context

purpose of the application

2.2 Functional Requirements

The following chapter contains the functional requirements for WaaS.

2.2.1 Target Group

TODO

2.2.2 Use Cases

| UST-1 Register | | | | | | | | | | | | |
|------------------|---|--|--|--|--|--|--|--|--|--|--|--|
| Goal | A user registers a useraccount for WaaS. | | | | | | | | | | | |
| Actors | Eventual user of WaaS | | | | | | | | | | | |
| Precondition | The user owns a valid email address that is not yet used | | | | | | | | | | | |
| | for an existing useraccount | | | | | | | | | | | |
| Trigger | Click on the button: "Register" | | | | | | | | | | | |
| Main path | | | | | | | | | | | | |
| | 1 The user clicks the button: "SignUp". | | | | | | | | | | | |
| | 2 The user enters his credentials into the register form (email address, and password). | | | | | | | | | | | |
| | 3 The user clicks on: "Register". | | | | | | | | | | | |
| | 4 WaaS creates a useraccount entry in the database. | | | | | | | | | | | |
| | 5 The user gets redirected to the Login Page. | | | | | | | | | | | |
| Alternative path | | | | | | | | | | | | |
| | 1a The user enters a invalid input data. | | | | | | | | | | | |
| | 2a A validation error message shows up. | | | | | | | | | | | |
| Postcondition | A new useraccount was created in the database with the credentials the user entered into the register form. | | | | | | | | | | | |

Table 1: UST-1

| UST-2 Login | | | | | | | | | | | | |
|------------------|---|--|--|--|--|--|--|--|--|--|--|--|
| Goal | A user logs in with an existing user account. | | | | | | | | | | | |
| Actors | registered users | | | | | | | | | | | |
| Precondition | UST-1 | | | | | | | | | | | |
| Trigger | Click on the button: "LogIn" | | | | | | | | | | | |
| Main path | 1 The user enters a valid email address an password | | | | | | | | | | | |
| | into the login form. | | | | | | | | | | | |
| | 2 The user clicks on the button: "LogIn". | | | | | | | | | | | |
| Alternative path | | | | | | | | | | | | |
| | 1a The user enters a invalid input data. | | | | | | | | | | | |
| | 2a A validation error message shows up. | | | | | | | | | | | |
| Postcondition | The user is now logged in and is situated on the overview | | | | | | | | | | | |
| | page | | | | | | | | | | | |

Table 2: UST-2

2.3 Non-functional Requirements

todo: scalability elasticity ...

List of Tables

| 1 | UST-1 | | | | | | | | | | | | | | | | | | | S |
|---|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| 2 | UST-2 | | | | | | | | | | | | | | | | | | | Δ |

References