

```
1  #include<stdio.h>
2  int main()
3  {
4  int cno;
5  char cname [50];
6  int units;
7  float billamount;
8  float surcharge;
9  float totalbill;
10 printf ("ELECTRICITY BILL SYSTEM");
11 printf ("\nEnter consumer number: ");
12 scanf("%d",&cno);
13 printf("\nEnter consumer name:");
14 scanf("%s", &cname);
15 printf("\nEnter units consumed: ");
16 scanf("%d",&units);
17 if (units<=100)
18 billamount = units*1.50;
19 else if (units<=200)
20 {
21 billamount = (100*1.50)+((units-100)*2.50);
22 }
23 else if (units<=500)
24 { billamount = (100*1.50)+(100-2.50)+((units-500)*6.00);
25 }
26 if (billamount>1000)
27 {
28 surcharge = billamount*0.10;
29 }
30 else
31 {
32 surcharge=0;
33 }
34 totalbill=billamount+surcharge;
35 printf("\nELECTRICITY BILL\n");
36 printf("Consumer number:%d\n",cno);
37 printf("Consumer name: %s\n",cname);
```

```
32 surcnarge=0;  
33 }  
34 totalbill=billamount+surcharge;  
35 printf("\nELECTRICITY BILL\n");  
36 printf("Consumer number:%d\n",cno);  
37 printf("Consumer name: %s\n",cname);  
38 printf("units consumed:%d\n",units);  
39 printf("Bill amount: Rs.%.2f\n",billamount);  
40 printf("Surcharge: Rs.%.2f\n", surcharge);  
41 printf("Total bill: Rs.%.2f\n",totalbill);  
42 return 0;  
43 }
```

Print output (drag lower right corner to resize)

ELECTRICITY BILL SYSTEM

Enter consumer number:

Enter consumer name:

Enter units consumed:

ELECTRICITY BILL

Consumer number:1

Consumer name: Nithu

units consumed:190

Bill amount: Rs.375.00

Surcharge: Rs.0.00

Total bill: Rs.375.00