

```
1 #include<stdio.h>
2 float taxRate = 0.10;
3 float calculateGross(float basic, float hra, float da);
4 float calculateNet(float gross);
5 void displaySalary(float basic, float gross, float net);
6 float calculateGross(float basic, float hra, float da)
7 {
8     float gross;
9     gross = basic + hra + da;
10    return gross;
11 }
12 float calculateNet(float gross)
13 {
14     float net;
15     net=gross-(gross*taxRate);
16     return net;
17 }
18 void displaySalary(float basic, float gross, float net)
19 {
20     printf("\n----- Salary Report -----\\n");
21     printf("Basic Salary : %.2f\\n", basic);
22     printf("Gross Salary :%.2f\\n", gross);
23     printf("Net Salary :%.2f\\n", net);
24 }
```

```
25 int main()
26 {
27     float basic, hra, da;
28     float grossSalary, netSalary;
29     scanf("%f", &basic);
30     printf("Enter Basic Salary: %.2f\n", basic);
31     scanf("%f", &hra);
32     printf("Enter HRA: %.2f\n", hra);
33     scanf("%f", &da);
34     printf("Enter DA: %.2f\n", da);
35     grossSalary = calculateGross(basic, hra, da);
36     netSalary = calculateNet(grossSalary);
37     displaySalary(basic, grossSalary, netSalary);
38     return 0;
39 }
```

EnterBasicSalary:25000.00

Enter HRA:5000.00

Enter DA:3000.00

----- Salary Report -----

Basic Salary : 25000.00

Gross Salary :33000.00

Net Salary :29700.00