COMP 10280 Programming I (Conversion)

Practical Sheet 12 Thursday, 11 October 2018

For each of the following questions, write an algorithm in pseudocode first before writing a Python program. Submit your algorithms in psuedocode as well as your Python programs.

- 1. (a) Write a function that takes as its single argument a non-negative integer and returns the factorial of the number.
 - (b) Write a program that prompts the user for an integer and checks that the number entered is non-negative. If it is, it calls the function defined in part (a) and prints out the result; if not, it prints out an appropriate error message.

Save this program as p12p1.py.

- 2. (a) Write a function that takes as its argument a non-negative integer and prints out that number of terms of the Fibonacci Series. This function should not return an explicit value.
 - (b) Write a program that prompts the user for an integer and checks that the number entered is non-negative. If it is, it calls the function defined in part (a); if not, it prints out an appropriate error message.

Save this program as p12p2.py.

- 3. (a) Write a function that takes as its two arguments a number and a tolerance and, using the technique exposed in lectures, returns an approximation of the square root of the number that is within the tolerance.
 - (b) Write a program that prompts the user for a floating-point number and checks that the number entered is non-negative. If it is, it calls the function defined in part (a) with the number and a tolerance defined in the program and prints out the square root of the number; if not, it prints out an appropriate error message.

Save this program as p12p3.py.

Please upload your work to the Brightspace site before Sunday evening.

You should keep a copy of your programs for your portfolio.