

Readable Variant Table - ERR008118

This document is a simplified, readable version of the original VCF file. Long INFO fields were reduced into the most useful columns for review: position, REF/ALT alleles, quality, depth, mapping quality, genotype, allelic depth, and DP4 read support.

Item	Value
Reference contig	NC_005089.1
Total variants	380
SNPs	378
Indels	2
Other / MNP	0

Column	Meaning
POS	Position of the variant on the mitochondrial reference genome
REF / ALT	Reference allele and alternate allele detected in the sample
QUAL	Variant calling confidence score
DP	Read depth at that position
MQ	Average mapping quality
GT	Genotype call; 1/1 = alternate allele, 0/1 = mixed reference/alternate
AD	Allelic depth: read support for REF and ALT alleles
DP4	Read counts as ref-forward, ref-reverse, alt-forward, alt-reverse

Full Simplified Variant Table

No	POS	Type	REF	ALT	QUAL	DP	MQ	GT	AD	DP4
1	55	SNP	G	T	225.417	37	60	1/1	0,34	0,0,31,3
2	165	SNP	A	C	225.417	64	58	1/1	0,57	0,0,47,10
3	348	SNP	C	T	225.417	115	60	1/1	0,113	0,0,80,33
4	455	SNP	G	A	225.417	117	60	1/1	0,115	0,0,29,86
5	572	SNP	T	C	225.422	198	60	1/1	0,186	0,0,82,105
6	947	SNP	T	A	225.417	89	60	1/1	0,85	0,0,45,40
7	964	SNP	G	A	225.417	93	60	1/1	0,86	0,0,39,47
8	1072	SNP	T	C	228.382	105	60	1/1	1,97	0,1,52,45
9	1078	SNP	C	T	225.417	100	60	1/1	0,95	0,0,55,40
10	1084	SNP	A	G	225.417	102	60	1/1	0,97	0,0,56,41
11	1136	SNP	T	C	225.417	91	60	1/1	0,89	0,0,54,35
12	1248	SNP	G	A	225.417	73	60	1/1	0,71	0,0,36,35
13	1450	SNP	A	G	225.417	100	60	1/1	0,92	0,0,57,35
14	1519	SNP	G	A	225.422	93	60	1/1	0,88	0,0,43,46
15	1521	SNP	T	C	225.417	91	60	1/1	0,88	0,0,42,46
16	1522	SNP	T	C	225.417	92	60	1/1	0,89	0,0,43,46
17	1658	SNP	C	A	225.417	140	60	1/1	0,133	0,0,80,53
18	1673	SNP	T	C	225.417	144	60	1/1	0,138	0,0,80,58
19	1704	SNP	T	C	228.395	155	60	1/1	2,144	1,1,77,68
20	1791	SNP	A	G	228.396	137	60	1/1	1,132	0,1,72,60
21	1826	SNP	C	T	225.426	134	60	1/1	0,126	0,0,84,44
22	1837	SNP	T	C	225.422	135	60	1/1	0,131	0,0,88,44
23	1841	SNP	C	T	225.421	136	60	1/1	0,131	0,0,85,47
24	1863	SNP	C	T	225.422	156	60	1/1	0,149	0,0,83,67
25	1893	SNP	C	T	228.419	161	60	1/1	1,152	0,1,77,78
26	2185	SNP	A	G	225.417	122	60	1/1	0,119	0,0,50,69
27	2340	SNP	G	A	225.422	169	60	1/1	0,160	0,0,85,76
28	2344	SNP	T	C	228.413	176	60	1/1	1,167	1,0,84,83
29	2615	SNP	T	C	225.422	139	59	1/1	0,136	0,0,58,79
30	2786	SNP	C	T	225.417	195	60	1/1	0,181	0,0,82,99
31	2798	SNP	C	T	225.417	179	60	1/1	0,166	0,0,70,96
32	2814	SNP	T	C	225.417	170	60	1/1	0,157	0,0,71,86
33	2840	SNP	C	T	225.417	173	60	1/1	0,158	0,0,78,80
34	2865	SNP	A	G	228.403	184	59	1/1	1,170	1,0,91,81
35	2870	SNP	T	A	228.401	184	59	1/1	2,169	2,0,92,78
36	2885	SNP	T	C	228.396	166	59	1/1	1,157	1,0,80,77
37	2886	SNP	T	C	228.398	161	59	1/1	1,151	1,0,80,72
38	2918	SNP	T	C	228.403	189	59	1/1	1,175	1,0,73,106
39	2954	SNP	A	G	228.401	152	60	1/1	1,143	1,0,52,92
40	3048	SNP	C	T	225.422	122	60	1/1	0,116	0,0,63,54
41	3053	SNP	G	A	225.421	117	60	1/1	0,111	0,0,60,52
42	3077	SNP	T	C	225.422	124	60	1/1	0,117	0,0,68,50
43	3089	SNP	T	C	225.417	116	60	1/1	0,110	0,0,61,49

No	POS	Type	REF	ALT	QUAL	DP	MQ	GT	AD	DP4
44	3095	SNP	C	T	225.417	105	60	1/1	0,100	0,0,59,41
45	3099	SNP	C	T	225.417	109	60	1/1	0,104	0,0,64,40
46	3220	SNP	A	G	228.39	133	60	1/1	1,126	0,1,66,60
47	3275	SNP	T	A	225.421	121	60	1/1	0,108	0,0,57,57
48	3278	SNP	G	A	225.421	120	60	1/1	0,108	0,0,58,57
49	3311	SNP	C	T	225.417	138	59	1/1	0,132	0,0,60,72
50	3317	SNP	C	T	228.422	138	59	1/1	1,131	0,1,60,71
51	3362	SNP	A	G	228.421	158	60	1/1	1,149	0,1,65,84
52	3443	SNP	T	C	225.422	135	60	1/1	0,127	0,0,54,74
53	3467	SNP	T	C	225.422	112	60	1/1	0,102	0,0,37,67
54	3491	SNP	C	T	225.417	83	60	1/1	0,79	0,0,33,46
55	3497	SNP	C	T	225.417	77	60	1/1	0,75	0,0,31,44
56	3537	SNP	G	A	225.417	72	60	1/1	0,72	0,0,25,47
57	3539	SNP	T	C	225.417	73	60	1/1	0,73	0,0,26,47
58	3566	SNP	G	A	225.417	99	60	1/1	0,96	0,0,46,50
59	3593	SNP	T	C	225.417	136	60	1/1	0,131	0,0,57,74
60	3599	SNP	T	C	225.417	132	60	1/1	0,128	0,0,54,74
61	3629	SNP	T	C	225.417	115	60	1/1	0,113	0,0,54,59
62	3630	SNP	C	T	225.417	114	60	1/1	0,112	0,0,53,59
63	3635	SNP	C	T	225.417	118	60	1/1	0,116	0,0,57,59
64	3689	SNP	A	G	225.417	81	60	1/1	0,80	0,0,54,26
65	3757	SNP	C	T	225.417	81	60	1/1	0,80	0,0,60,20
66	3796	SNP	C	T	225.417	120	60	1/1	0,113	0,0,69,44
67	3817	SNP	C	T	225.417	130	60	1/1	0,123	0,0,70,53
68	3933	SNP	C	G	225.426	222	60	1/1	0,209	0,0,139,72
69	4048	SNP	C	T	225.421	203	60	1/1	0,187	0,0,153,46
70	4090	SNP	C	T	225.417	217	60	1/1	0,201	0,0,135,66
71	4123	SNP	C	T	225.422	239	60	1/1	0,223	0,0,117,107
72	4159	SNP	A	G	228.421	209	60	1/1	1,194	1,0,77,117
73	4189	SNP	T	C	225.417	221	60	1/1	0,210	0,0,61,149
74	4256	SNP	T	C	225.417	246	60	1/1	0,226	0,0,61,165
75	4264	SNP	A	G	225.417	240	60	1/1	0,227	0,0,62,165
76	4297	SNP	T	C	225.422	219	59	1/1	0,199	0,0,64,136
77	4324	SNP	T	C	225.422	194	59	1/1	0,181	0,0,59,124
78	4336	SNP	T	C	225.417	163	59	1/1	0,152	0,0,63,89
79	4342	SNP	T	C	225.422	158	59	1/1	0,146	0,0,59,89
80	4348	SNP	T	C	225.417	151	59	1/1	0,144	0,0,57,87
81	4387	SNP	A	G	225.422	124	60	1/1	0,115	0,0,47,70
82	4408	SNP	G	A	225.417	133	60	1/1	0,125	0,0,51,74
83	4456	SNP	T	C	225.417	124	60	1/1	0,113	0,0,46,67
84	4492	SNP	T	C	225.417	131	60	1/1	0,118	0,0,56,62
85	4516	SNP	T	A	225.417	99	60	1/1	0,93	0,0,50,43
86	4537	SNP	T	C	225.417	94	60	1/1	0,90	0,0,48,42
87	4546	SNP	T	C	225.417	85	60	1/1	0,83	0,0,42,41
88	4551	SNP	C	T	225.422	80	60	1/1	0,76	0,0,40,37

No	POS	Type	REF	ALT	QUAL	DP	MQ	GT	AD	DP4
89	4570	SNP	T	C	225.417	86	60	1/1	0,83	0,0,40,43
90	4581	SNP	A	G	225.422	101	60	1/1	0,97	0,0,39,59
91	4624	SNP	T	C	225.422	81	60	1/1	0,77	0,0,27,51
92	4693	SNP	C	T	225.417	87	60	1/1	0,84	0,0,51,33
93	4720	SNP	A	G	225.417	93	60	1/1	0,89	0,0,45,44
94	4732	SNP	C	T	225.417	92	60	1/1	0,89	0,0,42,47
95	4744	SNP	T	C	225.422	90	60	1/1	0,86	0,0,41,46
96	4771	SNP	T	C	225.422	63	60	1/1	0,60	0,0,26,35
97	4774	SNP	A	C	225.417	56	60	1/1	0,56	0,0,23,33
98	4795	SNP	T	G	225.417	65	60	1/1	0,62	0,0,26,36
99	4813	SNP	T	C	225.417	66	60	1/1	0,60	0,0,30,30
100	4840	SNP	T	C	225.417	78	60	1/1	0,71	0,0,35,36
101	4884	SNP	T	C	225.417	81	60	1/1	0,77	0,0,30,47
102	4901	SNP	G	A	225.422	79	60	1/1	0,77	0,0,36,42
103	4912	SNP	C	T	225.422	88	60	1/1	0,84	0,0,41,46
104	4942	SNP	A	T	228.418	134	60	1/1	2,127	0,2,88,39
105	4947	SNP	C	T	225.417	137	60	1/1	0,134	0,0,93,41
106	4988	SNP	C	T	225.417	182	59	1/1	0,161	0,0,117,44
107	5088	SNP	A	G	225.417	105	60	1/1	0,92	0,0,49,43
108	5204	INDEL	AG	AGG	228.337	117	60	1/1	8,107	2,6,25,82
109	5381	SNP	C	A	225.417	165	59	1/1	0,152	0,0,83,69
110	5414	SNP	G	A	225.417	176	59	1/1	0,164	0,0,102,62
111	5489	SNP	C	T	228.396	146	60	1/1	1,138	1,0,91,47
112	5498	SNP	C	T	228.393	142	60	1/1	1,136	1,0,86,50
113	5552	SNP	T	C	225.417	123	60	1/1	0,118	0,0,75,43
114	5588	SNP	C	T	225.422	131	60	1/1	0,123	0,0,74,50
115	5759	SNP	C	T	225.417	209	60	1/1	0,200	0,0,148,52
116	5786	SNP	T	C	225.426	207	60	1/1	0,193	0,0,136,61
117	5789	SNP	A	G	225.422	228	60	1/1	0,217	0,0,159,60
118	5828	SNP	T	C	225.417	204	60	1/1	0,194	0,0,138,56
119	5855	SNP	A	G	225.422	200	59	1/1	0,187	0,0,128,62
120	5861	SNP	G	A	225.417	209	59	1/1	0,197	0,0,134,63
121	5930	SNP	G	A	228.426	245	60	1/1	1,228	0,1,113,121
122	6023	SNP	G	A	225.422	234	60	1/1	0,226	0,0,126,101
123	6044	SNP	G	C	225.422	246	60	1/1	0,238	0,0,124,116
124	6065	SNP	T	C	228.424	231	60	1/1	1,222	1,0,115,107
125	6101	SNP	T	A	225.417	233	60	1/1	0,220	0,0,110,110
126	6113	SNP	C	T	225.417	211	60	1/1	0,200	0,0,94,106
127	6116	SNP	A	G	225.422	201	60	1/1	0,184	0,0,83,102
128	6170	SNP	C	T	225.422	232	60	1/1	0,210	0,0,86,126
129	6173	SNP	T	C	228.342	237	60	1/1	9,209	8,1,77,133
130	6332	SNP	T	C	225.417	246	60	1/1	0,243	0,0,190,53
131	6350	SNP	C	T	225.417	248	60	1/1	0,245	0,0,196,49
132	6371	SNP	T	C	225.417	242	60	1/1	0,237	0,0,190,47
133	6399	SNP	T	C	225.422	239	60	1/1	0,231	0,0,181,51

No	POS	Type	REF	ALT	QUAL	DP	MQ	GT	AD	DP4
134	6425	SNP	G	A	225.422	245	60	1/1	0,235	0,0,181,56
135	6461	SNP	C	T	225.417	247	60	1/1	0,236	0,0,167,69
136	6488	SNP	T	C	228.405	241	60	1/1	1,230	1,0,156,74
137	6506	SNP	T	C	225.417	230	60	1/1	0,223	0,0,143,80
138	6578	SNP	A	G	225.417	248	60	1/1	0,244	0,0,159,85
139	6620	SNP	G	A	225.417	232	60	1/1	0,227	0,0,143,84
140	6731	SNP	G	A	228.411	237	60	1/1	1,231	0,1,80,152
141	6785	SNP	G	A	225.417	248	60	1/1	0,237	0,0,56,181
142	6791	SNP	T	C	225.417	243	60	1/1	0,235	0,0,53,182
143	6848	SNP	A	G	225.422	185	60	1/1	0,178	0,0,55,125
144	6857	SNP	T	C	225.426	176	60	1/1	0,170	0,0,54,118
145	6992	SNP	T	C	225.417	135	60	1/1	0,129	0,0,51,78
146	6996	SNP	T	C	225.417	134	60	1/1	0,129	0,0,51,78
147	7037	SNP	C	T	225.417	123	60	1/1	0,121	0,0,52,69
148	7069	SNP	G	A	228.4	114	60	1/1	1,107	0,1,82,25
149	7135	SNP	C	T	228.394	139	60	1/1	1,134	1,0,103,31
150	7243	SNP	T	C	228.425	232	60	1/1	1,224	1,0,144,81
151	7303	SNP	T	C	225.422	247	60	1/1	0,243	0,0,196,48
152	7339	SNP	A	G	225.417	214	60	1/1	0,213	0,0,176,37
153	7375	SNP	T	C	225.426	190	60	1/1	0,185	0,0,135,52
154	7474	SNP	T	C	225.422	247	60	1/1	0,234	0,0,89,146
155	7489	SNP	C	T	225.422	245	60	1/1	0,235	0,0,89,147
156	7504	SNP	A	C	228.418	239	60	1/1	2,230	2,0,82,148
157	7513	SNP	C	A	228.388	225	60	1/1	4,218	1,3,74,144
158	7633	SNP	G	A	225.417	163	60	1/1	0,157	0,0,67,90
159	7651	SNP	G	A	228.419	149	60	1/1	1,141	1,0,56,86
160	7870	SNP	G	A	225.417	115	60	1/1	0,113	0,0,52,61
161	7891	SNP	A	G	228.415	123	60	1/1	1,119	0,1,54,65
162	8010	SNP	A	T	228.39	110	59	1/1	1,107	1,0,94,13
163	8019	SNP	C	T	228.383	109	59	1/1	3,100	1,2,90,10
164	8049	SNP	T	A	225.417	133	59	1/1	0,131	0,0,112,19
165	8074	SNP	G	A	225.417	147	60	1/1	0,142	0,0,107,35
166	8088	SNP	C	T	225.417	149	60	1/1	0,141	0,0,100,41
167	8124	SNP	A	G	228.395	173	60	1/1	1,161	1,0,96,65
168	8208	SNP	T	C	228.37	169	60	1/1	1,163	0,1,103,60
169	8211	SNP	T	C	228.371	167	60	1/1	1,163	0,1,105,58
170	8232	SNP	A	T	228.357	219	60	1/1	7,205	0,7,131,74
171	8421	SNP	T	C	225.417	222	60	1/1	0,212	0,0,89,123
172	8439	SNP	A	G	225.417	221	60	1/1	0,209	0,0,98,111
173	8467	SNP	T	C	228.408	218	60	1/1	1,204	1,0,98,107
174	8538	SNP	T	C	225.422	159	60	1/1	0,155	0,0,71,85
175	8612	SNP	C	T	228.418	248	60	1/1	2,231	2,0,130,101
176	8642	SNP	T	C	225.417	247	60	1/1	0,235	0,0,139,96
177	8719	SNP	A	G	225.422	231	60	1/1	0,214	0,0,163,53
178	8849	SNP	T	C	225.422	249	60	1/1	0,235	0,0,112,124

No	POS	Type	REF	ALT	QUAL	DP	MQ	GT	AD	DP4
179	8858	SNP	T	C	225.422	247	60	1/1	0,233	0,0,108,126
180	8882	SNP	T	C	225.417	247	60	1/1	0,238	0,0,108,130
181	9002	SNP	T	C	225.417	247	60	1/1	0,242	0,0,128,114
182	9008	SNP	T	A	225.417	247	60	1/1	0,242	0,0,128,114
183	9047	SNP	T	C	228.426	207	60	1/1	1,201	1,0,109,93
184	9077	SNP	C	T	225.417	210	60	1/1	0,204	0,0,107,97
185	9080	SNP	C	T	225.422	213	60	1/1	0,206	0,0,108,99
186	9128	SNP	C	T	228.414	246	60	1/1	1,228	1,0,102,126
187	9137	SNP	A	G	228.406	226	60	1/1	1,210	1,0,91,119
188	9182	SNP	C	T	225.417	217	60	1/1	0,201	0,0,83,118
189	9188	SNP	T	A	225.417	205	60	1/1	0,192	0,0,79,113
190	9191	SNP	T	C	228.408	202	60	1/1	1,188	0,1,79,109
191	9338	SNP	T	C	225.417	157	60	1/1	0,150	0,0,66,84
192	9461	SNP	T	C	225.417	79	60	1/1	0,78	0,0,17,61
193	9476	SNP	T	C	225.421	74	60	1/1	0,71	0,0,24,48
194	9504	SNP	A	G	225.417	79	60	1/1	0,75	0,0,21,54
195	9506	SNP	G	A	225.417	79	60	1/1	0,75	0,0,21,54
196	9513	SNP	C	T	225.422	91	60	1/1	0,83	0,0,22,63
197	9530	SNP	C	T	225.417	98	60	1/1	0,90	0,0,21,69
198	9545	SNP	G	A	225.417	99	60	1/1	0,90	0,0,25,65
199	9581	SNP	C	T	225.417	115	60	1/1	0,109	0,0,36,73
200	9626	SNP	C	T	225.417	106	60	1/1	0,99	0,0,46,53
201	9647	SNP	A	G	228.425	100	60	1/1	1,89	0,1,49,44
202	9665	SNP	T	C	225.422	96	60	1/1	0,89	0,0,47,43
203	9701	SNP	A	G	228.415	75	60	1/1	1,71	0,1,42,29
204	9716	SNP	T	C	225.417	64	60	1/1	0,59	0,0,33,26
205	9719	SNP	A	G	225.417	62	60	1/1	0,58	0,0,37,21
206	9773	SNP	A	G	225.417	86	60	1/1	0,81	0,0,57,24
207	9858	SNP	G	A	225.417	96	60	1/1	0,94	0,0,54,40
208	9894	SNP	C	T	225.417	114	60	1/1	0,108	0,0,65,43
209	9985	SNP	G	A	225.422	160	60	1/1	0,151	0,0,105,47
210	10083	SNP	C	T	225.422	238	59	1/1	0,224	0,0,144,81
211	10175	SNP	A	G	225.422	155	60	1/1	0,142	0,0,62,81
212	10263	SNP	C	T	228.422	170	60	1/1	1,163	1,0,25,138
213	10433	SNP	C	T	225.417	76	60	1/1	0,74	0,0,59,15
214	10493	SNP	C	T	228.416	53	60	1/1	1,45	0,1,24,21
215	10520	SNP	T	C	225.417	58	60	1/1	0,53	0,0,17,36
216	10574	SNP	A	G	225.417	118	60	1/1	0,112	0,0,61,51
217	10583	SNP	A	G	225.417	134	60	1/1	0,128	0,0,77,51
218	10604	SNP	G	A	225.417	152	60	1/1	0,147	0,0,87,60
219	10610	SNP	T	C	225.417	153	59	1/1	0,147	0,0,89,58
220	10667	SNP	C	T	225.417	152	60	1/1	0,148	0,0,106,42
221	10673	SNP	C	A	225.417	148	60	1/1	0,144	0,0,104,40
222	10704	SNP	T	C	222.037	105	60	0/1	32,68	25,7,53,16
223	10728	SNP	G	A	225.417	109	60	1/1	0,107	0,0,79,28

No	POS	Type	REF	ALT	QUAL	DP	MQ	GT	AD	DP4
224	10758	SNP	G	A	33.27	100	60	0/1	81,17	58,23,11,6
225	10878	SNP	T	C	225.417	219	60	1/1	0,203	0,0,110,93
226	10943	SNP	C	T	225.417	184	60	1/1	0,175	0,0,122,53
227	11003	SNP	A	G	228.407	251	60	1/1	1,241	1,0,186,55
228	11174	SNP	G	A	228.429	204	60	1/1	1,196	0,1,81,116
229	11195	SNP	C	T	228.411	231	59	1/1	1,219	0,1,71,149
230	11207	SNP	A	T	228.41	234	60	1/1	2,217	0,2,81,140
231	11297	SNP	A	C	225.422	168	60	1/1	0,158	0,0,94,65
232	11358	SNP	A	C	225.417	117	60	1/1	0,114	0,0,48,66
233	11369	SNP	T	C	225.422	109	60	1/1	0,107	0,0,41,67
234	11381	SNP	A	G	225.422	104	60	1/1	0,101	0,0,40,63
235	11405	SNP	C	T	225.417	100	60	1/1	0,100	0,0,26,74
236	11408	SNP	C	T	228.403	101	60	1/1	3,97	0,3,28,70
237	11429	SNP	C	T	228.423	107	60	1/1	1,104	0,1,40,65
238	11465	SNP	A	G	228.417	104	59	1/1	1,100	0,1,53,48
239	11480	SNP	C	T	225.421	94	59	1/1	0,91	0,0,55,37
240	11504	SNP	T	C	225.422	64	59	1/1	0,61	0,0,42,20
241	11510	SNP	T	C	225.417	43	59	1/1	0,43	0,0,31,12
242	11511	SNP	A	G	225.422	38	59	1/1	0,37	0,0,31,7
243	11516	SNP	T	C	225.417	42	59	1/1	0,42	0,0,33,9
244	11537	SNP	G	A	225.417	108	59	1/1	0,103	0,0,28,75
245	11650	SNP	G	A	225.417	58	60	1/1	0,51	0,0,19,32
246	11659	SNP	C	T	225.417	60	60	1/1	0,55	0,0,21,34
247	11826	SNP	C	T	225.417	52	60	1/1	0,49	0,0,24,25
248	11828	SNP	C	T	225.417	52	60	1/1	0,49	0,0,24,25
249	11843	SNP	G	A	225.417	53	60	1/1	0,51	0,0,27,24
250	11867	SNP	C	A	225.417	58	60	1/1	0,56	0,0,37,19
251	11907	SNP	C	T	225.417	60	60	1/1	0,58	0,0,47,11
252	11915	SNP	T	C	225.417	68	60	1/1	0,66	0,0,50,16
253	11939	SNP	G	A	225.417	91	60	1/1	0,86	0,0,66,20
254	11972	SNP	A	G	228.421	99	60	1/1	1,90	0,1,66,24
255	12011	SNP	A	G	225.417	114	60	1/1	0,103	0,0,79,24
256	12026	SNP	T	C	225.417	114	60	1/1	0,104	0,0,77,27
257	12050	SNP	C	T	225.417	100	60	1/1	0,92	0,0,70,22
258	12116	SNP	G	A	225.417	131	59	1/1	0,126	0,0,84,42
259	12137	SNP	C	T	228.396	173	60	1/1	2,166	1,1,116,50
260	12197	SNP	C	T	225.417	244	60	1/1	0,230	0,0,160,70
261	12263	SNP	T	C	225.422	247	60	1/1	0,240	0,0,174,68
262	12319	SNP	T	C	225.422	200	60	1/1	0,195	0,0,138,59
263	12341	SNP	G	A	225.422	247	60	1/1	0,237	0,0,125,113
264	12353	SNP	C	T	225.422	238	60	1/1	0,232	0,0,108,125
265	12390	SNP	T	C	225.422	244	60	1/1	0,238	0,0,103,136
266	12395	SNP	C	T	225.422	245	60	1/1	0,237	0,0,102,137
267	12476	SNP	A	G	225.422	235	60	1/1	0,228	0,0,145,84
268	12542	SNP	G	A	225.422	245	60	1/1	0,243	0,0,183,61

No	POS	Type	REF	ALT	QUAL	DP	MQ	GT	AD	DP4
269	12575	SNP	T	A	225.422	249	60	1/1	0,246	0,0,193,54
270	12602	SNP	T	C	225.422	244	59	1/1	0,240	0,0,193,48
271	12614	SNP	T	C	228.425	248	59	1/1	1,245	1,0,203,42
272	12644	SNP	C	T	225.417	219	60	1/1	0,218	0,0,161,57
273	12647	SNP	T	C	225.422	226	60	1/1	0,223	0,0,162,64
274	12656	SNP	T	C	225.422	246	60	1/1	0,244	0,0,172,73
275	12686	SNP	G	A	228.425	250	60	1/1	1,244	0,1,152,92
276	12749	SNP	A	G	228.426	237	60	1/1	1,231	0,1,156,76
277	12752	SNP	T	C	228.424	244	60	1/1	1,240	1,0,159,81
278	12835	SNP	T	C	225.422	248	60	1/1	0,240	0,0,147,97
279	12890	SNP	A	G	225.417	242	60	1/1	0,236	0,0,140,96
280	12929	SNP	T	A	225.417	247	60	1/1	0,243	0,0,130,113
281	12974	SNP	T	C	228.423	238	60	1/1	1,232	0,1,124,108
282	12980	SNP	A	G	228.42	238	60	1/1	4,225	0,4,130,97
283	13004	SNP	G	A	225.417	234	60	1/1	0,229	0,0,112,117
284	13046	SNP	G	A	225.426	227	60	1/1	0,216	0,0,89,130
285	13055	SNP	C	T	228.391	225	59	1/1	3,214	1,2,82,132
286	13100	SNP	A	G	228.405	248	59	1/1	1,241	1,0,90,151
287	13140	SNP	G	A	228.409	214	60	1/1	1,207	1,0,81,127
288	13168	SNP	G	A	225.417	155	60	1/1	0,152	0,0,49,103
289	13172	SNP	T	C	225.422	156	60	1/1	0,152	0,0,49,104
290	13175	SNP	A	T	225.417	156	60	1/1	0,153	0,0,50,103
291	13292	SNP	T	C	228.391	136	60	1/1	1,128	1,0,34,94
292	13304	SNP	C	T	228.428	147	60	1/1	1,138	0,1,41,98
293	13322	SNP	G	A	225.417	156	60	1/1	0,148	0,0,47,101
294	13337	SNP	T	C	225.417	171	60	1/1	0,162	0,0,59,103
295	13406	SNP	G	A	225.422	182	60	1/1	0,176	0,0,122,55
296	13412	SNP	G	A	225.422	177	60	1/1	0,170	0,0,119,52
297	13413	SNP	T	C	225.417	177	60	1/1	0,172	0,0,120,52
298	13457	SNP	C	T	225.417	149	60	1/1	0,140	0,0,102,38
299	13507	SNP	T	C	225.417	91	60	1/1	0,87	0,0,49,38
300	13508	SNP	A	G	228.423	96	60	1/1	1,90	0,1,49,42
301	13582	SNP	A	G	228.422	137	60	1/1	1,134	0,1,37,97
302	13612	SNP	T	C	228.422	196	60	1/1	1,187	0,1,72,115
303	13666	SNP	C	T	225.417	187	60	1/1	0,176	0,0,89,87
304	13708	SNP	T	C	228.426	122	60	1/1	1,113	1,0,59,55
305	13713	SNP	A	G	225.417	116	60	1/1	0,113	0,0,62,51
306	13760	SNP	C	T	228.408	99	59	1/1	1,93	1,0,49,45
307	13792	SNP	T	C	225.417	136	60	1/1	0,134	0,0,40,94
308	13813	SNP	T	C	225.422	141	60	1/1	0,133	0,0,40,94
309	13840	SNP	T	C	225.422	152	60	1/1	0,141	0,0,49,93
310	13987	SNP	T	C	228.388	147	60	1/1	1,141	1,0,106,35
311	14014	SNP	T	C	228.383	170	60	1/1	2,162	1,1,128,38
312	14168	SNP	C	T	225.422	174	60	1/1	0,162	0,0,63,100
313	14210	SNP	T	C	228.407	246	60	1/1	1,228	1,0,105,123

No	POS	Type	REF	ALT	QUAL	DP	MQ	GT	AD	DP4
314	14246	SNP	G	A	228.412	245	60	1/1	1,221	1,0,131,92
315	14259	SNP	G	A	228.412	233	60	1/1	1,221	1,0,147,75
316	14273	SNP	C	T	228.386	225	60	1/1	5,211	1,4,149,62
317	14282	SNP	T	C	228.411	229	60	1/1	1,219	1,0,153,67
318	14288	SNP	T	C	228.412	222	60	1/1	2,213	1,1,155,58
319	14309	SNP	C	T	228.411	229	60	1/1	1,219	1,0,158,62
320	14354	SNP	T	C	228.41	241	60	1/1	1,229	1,0,142,88
321	14387	SNP	T	C	228.407	238	60	1/1	1,231	0,1,151,80
322	14534	SNP	C	T	228.401	241	60	1/1	2,228	2,0,92,136
323	14537	SNP	C	T	225.417	242	60	1/1	0,231	0,0,94,137
324	14570	SNP	T	C	225.417	242	60	1/1	0,227	0,0,95,132
325	14639	SNP	A	G	225.417	235	60	1/1	0,223	0,0,123,100
326	14642	SNP	G	A	228.413	246	60	1/1	2,233	1,1,136,97
327	14708	SNP	T	C	225.422	245	60	1/1	0,238	0,0,145,94
328	14735	SNP	C	T	225.417	176	60	1/1	0,170	0,0,101,69
329	14738	SNP	C	T	228.373	176	60	1/1	3,166	1,2,97,69
330	14744	SNP	C	T	228.415	180	60	1/1	1,170	1,0,99,72
331	14798	SNP	T	C	225.417	168	60	1/1	0,157	0,0,66,91
332	14807	SNP	C	T	228.415	166	60	1/1	1,152	1,0,58,94
333	14837	SNP	T	C	225.417	236	60	1/1	0,228	0,0,60,168
334	14846	SNP	C	T	225.417	242	60	1/1	0,233	0,0,63,170
335	14873	SNP	A	G	225.422	249	60	1/1	0,240	0,0,72,169
336	14879	SNP	T	C	225.417	248	60	1/1	0,240	0,0,75,165
337	14885	SNP	A	G	225.417	247	60	1/1	0,237	0,0,78,159
338	14924	SNP	T	C	225.422	237	60	1/1	0,226	0,0,91,136
339	14981	SNP	C	T	225.417	188	60	1/1	0,179	0,0,118,61
340	15017	SNP	C	T	225.422	170	60	1/1	0,162	0,0,112,51
341	15122	SNP	A	G	228.386	184	59	1/1	3,160	1,2,78,91
342	15125	SNP	C	T	228.402	181	59	1/1	3,170	1,2,79,91
343	15134	SNP	C	T	228.413	167	59	1/1	1,156	1,0,76,82
344	15137	SNP	C	T	228.399	162	59	1/1	3,152	1,2,75,77
345	15147	SNP	T	C	228.381	168	59	1/1	3,155	1,2,76,80
346	15167	SNP	A	G	228.418	194	59	1/1	1,179	1,0,85,96
347	15209	SNP	C	T	225.417	145	60	1/1	0,137	0,0,59,78
348	15239	SNP	T	C	225.422	112	60	1/1	0,104	0,0,42,63
349	15242	SNP	A	G	225.417	112	60	1/1	0,105	0,0,42,63
350	15260	SNP	C	T	228.417	90	60	1/1	1,84	0,1,33,51
351	15305	SNP	C	T	228.382	113	60	1/1	1,108	0,1,16,92
352	15369	SNP	G	A	228.371	157	60	1/1	2,151	1,1,51,101
353	15437	SNP	C	T	228.401	148	60	1/1	1,146	1,0,109,37
354	15447	SNP	C	T	225.417	151	60	1/1	0,151	0,0,119,32
355	15455	SNP	T	C	225.417	147	60	1/1	0,147	0,0,119,28
356	15499	SNP	T	A	225.422	111	58	1/1	0,107	0,0,86,22
357	15517	SNP	G	A	225.417	65	56	1/1	0,61	0,0,50,11
358	15519	SNP	T	A	225.417	59	56	1/1	0,58	0,0,47,11

No	POS	Type	REF	ALT	QUAL	DP	MQ	GT	AD	DP4
359	15520	SNP	C	T	225.417	59	56	1/1	0,58	0,0,47,11
360	15530	SNP	A	G	225.417	57	56	1/1	0,56	0,0,46,10
361	15532	SNP	T	C	225.417	57	56	1/1	0,56	0,0,46,10
362	15536	SNP	C	T	225.417	57	56	1/1	0,56	0,0,46,10
363	15552	SNP	T	G	53.313	5	60	1/1	1,3	0,1,3,0
364	15558	SNP	T	C	217.417	55	57	1/1	0,55	0,0,34,21
365	15573	SNP	C	A	225.417	66	58	1/1	0,66	0,0,43,23
366	15574	SNP	T	C	225.417	66	58	1/1	0,66	0,0,43,23
367	15575	SNP	T	C	225.417	66	58	1/1	0,66	0,0,43,23
368	15579	SNP	C	T	225.417	67	58	1/1	0,66	0,0,43,23
369	15584	SNP	T	C	225.417	68	58	1/1	0,67	0,0,44,23
370	15588	SNP	C	T	225.417	74	58	1/1	0,73	0,0,47,26
371	15596	SNP	A	T	225.417	111	58	1/1	0,110	0,0,67,43
372	15917	SNP	C	T	228.421	219	60	1/1	1,203	0,1,86,117
373	16049	SNP	G	T	225.417	185	60	1/1	0,178	0,0,23,155
374	16074	SNP	C	T	225.417	166	60	1/1	0,162	0,0,15,147
375	16098	INDEL	CA	CAA	204.197	114	60	0/1	57,53	1,56,7,46
376	16113	SNP	A	G	225.417	62	60	1/1	0,56	0,0,13,43
377	16154	SNP	A	T	225.417	45	60	1/1	0,38	0,0,7,31
378	16211	SNP	T	C	225.417	43	60	1/1	0,40	0,0,1,39
379	16248	SNP	T	C	225.417	45	60	1/1	0,41	0,0,3,38
380	16272	SNP	T	C	225.417	34	60	1/1	0,32	0,0,8,24