

Table No1: Login

Primary Key: logid

| Field Name | Type | Size | Description |
|------------|---------|------|-------------|
| logid | int | 30 | Login_id |
| uname | varchar | 30 | Username |
| password | varchar | 30 | Password |
| status | int | 10 | Status |

Table No2: Register

Primary Key: regid

Foreign Key: logid

| Field Name | Туре | Size | Description |
|------------|---------|------|-------------------|
| regid | int | 30 | Staff_id |
| logid | int | 30 | Login_id |
| fname | varchar | 30 | First name of |
| | | | passenger |
| lname | varchar | 30 | Last name of |
| | | | passenger |
| gender | varchar | 30 | Gender of |
| | | | passenger |
| dob | date | 30 | Date of birth of |
| | | | passenger |
| Phno | int | 30 | Contact number of |
| | | | passenger |
| emailid | varchar | 30 | Email id |
| status | int | 10 | Status |

Table No3: Addonservices

Primary Key: adid

| Field Name | Type | Size | Description |
|------------|---------|------|---------------|
| adid | int | 30 | Addon_id |
| adname | varchar | 30 | Addon service |
| | | | name |

| amt | float | 30 | Amount for addon |
|--------|-------|----|------------------|
| | | | service |
| status | int | 10 | Status |

Table No4: Dailyflight

Primary Key: dailyid

Foreign Key: fid

| Field Name | Type | Size | Description |
|---------------|---------|------|--------------------------|
| dailyid | int | 30 | Dailyflight_id |
| fid | int | 30 | Flight_id |
| orgin | varchar | 30 | Orgin of flight |
| destination | varchar | 30 | Destination of flight |
| departuredate | date | 30 | Departure date of flight |
| departuretime | varchar | 30 | Departure time of flight |
| arrivaldate | date | 30 | Arrival date of flight |
| arrivaltime | varchar | 30 | Arrival time of flight |
| status | int | 10 | Status |

Table No5: Classtype

Primary Key:ctid

| Field Name | Type | Size | Description |
|------------|---------|------|-------------------|
| ctid | int | 30 | Classtype_id |
| cname | varchar | 30 | Class name |
| eseat | int | 30 | Number of seats |
| | | | in economic class |
| bseat | int | 30 | Number of seats |
| | | | in business class |
| ewseat | int | 30 | Number of |
| | | | window seats in |
| | | | economic class |

| bwseat | int | 30 | Number of |
|--------------|-----|----|-----------------|
| | | | window seats in |
| | | | business clss |
| motherchild | int | 30 | Number of seats |
| | | | for mother and |
| | | | child |
| remaningseat | int | 30 | Remaning number |
| _ | | | of seats |
| status | int | 10 | Status |

Table No6: Flighttype

Primary Key: ftid

| Field Name | Type | Size | Description |
|------------|---------|------|---------------|
| ftid | int | 30 | Flighttype_id |
| ftname | varchar | 30 | Flight type |
| status | int | 10 | Status |

Table No7: Flightname

Primary Key: fid

Foreign Key: ctid,ftid

| Field Name | Type | Size | Description |
|------------|---------|------|------------------|
| fid | int | 30 | Flight_id |
| ctid | int | 30 | Classtype_id |
| fname | varchar | 30 | Flight name |
| ftid | int | 30 | Flighttype_id |
| weight | int | 30 | Weight can carry |
| status | int | 10 | Status |

Table No8: Flightrate

Primary Key: rateid

Foreign Key: dailyid

| Field Name | Type | Size | Description |
|------------|-------|------|--------------|
| rateid | int | 30 | Rate_id |
| dailyid | int | 30 | Daily_id |
| amt | float | 30 | Basic amount |
| status | int | 10 | Status |

Table No9: Specialplace

Primary Key: spid

Foreign Key: stateid, districtid

| Field Name | Type | Size | Description |
|-------------|---------|------|----------------|
| spid | int | 30 | Package_id |
| stateid | int | 30 | State_id |
| districtid | int | 30 | District_id |
| place | varchar | 30 | Package place |
| description | varchar | 30 | Description of |
| _ | | | place |
| pimage | blob | 30 | Image of place |
| status | int | 10 | Status |

Table No10: Packagerate

Primary Key: prateid

Foreign Key: dailyid

| Field Name | Type | Size | Description |
|------------|-------|------|----------------|
| prateid | int | 30 | Packagerate_id |
| dailyid | int | 30 | Daily_id |
| amt | float | 30 | Amount |
| discount | int | 30 | Discount for |
| | | | package |
| status | int | 10 | Status |

Table No11: State

Primary Key: sid

| Field Name | Type | Size | Description |
|------------|---------|------|-------------|
| sid | int | 30 | State_id |
| sname | varchar | 30 | State name |
| status | int | 10 | Status |

Table No12: District

Primary Key: distid

| Field Name | Type | Size | Description |
|------------|---------|------|---------------|
| distid | int | 30 | District_id |
| dname | varchar | 30 | District name |
| status | int | 1o | Status |

Table No13:Feedback

Primary Key:feedid

Foreign Key: logid,bid

| Field Name | Type | Size | Description |
|------------|---------|------|-------------|
| feedid | int | 30 | Feedback_id |
| logid | int | 30 | Login_id |
| bid | int | 30 | Booking_id |
| feedback | varchar | 30 | Feedback |
| status | int | 10 | Status |

Table No14: Notice

Primary Key: pid

| Field Name | Type | Size | Description |
|------------|---------|------|-------------|
| nid | int | 30 | Notice_id |
| notice | varchar | 30 | Notice |
| status | int | 10 | Status |

Table No15: Booking

Primary Key: bid

Foreign Key: logid,regid,fid,adid

| Field Name | Type | Size | Description |
|------------|------|------|------------------|
| bid | int | 30 | Booking_id |
| logid | int | 30 | Login_id |
| regid | int | 30 | Registeration_id |
| fid | int | 30 | Flight_id |
| adid | int | 30 | Addon_id |
| status | int | 10 | Status |