# Football Prediction API

1.0.0 OAS 3.0

/api/schema/

API for football match predictions and analytics

Authorize

## betting-odds

GET /api/betting-odds/

### Parameters

Cancel

| Name | Description |
|---|---|
| match<br>integer<br>(query) | match |
| page<br>integer<br>(query) | A page number within the paginated result set.<br>page |

Execute

### Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls Accept header.<br>Example Value Schema<br>{<br>"count": 123, | No links |

| Code | Description | Links |
|---|---|---|


```
    "next": "http://api.example.org/accounts/?page=4",
    "previous": "http://api.example.org/accounts/?page=2",
    "results": [
      {
        "id": 0,
        "match": 0,
        "home_team": "string",
        "away_team": "string",
        "match_date": "2026-03-13T14:14:27.572Z",
        "home_win_odds": 0,
        "draw_odds": 0,
        "away_win_odds": 0,
        "bookmaker": "string"
      }
    ]
  }
```


POST /api/betting-odds/

**Parameters** Cancel

No parameters

**Request body** required application/json

**Edit Value** Schema


```
{
  "match": 0,
  "home_win_odds": 0,
  "draw_odds": 0,
  "away_win_odds": 0,
  "bookmaker": "string"
}
```


Execute

**Responses**

| Code | Description | Links |
|---|---|---|
| 201 | Media type<br>application/json<br>Controls Accept header.<br>Example Value Schema | No links |


```
{
  "id": 0,
  "match": 0,
  "home_team": "string",
  "away_team": "string",
  "match_date": "2026-03-13T14:14:27.574Z",
  "home_win_odds": 0,
  "draw_odds": 0,
  "away_win_odds": 0,
  "bookmaker": "string"
}
```


GET /api/betting-odds/{id}/

## Parameters

Cancel

| Name | Description |
|---|---|
| id * required<br>integer<br>(path) | A unique integer value identifying this betting odds.<br>id |

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls Accept header.<br>Example Value Schema | No links |


```
{
  "id": 0,
  "match": 0,
  "home_team": "string",
  "away_team": "string",
  "match_date": "2026-03-13T14:14:27.576Z",
```

| Code | Description | Links |
|---|---|---|

```
  "home_win_odds": 0,
  "draw_odds": 0,
  "away_win_odds": 0,
  "bookmaker": "string"
}
```

PUT /api/betting-odds/{id}/

## Parameters

Cancel

| Name | Description |
|---|---|
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this betting odds.<br>id |

## Request body required

application/json

**Edit Value** Schema

```
{
  "match": 0,
  "home_win_odds": 0,
  "draw_odds": 0,
  "away_win_odds": 0,
  "bookmaker": "string"
}
```

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type | *No links* |

| Code | Description | Links |
|---|---|---|
| | application/json<br>Controls `Accept` header. | |

**Example Value** Schema


```
{
  "id": 0,
  "match": 0,
  "home_team": "string",
  "away_team": "string",
  "match_date": "2026-03-13T14:14:27.578Z",
  "home_win_odds": 0,
  "draw_odds": 0,
  "away_win_odds": 0,
  "bookmaker": "string"
}
```


PATCH /api/betting-odds/{id}/

**Parameters** Cancel

| Name | Description |
|---|---|
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this betting odds.<br>id |

Request body application/json

**Edit Value** Schema


```
{
  "match": 0,
  "home_win_odds": 0,
  "draw_odds": 0,
  "away_win_odds": 0,
  "bookmaker": "string"
}
```

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br>**Example Value** Schema | *No links* |


```
{
  "id": 0,
  "match": 0,
  "home_team": "string",
  "away_team": "string",
  "match_date": "2026-03-13T14:14:27.580Z",
  "home_win_odds": 0,
  "draw_odds": 0,
  "away_win_odds": 0,
  "bookmaker": "string"
}
```


DELETE /api/betting-odds/{id}/

## Parameters

Cancel

| Name | Description |
|---|---|
| **id** * required<br>`integer`<br>*(path)* | A unique integer value identifying this betting odds.<br>id |

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 204 | No response body | *No links* |

# matches

GET /api/matches/

## Parameters

Cancel

| Name | Description |
|---|---|
| away_team<br>integer<br>(query) | away_team |
| home_team<br>integer<br>(query) | home_team |
| ordering<br>string<br>(query) | Which field to use when ordering the results.<br>ordering |
| page<br>integer<br>(query) | A page number within the paginated result set.<br>page |
| season<br>string<br>(query) | season |

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls Accept header.<br>Example Value Schema | *No links* |


```
{
  "count": 123,
  "next": "http://api.example.org/accounts/?page=4",
  "previous": "http://api.example.org/accounts/?page=2",
  "results": [
    {
      "id": 0,
      "home_team_name": "string",
```

| Code | Description | Links |
|---|---|---|


```
            "away_team_name": "string",
            "match_date": "2026-03-13T14:14:27.584Z",
            "home_score": 9223372036854776000,
            "away_score": 9223372036854776000,
            "season": "string",
            "home_team": 0,
            "away_team": 0
        }
    ]
}
```


POST /api/matches/

**Parameters** Cancel Reset

No parameters

**Request body** required application/json

**Edit Value** Schema


```
{
  "match_date": "2026-03-13T14:12:00.726Z",
  "home_score": 9223372036854776000,
  "away_score": 9223372036854776000,
  "season": "string",
  "home_team": 0,
  "away_team": 0
}
```


Execute

**Responses**

| Code | Description | Links |
|---|---|---|
| 201 | Media type<br>application/json<br>Controls `Accept` header. | *No links* |

| Code | Description | Links |
|---|---|---|

**Example Value** Schema


```
{
  "id": 0,
  "home_team_name": "string",
  "away_team_name": "string",
  "match_date": "2026-03-13T14:14:27.587Z",
  "home_score": 9223372036854776000,
  "away_score": 9223372036854776000,
  "season": "string",
  "home_team": 0,
  "away_team": 0
}
```


GET /api/matches/{id}/

## Parameters

Cancel

| Name | Description |
|---|---|
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this match.<br>id |

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls `Accept` header. | *No links* |

**Example Value** Schema


```
{
  "id": 0,
  "home_team_name": "string",
  "away_team_name": "string",
  "match_date": "2026-03-13T14:14:27.588Z",
  "home_score": 9223372036854776000,
  "away_score": 9223372036854776000,
  "season": "string",
  "home_team": 0,
  "away_team": 0
}
```

PUT /api/matches/{id}/

## Parameters

Cancel Reset

| Name | Description |
| --- | --- |
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this match.<br>id |

**Request body** required

application/json

**Edit Value** Schema

```
{
  "match_date": "2026-03-13T14:12:00.730Z",
  "home_score": 9223372036854776000,
  "away_score": 9223372036854776000,
  "season": "string",
  "home_team": 0,
  "away_team": 0
}
```

Execute

## Responses

| Code | Description | Links |
| --- | --- | --- |
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br><br>**Example Value** Schema<br><br>{<br>"id": 0,<br>"home_team_name": "string",<br>"away_team_name": "string", | *No links* |

| Code | Description | Links |
|---|---|---|


```
  "match_date": "2026-03-13T14:14:27.591Z",
  "home_score": 9223372036854776000,
  "away_score": 9223372036854776000,
  "season": "string",
  "home_team": 0,
  "away_team": 0
}
```


PATCH /api/matches/{id}/

## Parameters

Cancel Reset

| Name | Description |
|---|---|
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this match.<br>0 |

Request body application/json

**Edit Value** Schema


```
{
  "match_date": "2026-03-13T14:11:25.491Z",
  "home_score": 9223372036854776000,
  "away_score": 9223372036854776000,
  "season": "string",
  "home_team": 0,
  "away_team": 0
}
```


Execute Clear

## Responses

**Curl**

```
curl -X 'PATCH' \
  'http://127.0.0.1:8000/api/matches/0/' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -H 'X-CSRFTOKEN: AOw73yFzJLlFq82uid5NUPABgVNMprwPhiY8JdwOt2BRHsh0ua8TAqUm1Dll0qwi' \
  -d '{
  "match_date": "2026-03-13T14:11:25.491Z",
  "home_score": 9223372036854776000,
  "away_score": 9223372036854776000,
  "season": "string",
  "home_team": 0,
  "away_team": 0
}'
```

**Request URL**

```
http://127.0.0.1:8000/api/matches/0/
```

**Server response**

| Code | Details |
|---|---|
| 404<br>*Undocumented* | Error: Not Found |

**Response body**

```
{
  "detail": "No Match matches the given query."
}
```

Download

**Response headers**

```
access-control-allow-origin: http://127.0.0.1:8000
allow: GET,PUT,PATCH,DELETE,HEAD,OPTIONS
content-length: 46
content-type: application/json
cross-origin-opener-policy: same-origin
date: Fri,13 Mar 2026 14:11:51 GMT
referrer-policy: same-origin
server: WSGIServer/0.2 CPython/3.13.2
vary: Accept,origin
x-content-type-options: nosniff
x-frame-options: DENY
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>**application/json**<br>Controls `Accept` header. | *No links* |

**Example Value** Schema

```
{
  "id": 0,
  "home_team_name": "string",
  "away_team_name": "string",
  "match_date": "2026-03-13T14:14:27.593Z",
  "home_score": 9223372036854776000,
  "away_score": 9223372036854776000,
  "season": "string",
  "home_team": 0,
  "away_team": 0
}
```

DELETE /api/matches/{id}/

Parameters

Cancel

| Name | Description |
| --- | --- |
| id * required<br>integer<br>(path) | A unique integer value identifying this match.<br>id |

Execute

Responses

| Code | Description | Links |
| --- | --- | --- |
| 204 | No response body | *No links* |

GET /api/matches/{id}/player_stats/

Parameters

Cancel

| Name | Description |
| --- | --- |
| id * required<br>integer<br>(path) | A unique integer value identifying this match.<br>id |

Execute

Responses

| Code | Description | Links |
| --- | --- | --- |
| 200 | Media type<br>application/json<br>Controls Accept header. | *No links* |

| Code | Description | Links |
|---|---|---|

**Example Value** Schema


```
{
  "id": 0,
  "home_team_name": "string",
  "away_team_name": "string",
  "match_date": "2026-03-13T14:14:27.596Z",
  "home_score": 9223372036854776000,
  "away_score": 9223372036854776000,
  "season": "string",
  "home_team": 0,
  "away_team": 0
}
```


## player-match-stats

GET /api/player-match-stats/

**Parameters** Cancel

| Name | Description |
|---|---|
| match<br>integer<br>*(query)* | match |
| page<br>integer<br>*(query)* | A page number within the paginated result set.<br>page |
| player<br>integer<br>*(query)* | player |
| team<br>integer<br>*(query)* | team |

Execute

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>**application/json** | *No links* |

| Code | Description | Links |
| --- | --- | --- |
| | Controls `Accept` header. | |

**Example Value** Schema


```
{
  "count": 123,
  "next": "http://api.example.org/accounts/?page=4",
  "previous": "http://api.example.org/accounts/?page=2",
  "results": [
    {
      "id": 0,
      "player_name": "string",
      "minutes_played": 9223372036854776000,
      "goals": 9223372036854776000,
      "assists": 9223372036854776000,
      "shots": 9223372036854776000,
      "shots_on_target": 9223372036854776000,
      "fouls": 9223372036854776000,
      "yellow_cards": 9223372036854776000,
      "red_cards": 9223372036854776000,
      "rolling_shots_3": 0,
      "rolling_shots_5": 0,
      "rolling_goals_5": 0,
      "created_at": "2026-03-13T14:14:27.599Z",
      "player": 0,
      "team": 0,
      "match": 0
    }
  ]
}
```


POST /api/player-match-stats/

**Parameters** Cancel

No parameters

**Request body** required application/json

**Edit Value** Schema

```
{
  "minutes_played": 9223372036854776000,
  "goals": 9223372036854776000,
  "assists": 9223372036854776000,
  "shots": 9223372036854776000,
  "shots_on_target": 9223372036854776000,
  "fouls": 9223372036854776000,
  "yellow_cards": 9223372036854776000,
  "red_cards": 9223372036854776000,
  "rolling_shots_3": 0,
  "rolling_shots_5": 0,
  "rolling_goals_5": 0,
  "player": 0,
  "team": 0,
  "match": 0
}
```


Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 201 | Media type<br>application/json<br>Controls `Accept` header.<br><br>**Example Value** Schema | *No links* |


```
{
  "id": 0,
  "player_name": "string",
  "minutes_played": 9223372036854776000,
  "goals": 9223372036854776000,
  "assists": 9223372036854776000,
  "shots": 9223372036854776000,
  "shots_on_target": 9223372036854776000,
  "fouls": 9223372036854776000,
  "yellow_cards": 9223372036854776000,
  "red_cards": 9223372036854776000,
  "rolling_shots_3": 0,
  "rolling_shots_5": 0,
  "rolling_goals_5": 0,
  "created_at": "2026-03-13T14:14:27.601Z",
  "player": 0,
  "team": 0,
  "match": 0
}
```


GET /api/player-match-stats/{id}/

## Parameters

Cancel

| Name | Description |
| --- | --- |
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this player match stats.<br>id |

Execute

## Responses

| Code | Description | Links |
| --- | --- | --- |
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br>**Example Value** Schema | *No links* |


```
{
  "id": 0,
  "player_name": "string",
  "minutes_played": 9223372036854776000,
  "goals": 9223372036854776000,
  "assists": 9223372036854776000,
  "shots": 9223372036854776000,
  "shots_on_target": 9223372036854776000,
  "fouls": 9223372036854776000,
  "yellow_cards": 9223372036854776000,
  "red_cards": 9223372036854776000,
  "rolling_shots_3": 0,
  "rolling_shots_5": 0,
  "rolling_goals_5": 0,
  "created_at": "2026-03-13T14:14:27.603Z",
  "player": 0,
  "team": 0,
  "match": 0
}
```


PUT /api/player-match-stats/{id}/

## Parameters

Cancel

| Name | Description |
| --- | --- |
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this player match stats.<br>id |

## Request body required

application/json

**Edit Value** Schema

```
{
  "minutes_played": 9223372036854776000,
  "goals": 9223372036854776000,
  "assists": 9223372036854776000,
  "shots": 9223372036854776000,
  "shots_on_target": 9223372036854776000,
  "fouls": 9223372036854776000,
  "yellow_cards": 9223372036854776000,
  "red_cards": 9223372036854776000,
  "rolling_shots_3": 0,
  "rolling_shots_5": 0,
  "rolling_goals_5": 0,
  "player": 0,
  "team": 0,
  "match": 0
}
```

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br><br>**Example Value** Schema<br><br>`{ "id": 0, "player_name": "string", "minutes_played": 9223372036854776000, "goals": 9223372036854776000, "assists": 9223372036854776000, "shots": 9223372036854776000, "shots_on_target": 9223372036854776000, "fouls": 9223372036854776000, "yellow_cards": 9223372036854776000, "red_cards": 9223372036854776000, "rolling_shots_3": 0, "rolling_shots_5": 0, "rolling_goals_5": 0, "created_at": "2026-03-13T14:14:27.606Z", "player": 0, "team": 0, "match": 0 }` | *No links* |

PATCH /api/player-match-stats/{id}/

## Parameters

Cancel

| Name | Description |
| --- | --- |
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this player match stats.<br>id |

Request body

application/json

**Edit Value** Schema


```
{
  "minutes_played": 9223372036854776000,
  "goals": 9223372036854776000,
  "assists": 9223372036854776000,
  "shots": 9223372036854776000,
  "shots_on_target": 9223372036854776000,
  "fouls": 9223372036854776000,
  "yellow_cards": 9223372036854776000,
  "red_cards": 9223372036854776000,
  "rolling_shots_3": 0,
  "rolling_shots_5": 0,
  "rolling_goals_5": 0,
  "player": 0,
  "team": 0,
  "match": 0
}
```


Execute

## Responses

| Code | Description | Links |
| --- | --- | --- |
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br><br>**Example Value** Schema | *No links* |


```
{
  "id": 0,
  "player_name": "string",
  "minutes_played": 9223372036854776000,
```

| Code | Description | Links |
|---|---|---|


```
    "goals": 9223372036854776000,
    "assists": 9223372036854776000,
    "shots": 9223372036854776000,
    "shots_on_target": 9223372036854776000,
    "fouls": 9223372036854776000,
    "yellow_cards": 9223372036854776000,
    "red_cards": 9223372036854776000,
    "rolling_shots_3": 0,
    "rolling_shots_5": 0,
    "rolling_goals_5": 0,
    "created_at": "2026-03-13T14:14:27.613Z",
    "player": 0,
    "team": 0,
    "match": 0
  }
```


DELETE /api/player-match-stats/{id}/

**Parameters** Cancel

| Name | Description |
|---|---|
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this player match stats.<br>id |

Execute

**Responses**

| Code | Description | Links |
|---|---|---|
| 204 | No response body | *No links* |

## players

GET /api/players/

**Parameters** Cancel

| Name | Description |
|---|---|
| ordering<br>string<br>*(query)* | Which field to use when ordering the results.<br>ordering |

| Name | Description |
| --- | --- |
| page<br>integer<br>(query) | A page number within the paginated result set.<br>page |
| search<br>string<br>(query) | A search term.<br>search |
| team<br>integer<br>(query) | team |

Execute

## Responses

| Code | Description | Links |
| --- | --- | --- |
| 200 | Media type<br>application/json<br>Controls Accept header.<br>Example Value Schema | No links |


```
{
  "count": 123,
  "next": "http://api.example.org/accounts/?page=4",
  "previous": "http://api.example.org/accounts/?page=2",
  "results": [
    {
      "id": 0,
      "team_name": "string",
      "name": "string",
      "position": "string",
      "date_of_birth": "2026-03-13",
      "team": 0
    }
  ]
}
```


POST /api/players/

## Parameters

Cancel

No parameters

## Request body required

application/json

**Edit Value** Schema

```
{
  "name": "string",
  "position": "string",
  "date_of_birth": "2026-03-13",
  "team": 0
}
```

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 201 | Media type<br>application/json<br>Controls `Accept` header.<br>**Example Value** Schema<br>`{ "id": 0, "team_name": "string", "name": "string", "position": "string", "date_of_birth": "2026-03-13", "team": 0 }` | *No links* |

GET /api/players/{id}/

## Parameters

Cancel

| Name | Description |
| --- | --- |
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this player.<br>id |

Execute

## Responses

| Code | Description | Links |
| --- | --- | --- |
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br>**Example Value** Schema<br>{<br>"id": 0,<br>"team_name": "string",<br>"name": "string",<br>"position": "string",<br>"date_of_birth": "2026-03-13",<br>"team": 0<br>} | *No links* |

PUT /api/players/{id}/

## Parameters

Cancel

| Name | Description |
| --- | --- |
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this player.<br>id |

**Request body** required

application/json

**Edit Value** Schema

```
{
  "name": "string",
  "position": "string",
  "date_of_birth": "2026-03-13",
  "team": 0
}
```

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls Accept header.<br>Example Value Schema<br>{<br>"id": 0,<br>"team_name": "string",<br>"name": "string",<br>"position": "string",<br>"date_of_birth": "2026-03-13",<br>"team": 0<br>} | *No links* |

PATCH /api/players/{id}/

## Parameters

Cancel

| Name | Description |
|---|---|
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this player.<br>id |

Request body

application/json

**Edit Value** Schema

```
{
  "name": "string",
  "position": "string",
  "date_of_birth": "2026-03-13",
  "team": 0
}
```

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br>**Example Value** Schema<br>`{ "id": 0, "team_name": "string", "name": "string", "position": "string", "date_of_birth": "2026-03-13", "team": 0 }` | *No links* |

DELETE /api/players/{id}/

## Parameters

Cancel

| Name | Description |
|---|---|
| **id** * required | A unique integer value identifying this player. |

| Name | Description |
| --- | --- |
| integer (path) | id |

Execute

**Responses**

| Code | Description | Links |
| --- | --- | --- |
| 204 | No response body | *No links* |

## predictions

GET /api/predictions/backtest/

**Parameters** Cancel

No parameters

Execute

**Responses**

| Code | Description | Links |
| --- | --- | --- |
| 200 | No response body | *No links* |

POST /api/predictions/predict/

**Parameters** Cancel

No parameters

**Request body** required application/json

**Edit Value** Schema

```
{
  "home_team": 0,
  "away_team": 0
}
```

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br><br>**Example Value** Schema<br><br>`{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }` | *No links* |

POST /api/predictions/value/

## Parameters

Cancel

No parameters

## Request body required

application/json

**Edit Value** Schema

```
{
  "home_team": 0,
  "away_team": 0,
  "home_odds": 100,
  "draw_odds": 100,
  "away_odds": 100
}
```

Execute

### Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br><br>**Example Value** Schema<br><br>`{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }` | *No links* |

## schema

GET /api/schema/

OpenApi3 schema for this API. Format can be selected via content negotiation.

- YAML: application/vnd.oai.openapi
- JSON: application/vnd.oai.openapi+json

### Parameters

Cancel

| Name | Description |
| --- | --- |
| format<br>string<br>*(query)* | -- |
| lang<br>string<br>*(query)* | -- |

Execute

### Responses

| Code | Description | Links |
| --- | --- | --- |
| 200 | Media type<br>application/vnd.oai.openapi<br>Controls Accept header.<br>**Example Value** Schema<br>{<br>"additionalProp1": "string",<br>"additionalProp2": "string",<br>"additionalProp3": "string"<br>} | *No links* |

## teams

GET /api/teams/

### Parameters

Cancel

| Name | Description |
| --- | --- |
| id<br>integer<br>*(query)* | id |
| name<br>string<br>*(query)* | name |
| page | A page number within the paginated result set. |

| Name | Description |
| --- | --- |
| integer (query) | page |
| search string (query) | A search term. search |

Execute

## Responses

| Code | Description | Links |
| --- | --- | --- |
| 200 | Media type application/json Controls Accept header. | No links |

**Example Value** Schema


```
{
  "count": 123,
  "next": "http://api.example.org/accounts/?page=4",
  "previous": "http://api.example.org/accounts/?page=2",
  "results": [
    {
      "id": 0,
      "name": "string",
      "home_attack_strength": 0,
      "home_defence_strength": 0,
      "away_attack_strength": 0,
      "away_defence_strength": 0
    }
  ]
}
```


POST /api/teams/

## Parameters

Cancel

No parameters

**Request body** required

application/json

**Edit Value** Schema

```
{
  "name": "string",
  "home_attack_strength": 0,
  "home_defence_strength": 0,
  "away_attack_strength": 0,
  "away_defence_strength": 0
}
```

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 201 | Media type<br>application/json<br>Controls `Accept` header.<br>**Example Value** Schema | *No links* |

```
{
  "id": 0,
  "name": "string",
  "home_attack_strength": 0,
  "home_defence_strength": 0,
  "away_attack_strength": 0,
  "away_defence_strength": 0
}
```

GET /api/teams/{id}/

## Parameters

Cancel

| Name | Description |
|---|---|
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this team.<br>id |

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br>**Example Value** Schema<br>`{ "id": 0, "name": "string", "home_attack_strength": 0, "home_defence_strength": 0, "away_attack_strength": 0, "away_defence_strength": 0 }` | *No links* |

PUT /api/teams/{id}/

## Parameters

Cancel

| Name | Description |
|---|---|
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this team.<br>id |

**Request body** required

application/json

**Edit Value** Schema

```
{
  "name": "string",
  "home_attack_strength": 0,
  "home_defence_strength": 0,
  "away_attack_strength": 0,
  "away_defence_strength": 0
}
```

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br>**Example Value** Schema | *No links* |

```
{
  "id": 0,
  "name": "string",
  "home_attack_strength": 0,
  "home_defence_strength": 0,
  "away_attack_strength": 0,
  "away_defence_strength": 0
}
```

PATCH /api/teams/{id}/

## Parameters

Cancel

| Name | Description |
|---|---|
| **id** * required<br>integer<br>*(path)* | A unique integer value identifying this team.<br>id |

Request body

application/json

**Edit Value** Schema

```
{
  "name": "string",
  "home_attack_strength": 0,
  "home_defence_strength": 0,
  "away_attack_strength": 0,
  "away_defence_strength": 0
}
```

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>application/json<br>Controls `Accept` header.<br>**Example Value** Schema<br>`{ "id": 0, "name": "string", "home_attack_strength": 0, "home_defence_strength": 0, "away_attack_strength": 0, "away_defence_strength": 0 }` | *No links* |

DELETE /api/teams/{id}/

## Parameters

Cancel

| Name | Description |
|---|---|
| **id** * required | A unique integer value identifying this team. |

| Name | Description |
| --- | --- |
| integer (path) | id |

Execute

## Responses

| Code | Description | Links |
| --- | --- | --- |
| 204 | No response body | *No links* |

GET /api/teams/{id}/players/

## Parameters

Cancel

| Name | Description |
| --- | --- |
| **id** * required integer (path) | A unique integer value identifying this team. id |

Execute

## Responses

| Code | Description | Links |
|---|---|---|
| 200 | Media type<br>**application/json**<br>Controls `Accept` header.<br>**Example Value** Schema | *No links* |

```
{
  "id": 0,
  "name": "string",
  "home_attack_strength": 0,
  "home_defence_strength": 0,
  "away_attack_strength": 0,
  "away_defence_strength": 0
}
```

## Schemas

### BettingOdds {

| | |
|---|---|
| id* | [...] |
| match* | [...] |
| home_team* | [...] |
| away_team* | [...] |
| match_date* | [...] |
| home_win_odds* | [...] |
| draw_odds* | [...] |
| away_win_odds* | [...] |
| bookmaker* | [...] |

}

### Match {

| | |
|---|---|
| id* | [...] |
| home_team_name* | [...] |
| away_team_name* | [...] |
| match_date* | [...] |
| home_score | [...] |
| away_score | [...] |
| season* | [...] |
| home_team* | [...] |
| away_team* | [...] |

}

### MatchPrediction {

```
    home_team*        [...]
    away_team*        [...]
}
```

### PaginatedBettingOddsList {

```
    count*            [...]
    next              [...]
    previous          [...]
    results*          [...]
}
```

### PaginatedMatchList {

```
    count*            [...]
    next              [...]
    previous          [...]
    results*          [...]
}
```

### PaginatedPlayerList {

```
    count*            [...]
    next              [...]
    previous          [...]
    results*          [...]
}
```

### PaginatedPlayerMatchStatsList {

```
    count*            [...]
    next              [...]
    previous          [...]
    results*          [...]
}
```

## PaginatedTeamList

```
{
    count*          [...]
    next            [...]
    previous        [...]
    results*        [...]
}
```

## PatchedBettingOdds

```
{
    id              [...]
    match           [...]
    home_team       [...]
    away_team       [...]
    match_date      [...]
    home_win_odds   [...]
    draw_odds       [...]
    away_win_odds   [...]
    bookmaker       [...]
}
```

## PatchedMatch

```
{
    id              [...]
    home_team_name  [...]
    away_team_name  [...]
    match_date      [...]
    home_score      [...]
    away_score      [...]
    season          [...]
    home_team       [...]
    away_team       [...]
}
```

## PatchedPlayer

```
{
    id              [...]
    team_name       [...]
    name            [...]
    position        [...]
    date_of_birth   [...]
    team            [...]
}
```

## PatchedPlayerMatchStats

```
{
    id                    [...]
    player_name           [...]
    minutes_played        [...]
    goals                 [...]
    assists               [...]
    shots                 [...]
    shots_on_target       [...]
    fouls                 [...]
    yellow_cards          [...]
    red_cards             [...]
    rolling_shots_3       [...]
    rolling_shots_5       [...]
    rolling_goals_5       [...]
    created_at            [...]
    player                [...]
    team                  [...]
    match                 [...]
}
```

## PatchedTeam

```
{
    id                    [...]
    name                  [...]
    home_attack_strength  [...]
    home_defence_strength [...]
    away_attack_strength  [...]
    away_defence_strength [...]
}
```

## Player

```
{
    id*                   [...]
    team_name*            [...]
    name*                 [...]
    position*             [...]
    date_of_birth         [...]
    team*                 [...]
}
```

## PlayerMatchStats {

```
    id*                          [...]
    player_name*                 [...]
    minutes_played*              [...]
    goals                        [...]
    assists                      [...]
    shots                        [...]
    shots_on_target              [...]
    fouls                        [...]
    yellow_cards                 [...]
    red_cards                    [...]
    rolling_shots_3              [...]
    rolling_shots_5              [...]
    rolling_goals_5              [...]
    created_at*                  [...]
    player*                      [...]
    team*                        [...]
    match*                       [...]
}
```

## Team {

```
    id*                          [...]
    name*                        [...]
    home_attack_strength         [...]
    home_defence_strength        [...]
    away_attack_strength         [...]
    away_defence_strength        [...]
}
```

## ValueBet {

```
    home_team*                   [...]
    away_team*                   [...]
    home_odds*                   [...]
    draw_odds*                   [...]
    away_odds*                   [...]
}
```