

HA tag antibody

Cat No. GTX115044

Clonality Polyc	lonal
Isotype IgG	
Application WB,	ICC/IF, IP, ELISA
Reactivity Huma	ın



APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
WB	1:1000-1:10000
ICC/IF	1:100-1:1000
IP	1:100-1:500
ELISA	1:1000-1:10000

Not tested in other applications.

PROPERTIES	
Form	Liquid
Buffer	1XPBS, 20% Glycerol (pH7). 0.025% ProClin 300 was added as a preservative.
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	The immunogen used to generate this antibody corresponds to HA tag
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.




For full product information, images and publications, please visit our <u>website</u>.

Date 2019 / 04 / 09 Page 1 of 2



DATA IMAGES




GTX115044 IP Image

Immunoprecipitation of HA tag protein from 293T whole cell extracts using 5 μ g of HA tag antibody (GTX115044).

Western blot analysis was performed using HA tag antibody (GTX115044).

EasyBlot HRP-conjugated anti rabbit IgG antibody (GTX221666-01) was used to detect the primary antibody.



GTX115044 WB Image


HA Tag antibody detects HA Tag protein by Western blot analysis.

A. 30 µg 293T whole cell lysate/extract

B. 30 µg whole cell lysate/extract of HA-tagged protein expressing 293T cells


7.5 % SDS-PAGE

HA Tag antibody (GTX115044) dilution: 1:5000



GTX115044 ICC/IF Image

Immunofluorescence analysis of HA-recombinant protein transfected HeLa cell which fixed with paraformaldehyde, using HA tag(GTX115044) antibody at 1:500 dilution.



GTX115044 ELISA Image

An ELISA plate is coated with 50 μ L of a DDDDK Tag conjugated BSA at concentration of 5 μ g/mL. The peptide conjugated carrier protein is coated and detected with anti-DDDDK Tag antibody (GTX115044) at concentration ranged from 3.1 to 200 ng/mL.



For full product information, images and publications, please visit our <u>website</u>.

Date 2019 / 04 / 09 Page 2 of 2