Universitatea "Ovidius" din Constanța Facultatea de Matematică și Informatică

Disciplina: MEDII DE PROIECTARE SI PROGRAMARE

Specializarea: Informatică

Anul III Grupa 4

Aplicatie pt. evidenta studentilor dintr-o facultate

Echipa Nastase Marius Nichifor Vlad

CUPRINS

Repartizarea componentelor pe participanti	4
Proiectare	5
Diagrama REA	5
Baza de Date	6
Capturi	10
Solution explorer	10
Form Start	10
Baza de Date	10
Design	11
Executie	12
Cod	12
Balanta	15
Baza de Date	15
Data Set	16
Design	19
Executie	19
Cod	21
Raport Abandonuri	25
Data Set	25
Design	26
Executie	27
Cod	27
Raport Transferuri	28
Data Set	28
Design	29
Executie	30
Cod	30
Grafic Abandonuri	31
Data set	31
Design	32
Executie	32
Cod	32
Grafic Transferuri	33
Data set	33
Design	34

Executie	
Cod34	
Studenti36	
Data set36	
Design	
Executie	
Cod40	
Specializari45	
Data set45	
Design45	
Executie46	
Cod50	
AniUniversitari56	
Data set56	
Design56	
Executie57	
Cod60	
Abandon66	
Data set66	
Design67	
Executie67	
Cod	
Transfer	
Data set	
Design	
Executie	
Cod	

REPARTIZAREA COMPONENTELOR PE PARTICIPANTI

Componentele implementate de Nastase Marius:

- a. Formuri pentru adaugare/modificare/stergere: Persoane, Transferuri, Abandonuri, Specializari si AniUniversitari
- b. Grafice pentru evenimente

Componentele implementate de Nichifor Vlad:

- a. Diagrama REA
- b. Baza de date
- c. Form Start
- d. Rapoarte pentru evenimente
- e. Vizualizarea resursei sub forma de Balanta.

PROIECTARE


Diagrama REA

Conceptele implementate:

1. Agenti: Persoana

2. Evenimente: Transfer, Abandon

Resursa: Studenti
 Tip resursa: Specializari
 Arhiva: AnUniversitar



Atributele conceptelor:

1. Persoana

a. nume: Text Requiredb. CNP: Number Required

2. Transfer

a. data: DATE Required

3. Abandon

a. data: DATE Required

4. Specializare

a. denumire: Text Requiredb. numarAni: Number Required

5. AnUniversitar

a. anUniversitar: Date Requiredb. anSpecializare: Number Requiredc. numarStudenti: Number Required

6. Studenti

a. anSpecializare: Number Requiredb. numarStudenti: Number Required

Baza de Date

Proiectare bazei de date:

Persoana (id_persoana, nume, CNP)

Transfer(<u>id_transfer</u>, data, id_specializare, an_specializare, id_persoana)

Abandon(<u>id_abandon</u>, data, id_specializare, an_specializare, id_persoana)

Specializare(id_specializare, denumire, numar_ani)


An Universitar (an_universitar, id_specializare, an_specializare, numar_studenti)

Studenti(id_specializare, an_specializare, numar_studenti)


Capturi:

Persoane

Design view:




Datasheet View:




Transfer

Design view:




Datasheet View:



Abandon

Design view:




Datasheet View:




Specializare

Design view:




Datasheet View:



AnUniversitar

Design view:




Datasheet View:




Studenti

Design view:




Datasheet View:



CAPTURI

Solution explorer




Form Start


Baza de Date

Pentru acest caz de utilizare a fost introdusa o noua tabela in baza de date, anume Utilizatori.


Design view:




Datasheet View:




Design



Executie





Cod

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Data.OleDb;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Text;
using System.Windows.Forms;

namespace NichiforVlad
{
    public partial class Start : Form
```

```
{
        private OleDbConnection con = new OleDbConnection();
        private OleDbCommand cmd = new OleDbCommand();
        private OleDbDataReader rdr;
        public Start()
            InitializeComponent();
        }
        private void label3_Click(object sender, EventArgs e)
        }
        private void A1(Boolean v)
            menuStrip1.Visible = !v;
            lblTitlu.Visible = !v;
            lblParola.Visible = v;
            txtParola.Visible = v;
            lblUtilizator.Visible = v;
            txtUtilizator.Visible = v;
            if (v) btnStart.Text = "Log In";
            else btnStart.Text = "Log Out";
        }
        private Boolean Logare OK()
            if (txtUtilizator.Text == "")
                MessageBox.Show("Completati utilizator !");
                txtUtilizator.Focus();
                return false;
            if (txtParola.Text == "")
                MessageBox.Show("Completati parola !");
                txtParola.Focus();
                return false;
            }
            con.ConnectionString = "Provider = Microsoft.ACE.OLEDB.12.0;" +
            "Data Source=D:\\Facultate\\An III\\SEM
2\\MMP\\proiect\\proiect.accdb";
            cmd.Connection = con;
            cmd.CommandText = "Select id_utilizator, parola from Utilizatori " +
            "where utilizator = '" + txtUtilizator.Text + "'";
            con.Open();
            rdr = cmd.ExecuteReader();
            if (rdr.Read())
            {
                if (txtParola.Text != rdr.GetString(1))
                {
                    MessageBox.Show("Parola eronata");
                    txtParola.Focus();
                    con.Close();
                    return false;
                con.Close();
                return true;
            }
```

```
else
    {
        MessageBox.Show("Utilizator eronat");
        txtUtilizator.Focus();
        con.Close();
        return false;
    }
}
private void button1_Click(object sender, EventArgs e)
    if (btnStart.Text == "Log In")
        if (Logare_OK()) A1(false);
    else A1(true);
}
private void Form4_Load(object sender, EventArgs e)
    A1(true);
}
private void f2ToolStripMenuItem_Click(object sender, EventArgs e)
}
private void f1ToolStripMenuItem Click(object sender, EventArgs e)
    BalantaStudenti balanta = new BalantaStudenti();
    balanta.ShowDialog();
}
private void transferuriToolStripMenuItem Click(object sender, EventArgs e)
    RaportTransferuri raportTransferuri = new RaportTransferuri();
    raportTransferuri.ShowDialog();
}
private void abandonuriToolStripMenuItem_Click(object sender, EventArgs e)
    RaportAbandonuri raportAbandonuri = new RaportAbandonuri();
    raportAbandonuri.ShowDialog();
}
private void studentiToolStripMenuItem_Click(object sender, EventArgs e)
    Studenti studenti = new Studenti();
    studenti.ShowDialog();
}
private void transferuriToolStripMenuItem1 Click(object sender, EventArgs e)
    Transfer transfer = new Transfer();
    transfer.ShowDialog();
}
private void abandonuriToolStripMenuItem1_Click(object sender, EventArgs e)
    Abandon abandon = new Abandon();
    abandon.ShowDialog();
```


```
}
        private void graficeToolStripMenuItem Click(object sender, EventArgs e)
        }
        private void graficTransferuriToolStripMenuItem2_Click(object sender,
EventArgs e)
        {
            GraficTransferuri graficTransfer = new GraficTransferuri();
            graficTransfer.ShowDialog();
        }
        private void graficAbandonuriToolStripMenuItem2_Click(object sender, EventArgs
e)
        {
            GraficAbandonuri graficAbandon = new GraficAbandonuri();
            graficAbandon.ShowDialog();
        }
        private void anUniversitarToolStripMenuItem_Click(object sender, EventArgs e)
            AniUniversitari aniUniversitari = new AniUniversitari();
            aniUniversitari.ShowDialog();
        }
        private void specializariToolStripMenuItem Click(object sender, EventArgs e)
            Specializari specializari = new Specializari();
            specializari.ShowDialog();
        }
    }
}
```

Balanta


Baza de Date

Pentru a calcula Balanta, s-au introdus in baza de date 3 tabele, anume Operatii, CalculStudenti2 si BalantaStudenti.


Operatii




CalculStudenti2




BalantaStudenti



Data Set S-a folosit DataSet3.



Balanta




Column	Alias	Table	Outp	Sort Type	Sort Order
data_inceput		BalantaSt	~	Ascending	1
data_sfarsit_an		BalantaSt	~		
denumire		Specializari	~	Ascending	2
numar_ani		Specializari	~		
an_specializare		BalantaSt	~	Ascending	3
nr_studenti_i		BalantaSt	~		
nr_transferuri		BalantaSt	~		
nr_abandonuri		BalantaSt	~		
nr_studenti_fi		BalantaSt	~		
id_specializare		BalantaSt	~		

SELECT BalantaStudenti.data_inceput_an, BalantaStudenti.data_sfarsit_an, Specializari.denumire, Specializari.numar_ani, BalantaStudenti.an_specializare, BalantaStudenti.nr_studenti_initial, BalantaStudenti.nr_transferuri,

BalantaStudenti.nr_abandonuri, BalantaStudenti.nr_studenti_final, BalantaStudenti.id_specializare FROM (BalantaStudenti LEFT OUTER JOIN

Specializari ON BalantaStudenti.id_specializare = Specializari.id_specializare)
ORDER BY BalantaStudenti.data_inceput_an, Specializari.denumire, BalantaStudenti.an_specializare

CalculStudenti2



Column	Alias	Table	Outp	Sort Type	Sort Order
id_operatie		CalculStu	\checkmark	Ascending	1
data_inceput		CalculStu	~	Ascending	2
data_sfarsit_an		CalculStu	~		
data_evenime		CalculStu	~	Ascending	5
id_specializare		CalculStu	~	Ascending	3
an_specializare		CalculStu	~	Ascending	4
numar_stude		CalculStu	~		
denumire	operati	Operatii	\checkmark		
denumire	special	Specializari	\checkmark		

SELECT CalculStudenti2.id_operatie, CalculStudenti2.data_inceput_an, CalculStudenti2.data_sfarsit_an, CalculStudenti2.data_eveniment, CalculStudenti2.id_specializare, CalculStudenti2.an_specializare,

CalculStudenti2.numar_studenti, Operatii.denumire AS operatii_denumire, Specializari.denumire AS specializari_denumire


FROM ((CalculStudenti2 INNER JOIN

 $Operatii\ ON\ CalculStudenti2.id_operatie =\ Operatii.id_operatie)\ INNER\ JOIN$

Specializari ON CalculStudenti2.id_specializare = Specializari.id_specializare)

ORDER BY CalculStudenti2.id_operatie, CalculStudenti2.data_inceput_an, CalculStudenti2.id_specializare, CalculStudenti2.an_specializare, CalculStudenti2.data_eveniment

Intrari



Column	Allas	IdDIC	Outp	3011	3011	Group by	Tiller
data_inceput		CalculStu	\checkmark			Group By	
data_sfarsit_an		CalculStu	~			Group By	
id_specializare		CalculStu	~			Group By	
an_specializare		CalculStu	~			Group By	
numar_stude	Total	CalculStu	~			Sum	
id_operatie		CalculStu				Where	= 2

Filter


SELECT data_inceput_an, data_sfarsit_an, id_specializare, an_specializare, SUM(numar_studenti) AS Total

FROM CalculStudenti2 WHERE (id_operatie = 2)

Column

GROUP BY data_inceput_an, data_sfarsit_an, id_specializare, an_specializare

Iesiri




Column	Alias	Table	Outp	Sort	Sor	Group By	Filter
data_inceput		CalculStu	\checkmark			Group By	
data_sfarsit_an		CalculStu	~			Group By	
id_specializare		CalculStu	~			Group By	
an_specializare		CalculStu	~			Group By	
numar_stude	Total	CalculStu	~			Sum	
id_operatie		CalculStu				Where	= 3

SELECT data_inceput_an, data_sfarsit_an, id_specializare, an_specializare, SUM(numar_studenti) AS Total


FROM CalculStudenti2 WHERE (id_operatie = 3)


GROUP BY data_inceput_an, data_sfarsit_an, id_specializare, an_specializare


Design



Executie







Cod

```
Clasa auxiliara: Calcule
```

```
using System;
using System.Collections.Generic;
using System.Data.OleDb;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
namespace NichiforVlad
    class Calcule
        private static OleDbConnection con = new OleDbConnection();
        private static OleDbCommand cmd = new OleDbCommand();
        public static void calculStoc(string cs)
            con.ConnectionString = cs;
            cmd.Connection = con;
            con.Open();
            cmd.CommandText = "Delete * from CalculStudenti2";
            cmd.ExecuteNonQuery();
            stocInitial(); intrari(); iesiri();
            stocFinal();
            con.Close();
        }
        private static void stocInitial()
            cmd.CommandText =
                "Insert into CalculStudenti2(id_operatie, data_inceput_an,
data_sfarsit_an, data_eveniment, id_specializare, an_specializare, numar_studenti) " +
                "Select 1, an_universitar, DateAdd(\"m\", 10, an_universitar), NULL,
id_specializare, an_specializare, numar_studenti " +
                "From AnUniversitar";
            try { cmd.ExecuteNonQuery(); }
```

```
catch (Exception ex) { MessageBox.Show(ex.Message); }
        }
       private static void intrari()
           cmd.CommandText =
               "Insert into CalculStudenti2(id_operatie, data_inceput_an,
data_sfarsit_an, data_eveniment, id_specializare, an_specializare, numar_studenti) " +
               "Select 2, c.data_inceput_an, c.data_sfarsit_an, t.data,
t.id_specializare, t.an_specializare, 1 " +
               "From Transfer AS t, CalculStudenti2 AS c " +
               "WHERE " +
                   "t.id_specializare = c.id_specializare AND " +
                   "t.data BETWEEN c.data_inceput_an AND c.data_sfarsit_an AND " +
                   "t.an_specializare = c.an_specializare AND " +
                   "c.id_operatie = 1";
           try { cmd.ExecuteNonQuery(); }
           catch (Exception ex) { MessageBox.Show(ex.Message); }
        }
       private static void iesiri()
           cmd.CommandText =
               "Insert into CalculStudenti2(id operatie, data inceput an,
t.id_specializare, t.an_specializare, -1 " +
               "From Abandon AS t, CalculStudenti2 AS c " +
               "WHERE " +
                   "t.id specializare = c.id specializare AND " +
                   "t.data BETWEEN c.data_inceput_an AND c.data_sfarsit_an AND " +
                   "t.an_specializare = c.an_specializare AND " +
                   "c.id operatie = 1";
           try { cmd.ExecuteNonQuery(); }
           catch (Exception ex) { MessageBox.Show(ex.Message); }
        }
       private static void stocFinal()
           cmd.CommandText =
                "Insert into CalculStudenti2(id_operatie, data_inceput_an,
data_sfarsit_an, data_eveniment, id_specializare, an_specializare, numar_studenti) " +
                "Select 4, data_inceput_an, data_sfarsit_an, NULL, id_specializare,
an_specializare, SUM(numar_studenti) " +
                "From CalculStudenti2 " +
                "GROUP BY data_inceput_an, data_sfarsit_an, id_specializare,
an specializare";
           cmd.ExecuteNonQuery();
        }
    }
}
Cod form
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Data.OleDb;
using System.Drawing;
```


```
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
namespace NichiforVlad
    public partial class BalantaStudenti : Form
        private static OleDbConnection con = new OleDbConnection();
        private static OleDbCommand cmd = new OleDbCommand();
        private System.Windows.Forms.Button[] butoane = new
System.Windows.Forms.Button[4];
        public BalantaStudenti()
        {
            InitializeComponent();
            butoane[0] = btnFinal;
            butoane[1] = btnInitial;
            butoane[2] = btnTransferuri;
            butoane[3] = btnAbandonuri;
        }
        private void seteazaButoane(int index)
            for (int i = 0; i < butoane.Length; i++)</pre>
            {
                if (i == index) butoane[i].Enabled = true;
                else butoane[i].Enabled = false;
        }
        private void Form1 Load(object sender, EventArgs e)
            con.ConnectionString = balantaTableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            con.Open();
            //Sterg continut tabela BalantaStoc
            cmd.CommandText = "Delete * from BalantaStudenti";
            cmd.ExecuteNonQuery();
            con.Close();
            //Calcul stoc
            Calcule.calculStoc(balantaTableAdapter.Connection.ConnectionString);
            calculStudenti2TableAdapter.Fill(dataSet3.CalculStudenti2);
            //seteaza butoane
            seteazaButoane(0);
        }
        private void btnFinal_Click(object sender, EventArgs e)
        {
            con.Open();
            cmd.CommandText =
                "INSERT INTO BalantaStudenti (data_inceput_an, data_sfarsit_an,
id_specializare, an_specializare, nr_studenti_final) " +
                "SELECT data_inceput_an, data_sfarsit_an, id_specializare,
an_specializare, numar_studenti " +
```


```
"FROM CalculStudenti2 Where id operatie = 4";
            cmd.ExecuteNonQuery();
            con.Close();
            //Afisez balanta
            balantaTableAdapter.Fill(dataSet3.Balanta);
            //seteaza butoane
            seteazaButoane(1);
        }
        private void btnInitial_Click(object sender, EventArgs e)
            con.Open();
            cmd.CommandText =
                "UPDATE BalantaStudenti AS b, CalculStudenti2 AS c " +
                "SET b.nr_studenti_initial = c.numar_studenti " +
                "WHERE " +
                    "c.id operatie = 1 AND " +
                    "c.data inceput an = b.data_inceput_an AND " +
                    "c.data sfarsit an = b.data sfarsit an AND " +
                    "c.id specializare = b.id specializare AND " +
                    "c.an specializare = b.an_specializare";
            cmd.ExecuteNonQuery();
            con.Close();
            //Afisez balanta
            balantaTableAdapter.Fill(dataSet3.Balanta);
            //seteaza butoane
            seteazaButoane(2);
        }
        private void btnTransferuri Click(object sender, EventArgs e)
            DataSet3TableAdapters.IntrariTableAdapter ta = new
DataSet3TableAdapters.IntrariTableAdapter();
            ta.Fill(dataSet3.Intrari);
            DataRelation newRelation = new DataRelation("processDataIntrari",
                new DataColumn[] { dataSet3.Balanta.Columns["data_inceput_an"],
dataSet3.Balanta.Columns["data_sfarsit_an"],
dataSet3.Balanta.Columns["id_specializare"],
dataSet3.Balanta.Columns["an_specializare"] },
                new DataColumn[] { dataSet3.Intrari.Columns["data_inceput_an"],
dataSet3.Intrari.Columns["data_sfarsit_an"],
dataSet3.Intrari.Columns["id_specializare"],
dataSet3.Intrari.Columns["an_specializare"] }
            dataSet3.Relations.Add(newRelation);
            foreach (DataRow rb in dataSet3.Balanta)
            {
                foreach (DataRow ri in rb.GetChildRows("processDataIntrari"))
                    rb["nr transferuri"] = ri["Total"];
                }
            }
            //seteaza butoane
            seteazaButoane(3);
        }
        private void btnAbandonuri_Click(object sender, EventArgs e)
```

```
{
             DataSet3TableAdapters.IesiriTableAdapter ta = new
DataSet3TableAdapters.IesiriTableAdapter();
             ta.Fill(dataSet3.Iesiri);
             DataRelation newRelation = new DataRelation("processDataIesiri",
                 new DataColumn[] { dataSet3.Balanta.Columns["data_inceput_an"],
dataSet3.Balanta.Columns["data_sfarsit_an"],
dataSet3.Balanta.Columns["id_specializare"],
dataSet3.Balanta.Columns["an_specializare"] },
                 new DataColumn[] { dataSet3.Iesiri.Columns["data_inceput_an"],
dataSet3.Iesiri.Columns["data_sfarsit_an"],
dataSet3.Iesiri.Columns["id_specializare"],
dataSet3.Iesiri.Columns["an_specializare"]
             dataSet3.Relations.Add(newRelation);
             foreach (DataRow rb in dataSet3.Balanta)
                 foreach (DataRow ri in rb.GetChildRows("processDataIesiri"))
                     rb["nr_abandonuri"] = ri["Total"];
             }
             //seteaza butoane
             seteazaButoane(-1);
        }
    }
}
```

Raport Abandonuri

Data Set S-a folosit DataSet2.





Column	Alias	Table	Outp	Sort Type	Sort Order	Filter
data		Abandon	~			>= ?
an_specializare		Abandon	~			
denumire		Specializari	~			
numar_ani		Specializari	~			
nume		Persoane	~			
cnp		Persoane	~			
data		Abandon				<= ?

SELECT Abandon.data, Abandon.an_specializare, Specializari.denumire, Specializari.numar_ani, Persoane.nume, Persoane.cnp

FROM ((Persoane RIGHT OUTER JOIN


Abandon ON Persoane.id_persoana = Abandon.id_persoana) LEFT OUTER JOIN

Specializari ON Abandon.id_specializare = Specializari.id_specializare)


WHERE (Abandon.data >= ?) AND (Abandon.data <= ?)

_			
υe	SI	g	n

		[@Titlu]			
Nume	CNP	Specializare	Numar ani	An specializare	Data
[nume]	[cnp]	[denumire]	[numar_ani]	an_specializare	«Expr»



Executie




Cod

```
using Microsoft.Reporting.WinForms;
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
```

```
using System.Windows.Forms;
namespace NichiforVlad
    public partial class RaportAbandonuri : Form
        public RaportAbandonuri()
            InitializeComponent();
        }
        private void Form3_Load(object sender, EventArgs e)
            this.reportViewer1.RefreshReport();
        private void button1_Click(object sender, EventArgs e)
            DateTime d1 = new DateTime(dateTimePicker1.Value.Year,
dateTimePicker1.Value.Month, dateTimePicker1.Value.Day);
            DateTime d2 = new DateTime(dateTimePicker2.Value.Year,
dateTimePicker2.Value.Month, dateTimePicker2.Value.Day);
            this.AbandonuriTableAdapter.Fill(this.DataSet2.Abandonuri, d1, d2);
            //Pregatesc parametrii raportului
            ReportParameter[] parameters = new ReportParameter[1];
            parameters[0] = new ReportParameter("Titlu", "Lista abandonurilor din
perioada " + d1.ToShortDateString() +
                                                                      " - " +
d2.ToShortDateString());
            //Comunicare parametrii
            this.reportViewer1.LocalReport.SetParameters(parameters);
            //Emit raport
            this.reportViewer1.RefreshReport();
        }
        private void label1_Click(object sender, EventArgs e)
        }
    }
}
```

Raport Transferuri

Data Set



Column	Alias	Table	Outp	Sort Type	Sort Order	Filter
data		Transfer	~			>= ?
an_specializare		Transfer	~			
denumire		Specializari	~			
numar_ani		Specializari	~			
nume		Persoane	~			
cnp		Persoane	~			
data		Transfer				<= ?

SELECT Transfer.data, Transfer.an_specializare, Specializari.denumire, Specializari.numar_ani, Persoane.nume, Persoane.cnp


FROM ((Transfer LEFT OUTER JOIN


Persoane ON Transfer.id_persoana = Persoane.id_persoana) LEFT OUTER JOIN

Specializari ON Transfer.id_specializare = Specializari.id_specializare)


WHERE (Transfer.data >= ?) AND (Transfer.data <= ?)

Design





Executie




Cod


```
using Microsoft.Reporting.WinForms;
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
namespace NichiforVlad
{
    public partial class RaportTransferuri : Form
        public RaportTransferuri()
        {
            InitializeComponent();
        }
        private void Form2 Load(object sender, EventArgs e)
        {
            this.reportViewer1.RefreshReport();
        }
        private void button1_Click(object sender, EventArgs e)
            DateTime d1 = new DateTime(dateTimePicker1.Value.Year,
dateTimePicker1.Value.Month, dateTimePicker1.Value.Day);
            DateTime d2 = new DateTime(dateTimePicker2.Value.Year,
dateTimePicker2.Value.Month, dateTimePicker2.Value.Day);
            this.TransferuriTableAdapter.Fill(this.DataSet2.Transferuri, d1, d2);
            //Pregatesc parametrii raportului
```

Grafic Abandonuri


Data set



Design



Executie




Cod

```
InitializeComponent();
       }
       private void GraficAbandonuri_Load(object sender, EventArgs e)
            // TODO: This line of code loads data into the
'graficAbandonDS.statAbandon' table. You can move, or remove it, as needed.
           this.statAbandonTableAdapter.Fill(this.graficAbandonDS.statAbandon);
            //Pregatire con si cmd
            con = statAbandonTableAdapter.Connection;
            cmd.Connection = con;
            //Total abandonuri
            cmd.CommandText = "select Count(id_abandon) as Total from Abandon";
            con.Open();
            rdr = cmd.ExecuteReader();
            rdr.Read();
            totalAbandonuri = Convert.ToDecimal(rdr.GetValue(0));
            con.Close();
            rdr.Close();
            txtTotal.Text = "" + totalAbandonuri;
            foreach (DataRow r in graficAbandonDS.statAbandon)
            {
                decimal x;
               x = Convert.ToDecimal(r["NrAbandonuri"]) / totalAbandonuri;
               x = Math.Round(x, 4) * 100;
               x = Math.Round(x, 2);
               r["Procent"] = x;
            dataGridView1.Refresh();
       }
   }
```


Grafic Transferuri

Data set




	Column	Alias	Table	Outp	Sort Type	Sort Order	Group By	Filter /
)	denumire		S	~			Group By	
	an_specializare	NrTran	t	~			Count	
<								>
SELECT FROM	(Transfer t IN	NER JOIN	pecializare) AS ecializare = s.id					

Design



Executie



Cod


using System;
using System.Windows.Forms;

```
using System.Data.OleDb;
using System.Data;
namespace NichiforVlad
    public partial class GraficTransferuri : Form
        private OleDbConnection con = new OleDbConnection();
        private OleDbCommand cmd = new OleDbCommand();
        private OleDbDataReader rdr;
        private decimal totalTransferuri;
        public GraficTransferuri()
            InitializeComponent();
        }
        private void GraficTransferuri_Load(object sender, EventArgs e)
            // TODO: This line of code loads data into the
'graficTransferDS.statTransferuri' table. You can move, or remove it, as needed.
this.statTransferuriTableAdapter.Fill(this.graficTransferDS.statTransferuri);
            //Pregatire con si cmd
            con = statTransferuriTableAdapter.Connection;
            cmd.Connection = con;
            //Total transferuri
            cmd.CommandText = "select Count(id transfer) as Total from Transfer";
            con.Open();
            rdr = cmd.ExecuteReader();
            rdr.Read();
            totalTransferuri = Convert.ToDecimal(rdr.GetValue(0));
            con.Close();
            rdr.Close();
            txtTotal.Text = "" + totalTransferuri;
            foreach (DataRow r in graficTransferDS.statTransferuri)
            {
                decimal x;
                x = Convert.ToDecimal(r["NrTransferuri"]) / totalTransferuri;
                x = Math.Round(x, 4) * 100;
                x = Math.Round(x, 2);
                r["Procent"] = x;
            dataGridView1.Refresh();
        }
    }
}
```


Studenti

Data set






Design




Executie





Adaugarea unei inregistrari:







Modificarea unei inregistrari:





Stergerea unei inregistrari:







```
Cod
using System;
using System.Windows.Forms;
using System.Data.OleDb;
namespace NichiforVlad
{
    public partial class Studenti : Form
        public Studenti()
            InitializeComponent();
        }
        private void Studenti_Load(object sender, EventArgs e)
            // TODO: This line of code loads data into the 'studentiDS.Persoane'
table. You can move, or remove it, as needed.
            this.persoaneTableAdapter.Fill(this.studentiDS.Persoane);
            //Protectie grid
            dataGridView1.AllowUserToAddRows = false;
            dataGridView1.AllowUserToDeleteRows = false;
            dataGridView1.ReadOnly = true;
            //Initializare lblOp
            10p.Text = "";
            //Configurare(butoane)
            configureazaButoane(true);
            //Protectie componente Panel
            protectiePanel(true);
            //Legare controale
            legareControale(true);
        }
        private void configureazaButoane(bool v)
```


```
{
    bRenuntare. Visible = !v;
    bConfirmare.Visible = !v;
    lId.Visible = false;
    bAdaugare.Enabled = v;
    bModificare.Enabled = v;
    bStergere.Enabled = v;
}
private void legareControale(bool v)
    if (v)
    {
        txtNume.DataBindings.Add("Text", persoaneBindingSource, "nume");
        txtCNP.DataBindings.Add("Text", persoaneBindingSource,
        1Id.DataBindings.Add("Text", persoaneBindingSource, "id_persoana");
    }
    else
    {
        txtNume.DataBindings.Clear();
        txtCNP.DataBindings.Clear();
        lId.DataBindings.Clear();
    }
}
private void protectiePanel(bool v)
    txtNume.ReadOnly = v;
    txtCNP.ReadOnly = v;
}
private void golireCampuri()
{
    txtNume.Text = "";
    txtCNP.Text = "";
}
private bool validareCampuriObligatorii()
    //Validare de completare obligatorie campurile
    if (txtNume.Text == "")
    {
        MessageBox.Show("Completati Nume!");
        txtNume.Focus();
        return false;
    if (txtCNP.Text == "")
        MessageBox.Show("Completati CNP !");
        txtCNP.Focus();
        return false;
    }
    return true;
}
private void adauga_inregistrare()
    string listaCampuri;
    string listaValori;
    OleDbConnection con = new OleDbConnection();
    OleDbCommand cmd = new OleDbCommand();
    con.ConnectionString = persoaneTableAdapter.Connection.ConnectionString;
    cmd.Connection = con;
    listaCampuri = "nume, cnp";
    listaValori = "'" + txtNume.Text + "'" + ",'" + txtCNP.Text + "'";
```

```
cmd.CommandText = "Insert into Persoane(" + listaCampuri + ") " + "Select
" + listaValori;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
        }
        private void refresh_grid(int p)
            persoaneTableAdapter.Fill(studentiDS.Persoane);
            persoaneBindingSource.Position = p;
        }
        private void modifica_inregistrare()
            string listaSet;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString = persoaneTableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            listaSet = "nume = '" + txtNume.Text + "'," + "cnp = '" + txtCNP.Text +
"";
            cmd.CommandText = "Update Persoane Set " + listaSet + " Where id_persoana
=" + lId.Text;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
        }
        private void bAdaugare Click(object sender, EventArgs e)
            //Configurare butoane
            configureazaButoane(false);
            //Dezlegare controale Panel
            legareControale(false);
            //Ridicare protectie controale Panel
            protectiePanel(false);
            //Modifcare lblOp
            10p.Text = "ADAUGARE";
            //Pozitionare cursor pe primul camp
            txtNume.Focus();
            // Golire campuri
            golireCampuri();
        }
        private void bModificare Click(object sender, EventArgs e)
            //Configurare butoane
            configureazaButoane(false);
            //Dezlegare controale Panel
            legareControale(false);
            //Ridicare protectie controale Panel
            protectiePanel(false);
            //Modifcare lblOp
```


```
10p.Text = "MODIFICARE";
            //Pozitionare cursor pe primul camp
            txtNume.Focus();
        }
        private void bStergere_Click(object sender, EventArgs e)
            const string mesaj = "Confirmati stergerea";
            const string titlu = "Stergere inregistrare";
            var rezultat = MessageBox.Show(mesaj, titlu, MessageBoxButtons.YesNo,
MessageBoxIcon.Warning);
            if (rezultat == DialogResult.No)
                return;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString = persoaneTableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            cmd.CommandText = "Delete From Persoane Where id persoana = " + lId.Text;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
            refresh_grid(persoaneBindingSource.Position);
        }
        private void bConfirmare Click(object sender, EventArgs e)
            if (10p.Text == "ADAUGARE")
            {
                if (!validareCampuriObligatorii())
                    return;
                adauga inregistrare();
                golireCampuri();
                //Pune cursor pe primul camp
                txtNume.Focus();
                refresh grid(persoaneBindingSource.Position);
            }
            else if (lOp.Text == "MODIFICARE")
            {
                modifica_inregistrare();
                refresh_grid(persoaneBindingSource.Position);
                //Initializare lblOp
                10p.Text = "";
                //Configurare(butoane)
                configureazaButoane(true);
                //Protectie componente Panel
                protectiePanel(true);
                //Legare controale
                legareControale(true);
            else
                MessageBox.Show("Operatie actualizare neefectuata");
        }
        private void bRenuntare_Click(object sender, EventArgs e)
```

```
//Initializare lblOp
            10p.Text = "";
            //Configurare(butoane)
            configureazaButoane(true);
            //Protectie componente Panel
            protectiePanel(true);
            //Legare controale
            legareControale(true);
        }
        private void txtCNP_Leave(object sender, EventArgs e)
            decimal p;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            OleDbDataReader r;
            if (10p.Text == "")
                return;
            if (txtCNP.Text == "")
                return;
            if (bRenuntare.Focused)
                return;
            try
            {
                p = Convert.ToDecimal(txtCNP.Text);
            }
            catch
            {
                MessageBox.Show("Format eronat");
                txtCNP.Focus();
                return;
            }
            con.ConnectionString = persoaneTableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            if (10p.Text == "ADAUGARE")
            {
                cmd.CommandText = "Select nume From Persoane where cnp=" +
txtCNP.Text;
                con.Open();
                r = cmd.ExecuteReader();
                if (r.Read())
                {
                    MessageBox.Show("CNP deja existent");
                    txtCNP.Focus();
                    return;
                con.Close();
            else if (lOp.Text == "MODIFICARE")
                cmd.CommandText = "Select nume From Persoane where cnp=" + txtCNP.Text
+ " and id_persoana <> " + lId.Text;
                con.Open();
                r = cmd.ExecuteReader();
                if (r.Read())
                    MessageBox.Show("CNP deja existent");
                    txtCNP.Focus();
                    return;
```


Specializari




Design




Executie




Adaugare inregistrare:






Modificare inregistrare:



Stergere inregistrare:





```
Cod
using System;
using System.Windows.Forms;
using System.Data.OleDb;
namespace NichiforVlad
    public partial class Specializari : Form
        public Specializari()
        {
            InitializeComponent();
        private void Specializari_Load(object sender, EventArgs e)
            // TODO: This line of code loads data into the
'specializariDS.Specializari' table. You can move, or remove it, as needed.
            this.specializariTableAdapter.Fill(this.specializariDS.Specializari);
            //Protectie grid
            dataGridView1.AllowUserToAddRows = false;
            dataGridView1.AllowUserToDeleteRows = false;
            dataGridView1.ReadOnly = true;
            //Initializare lblOp
            10p.Text = "";
            //Configurare(butoane)
            configureazaButoane(true);
            //Protectie componente Panel
            protectiePanel(true);
            //Legare controale
            legareControale(true);
```

}

```
private void configureazaButoane(bool v)
            bRenuntare. Visible = !v;
            bConfirmare.Visible = !v;
            lId.Visible = false;
            bAdaugare.Enabled = v;
            bModificare.Enabled = v;
            bStergere.Enabled = v;
        }
        private void legareControale(bool v)
            if (v)
            {
                txtDenumire.DataBindings.Add("Text", specializariBindingSource,
"denumire");
                txtNrAni.DataBindings.Add("Text", specializariBindingSource,
"numar_ani");
                lId.DataBindings.Add("Text", specializariBindingSource,
"id_specializare");
            }
            else
            {
                txtDenumire.DataBindings.Clear();
                txtNrAni.DataBindings.Clear();
                lId.DataBindings.Clear();
            }
        }
        private void protectiePanel(bool v)
            txtDenumire.ReadOnly = v;
            txtNrAni.ReadOnly = v;
        }
        private void golireCampuri()
            txtDenumire.Text = "";
            txtNrAni.Text = "";
        }
        private bool validareCampuriObligatorii()
            //Validare de completare obligatorie campurile
            if (txtDenumire.Text == "")
            {
                MessageBox.Show("Completati Denumireaa!");
                txtDenumire.Focus();
                return false;
            }
            if (txtNrAni.Text == "")
                MessageBox.Show("Completati Numarul de ani!");
                txtNrAni.Focus();
                return false;
            return true;
        }
        private void adauga_inregistrare()
```

```
{
           string listaCampuri;
            string listaValori;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString =
specializariTableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            listaCampuri = "denumire, numar ani";
            listaValori = "'" + txtDenumire.Text + "'" + ",'" + txtNrAni.Text + "'";
            cmd.CommandText = "Insert into Specializari(" + listaCampuri + ") " +
"Select " + listaValori;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
        private void refresh_grid(int p)
            specializariTableAdapter.Fill(specializariDS.Specializari);
            specializariBindingSource.Position = p;
        private void modifica_inregistrare()
        {
            string listaSet;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString =
specializariTableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            listaSet = "denumire = '" + txtDenumire.Text + "'," + "numar ani = '" +
txtNrAni.Text + "'";
            cmd.CommandText = "Update Specializari Set " + listaSet + " Where
id_specializare =" + lId.Text;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
        }
        private void bAdaugare_Click(object sender, EventArgs e)
            //Configurare butoane
            configureazaButoane(false);
            //Dezlegare controale Panel
            legareControale(false);
            //Ridicare protectie controale Panel
            protectiePanel(false);
            //Modifcare lblOp
            10p.Text = "ADAUGARE";
            //Pozitionare cursor pe primul camp
            txtDenumire.Focus();
```

```
// Golire campuri
            golireCampuri();
        }
        private void bModificare Click(object sender, EventArgs e)
            //Configurare butoane
            configureazaButoane(false);
            //Dezlegare controale Panel
            legareControale(false);
            //Ridicare protectie controale Panel
            protectiePanel(false);
            //Modifcare lblOp
            10p.Text = "MODIFICARE";
            //Pozitionare cursor pe primul camp
            txtDenumire.Focus();
        }
        private void bStergere_Click(object sender, EventArgs e)
            const string mesaj = "Confirmati stergerea";
            const string titlu = "Stergere inregistrare";
            var rezultat = MessageBox.Show(mesaj, titlu, MessageBoxButtons.YesNo,
MessageBoxIcon.Warning);
            if (rezultat == DialogResult.No)
                return;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            OleDbDataReader r;
            con.ConnectionString =
specializariTableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            cmd.CommandText = "Select id_specializare From AnUniversitar where
id_specializare=" + lId.Text;
            con.Open();
            r = cmd.ExecuteReader();
            if (r.Read())
            {
                MessageBox.Show("Specializare referita in tabela AnUniversitar! Nu se
poate sterge!");
                con.Close();
                return;
            }
            con.Close();
            cmd.CommandText = "Delete From Specializari Where id specializare = " +
lId.Text;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
            refresh grid(specializariBindingSource.Position);
        }
```


```
private void bConfirmare_Click(object sender, EventArgs e)
    if (10p.Text == "ADAUGARE")
    {
        if (!validareCampuriObligatorii())
            return;
        adauga_inregistrare();
        golireCampuri();
        //Pune cursor pe primul camp
        txtDenumire.Focus();
        refresh_grid(specializariBindingSource.Position);
    }
    else if (lOp.Text == "MODIFICARE")
        modifica_inregistrare();
        refresh_grid(specializariBindingSource.Position);
        //Initializare lblOp
        10p.Text = "";
        //Configurare(butoane)
        configureazaButoane(true);
        //Protectie componente Panel
        protectiePanel(true);
        //Legare controale
        legareControale(true);
    }
    else
        MessageBox.Show("Operatie actualizare neefectuata");
}
private void bRenuntare_Click(object sender, EventArgs e)
{
    //Initializare lblOp
    10p.Text = "";
    //Configurare(butoane)
    configureazaButoane(true);
    //Protectie componente Panel
    protectiePanel(true);
    //Legare controale
    legareControale(true);
}
private void txtNrAni_Leave(object sender, EventArgs e)
{
    decimal p;
    if (10p.Text == "")
        return;
    if (txtNrAni.Text == "")
        return;
```

```
if (bRenuntare.Focused)
                return;
            try
            {
                p = Convert.ToDecimal(txtNrAni.Text);
            }
            catch
            {
                MessageBox.Show("Format eronat");
                txtNrAni.Focus();
                return;
            }
        }
        private void txtDenumire Leave(object sender, EventArgs e)
            decimal p;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            OleDbDataReader r;
            if (10p.Text == "")
                return;
            if (txtDenumire.Text == "")
                return;
            if (bRenuntare.Focused)
                return;
            con.ConnectionString =
specializariTableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            if (10p.Text == "ADAUGARE")
            {
                cmd.CommandText = "Select denumire From Specializari where denumire='"
+ txtDenumire.Text +"'";
                con.Open();
                r = cmd.ExecuteReader();
                if (r.Read())
                {
                    MessageBox.Show("Specializarea deja exista");
                    txtDenumire.Focus();
                    return;
                con.Close();
            }
            else if (lOp.Text == "MODIFICARE")
                cmd.CommandText = "Select denumire From Specializari where denumire='"
+ txtDenumire.Text + "' and id_specializare <> " + lId.Text;
                con.Open();
                r = cmd.ExecuteReader();
                if (r.Read())
                    MessageBox.Show("Specializare deja existenta");
                    txtDenumire.Focus();
                    return;
                con.Close();
            }
```


```
}
}
```

AniUniversitari


Data set




Design




Executie





Adaugare inregistrare:







Modificare inregistrare:





Stergere inregistrare:





Cod

```
// TODO: This line of code loads data into the
'specializariDS.Specializari' table. You can move, or remove it, as needed.
            this.specializariTableAdapter.Fill(this.specializariDS.Specializari);
            //Initializare lbl0p
            10p.Text = "";
            //Configurare(butoane)
            configureazaButoane(true);
            //Protectie componente Panel
            protectiePanel(true);
            //Legare controale
            legareControale(true);
        private void configureazaButoane(bool v)
            bRenuntare. Visible = !v;
            bConfirmare.Visible = !v;
            lIdSpec.Visible = false;
            bAdaugare.Enabled = v;
            bModificare.Enabled = v;
            bStergere.Enabled = v;
        private void legareControale(bool v)
            if (v)
            {
                dateTimePicker1.DataBindings.Add("Value", dataTable1BindingSource,
"an universitar");
                cmbSpec.DataBindings.Add("Text", dataTable1BindingSource, "denumire");
                txtAnSpec.DataBindings.Add("Text", dataTable1BindingSource,
"an_specializare");
                lIdSpec.DataBindings.Add("Text", dataTable1BindingSource,
"id_specializare");
                txtNrStud.DataBindings.Add("Text", dataTable1BindingSource,
"numar_studenti");
            }
            else
            {
                dateTimePicker1.DataBindings.Clear();
                txtAnSpec.DataBindings.Clear();
                cmbSpec.DataBindings.Clear();
                txtNrStud.DataBindings.Clear();
                lIdSpec.DataBindings.Clear();
            }
        }
        private void protectiePanel(bool v)
            txtAnSpec.ReadOnly = v;
            cmbSpec.Enabled = !v;
            dateTimePicker1.Enabled = !v;
            txtNrStud.ReadOnly = v;
        }
```

```
txtAnSpec.Text = "";
            dateTimePicker1.Text = "";
            cmbSpec.Text = "";
            txtNrStud.Text = "";
        }
        private bool validareCampuriObligatorii()
            //Validare de completare obligatorie campurile
            if (txtAnSpec.Text == "")
                MessageBox.Show("Completati Anul specializarii!");
                txtAnSpec.Focus();
                return false;
            if (cmbSpec.Text == "")
                MessageBox.Show("Alegeti o specializare!");
                cmbSpec.Focus();
                return false;
            if (txtNrStud.Text == "")
            {
                MessageBox.Show("Completati nr de studenti!");
                txtNrStud.Focus();
                return false;
            if (dateTimePicker1.Text == "")
                MessageBox.Show("Alegeti o data!");
                dateTimePicker1.Focus();
                return false;
            return true;
        }
        private void adauga_inregistrare()
        {
            string listaCampuri;
            string listaValori;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString = dataTable1TableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            listaCampuri = "an_universitar, id_specializare, an_specializare,
numar_studenti";
            string idSpec = cmbSpec.SelectedValue.ToString();
            DateTime d = dateTimePicker1.Value;
            listaValori = "#" + Convert.ToString(d.Month) + "/" +
Convert.ToString(d.Day) + "/" + Convert.ToString(d.Year) + "#" + ",'" + idSpec + "','"
+ txtAnSpec.Text + "','" + txtNrStud.Text + "'";
            cmd.CommandText = "Insert into AnUniversitar(" + listaCampuri + ") " +
"Select " + listaValori;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
```

private void golireCampuri()

```
con.Close();
        }
        private void refresh_grid(int p)
        {
            dataTable1TableAdapter.Fill(anUniversitarDS.DataTable1);
            dataTable1BindingSource.Position = p;
        private void modifica inregistrare()
            string listaSet;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString = dataTable1TableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            DateTime d = dateTimePicker1.Value;
            string idSpec = cmbSpec.SelectedValue.ToString();
            listaSet = "an_universitar = #" + Convert.ToString(d.Month) + "/" +
Convert.ToString(d.Day) + "/" + Convert.ToString(d.Year) + "#, " + "id_specializare =
" + idSpec + "," +

" an_specializare = " + txtAnSpec.Text + " , numar_studenti = " +
            cmd.CommandText = "Update AnUniversitar Set " + listaSet + " Where
an_universitar = #" + Convert.ToString(d.Month) + "/" + Convert.ToString(d.Day) + "/"
+ Convert.ToString(d.Year) +
                 "# and id_specializare = " + lIdSpec.Text + " and an_specializare = "
+ AnSpec;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
        }
        private void bAdaugare_Click(object sender, EventArgs e)
            //Configurare butoane
            configureazaButoane(false);
            //Dezlegare controale Panel
            legareControale(false);
            //Ridicare protectie controale Panel
            protectiePanel(false);
            //Modifcare lblOp
            10p.Text = "ADAUGARE";
            //Pozitionare cursor pe primul camp
            dateTimePicker1.Focus();
            // Golire campuri
            golireCampuri();
        }
        private void bModificare_Click(object sender, EventArgs e)
        {
            //Configurare butoane
            configureazaButoane(false);
```

```
//Dezlegare controale Panel
            legareControale(false);
            //Ridicare protectie controale Panel
            protectiePanel(false);
            //Modifcare lblOp
            10p.Text = "MODIFICARE";
            //Pozitionare cursor pe primul camp
            dateTimePicker1.Focus();
            AnSpec = txtAnSpec.Text;
        }
        private void bStergere_Click(object sender, EventArgs e)
            const string mesaj = "Confirmati stergerea";
            const string titlu = "Stergere inregistrare";
            var rezultat = MessageBox.Show(mesaj, titlu, MessageBoxButtons.YesNo,
MessageBoxIcon.Warning);
            if (rezultat == DialogResult.No)
                return;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString = dataTable1TableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            DateTime d = dateTimePicker1.Value;
            string idSpec = cmbSpec.SelectedValue.ToString();
            cmd.CommandText = "Delete From AnUniversitar Where an universitar = #" +
Convert.ToString(d.Month) + "/" + Convert.ToString(d.Day) + "/" +
Convert.ToString(d.Year) +
                 "# and id_specializare = " + idSpec + " and an_specializare = " +
txtAnSpec.Text;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
            dataTable1BindingSource.RemoveCurrent();
        }
        private void bConfirmare_Click(object sender, EventArgs e)
            if (10p.Text == "ADAUGARE")
                if (!validareCampuriObligatorii())
                    return;
                adauga_inregistrare();
                golireCampuri();
                //Pune cursor pe primul camp
                dateTimePicker1.Focus();
                refresh_grid(dataTable1BindingSource.Position);
            else if (lOp.Text == "MODIFICARE")
                modifica inregistrare();
```


```
refresh grid(dataTable1BindingSource.Position);
        //Initializare lblOp
        10p.Text = "";
        //Configurare(butoane)
        configureazaButoane(true);
        //Protectie componente Panel
        protectiePanel(true);
        //Legare controale
        legareControale(true);
    }
    else
        MessageBox.Show("Operatie actualizare neefectuata");
}
private void bRenuntare_Click(object sender, EventArgs e)
    //Initializare lblOp
    10p.Text = "";
    //Configurare(butoane)
    configureazaButoane(true);
    //Protectie componente Panel
    protectiePanel(true);
    //Legare controale
    legareControale(true);
}
private void txtNrStud_Leave(object sender, EventArgs e)
    decimal p;
    if (10p.Text == "")
        return;
    if (txtNrStud.Text == "")
        return;
    if (bRenuntare.Focused)
        return;
    try
    {
        p = Convert.ToDecimal(txtNrStud.Text);
    }
    catch
    {
        MessageBox.Show("Format eronat");
        txtNrStud.Focus();
        return;
    }
}
private void txtAnSpec_Leave(object sender, EventArgs e)
    decimal p;
```

```
if (10p.Text == "")
                return;
            if (txtAnSpec.Text == "")
                return;
            if (bRenuntare.Focused)
                return;
            try
            {
                p = Convert.ToDecimal(txtAnSpec.Text);
            }
            catch
            {
                MessageBox.Show("Format eronat");
                txtAnSpec.Focus();
                return;
        }
    }
}
```

Abandon

Data set


SELECT FROM




	Column	Alias	Table	Outp	Sort Type	Sort Order	Filter	Or	Or	Or
	id_abandon		Abandon	~						
	data		Abandon	~						
	id_specializare		Abandon	~						
	denumire		Specializari	~						
	an_specializare		Abandon	~						
	id_persoana		Abandon	~						
	nume		Persoane	~						

Abandon.id_abandon, Abandon.data, Abandon.id_specializare, Specializari.denumire, Abandon.an_specializare, Abandon.id_persoana, Persoane.nume ((Abandon INNER JOIN
Specializari ON Abandon.id_specializare = Specializari.id_specializare) INNER JOIN
Persoane ON Abandon.id_persoana = Persoane.id_persoana)


Design




Executie




Adaugare inregistrare:




OK





Modificare inregistrare:






Stergere inregistrare:







```
Cod
using System;
using System.Windows.Forms;
using System.Data.OleDb;
namespace NichiforVlad
{
    public partial class Abandon : Form
        public Abandon()
        {
            InitializeComponent();
        private void Abandon_Load(object sender, EventArgs e)
            // TODO: This line of code loads data into the 'studentiDS.Persoane'
table. You can move, or remove it, as needed.
            this.persoaneTableAdapter.Fill(this.studentiDS.Persoane);
            // TODO: This line of code loads data into the
'specializariDS.Specializari' table. You can move, or remove it, as needed.
            this.specializariTableAdapter.Fill(this.specializariDS.Specializari);
            // TODO: This line of code loads data into the 'abandonDS.DataTable1'
table. You can move, or remove it, as needed.
            this.dataTable1TableAdapter.Fill(this.abandonDS.DataTable1);
            //Initializare lblOp
            10p.Text = "";
            //Configurare(butoane)
            configureazaButoane(true);
            //Protectie componente Panel
            protectiePanel(true);
            //Legare controale
```

```
legareControale(true);
        }
        private void configureazaButoane(bool v)
        {
            bRenuntare. Visible = !v;
            bConfirmare.Visible = !v;
            lIdAb.Visible = false;
            lIdSpec.Visible = false;
            lIdPers.Visible = false;
            bAdaugare.Enabled = v;
            bModificare.Enabled = v;
            bStergere.Enabled = v;
        }
        private void legareControale(bool v)
            if (v)
            {
                dateTimePicker1.DataBindings.Add("Value", dataTable1BindingSource,
"data");
                cmbSpec.DataBindings.Add("Text", dataTable1BindingSource, "denumire");
                txtAnSpec.DataBindings.Add("Text", dataTable1BindingSource,
"an specializare");
                cmbNume.DataBindings.Add("Text", dataTable1BindingSource, "nume");
                lIdSpec.DataBindings.Add("Text", dataTable1BindingSource,
"id specializare");
                lIdAb.DataBindings.Add("Text", dataTable1BindingSource, "id_abandon");
                lIdPers.DataBindings.Add("Text", dataTable1BindingSource,
"id persoana");
            }
            else
            {
                dateTimePicker1.DataBindings.Clear();
                cmbNume.DataBindings.Clear();
                txtAnSpec.DataBindings.Clear();
                cmbSpec.DataBindings.Clear();
                lIdSpec.DataBindings.Clear();
                lIdAb.DataBindings.Clear();
                lIdPers.DataBindings.Clear();
            }
        }
        private void protectiePanel(bool v)
            txtAnSpec.ReadOnly = v;
            cmbNume.Enabled = !v;
            cmbSpec.Enabled = !v;
            dateTimePicker1.Enabled = !v;
        }
        private void golireCampuri()
            txtAnSpec.Text = "";
            dateTimePicker1.Text = "";
            cmbSpec.Text = "";
            cmbNume.Text = "";
        }
```

```
//Validare de completare obligatorie campurile
            if (txtAnSpec.Text == "")
                MessageBox.Show("Completati Anul specializarii!");
                txtAnSpec.Focus();
                return false;
            if (cmbSpec.Text == "")
                MessageBox.Show("Alegeti o specializare!");
                cmbSpec.Focus();
                return false;
            if (cmbNume.Text == "")
                MessageBox.Show("Alegeti un student!");
                cmbNume.Focus();
                return false;
            }
            if (dateTimePicker1.Text == "")
                MessageBox.Show("Alegeti o data!");
                dateTimePicker1.Focus();
                return false;
            }
            return true;
        }
        private void adauga inregistrare()
            string listaCampuri;
            string listaValori;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString = dataTable1TableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            listaCampuri = "data, id_specializare, an_specializare, id_persoana";
            string idSpec = cmbSpec.SelectedValue.ToString();
            string idPers = cmbNume.SelectedValue.ToString();
            DateTime d = dateTimePicker1.Value;
            listaValori = "#" + Convert.ToString(d.Month) + "/" +
Convert.ToString(d.Day) + "/" + Convert.ToString(d.Year) + "#" + ",'" + idSpec + "','"
+ txtAnSpec.Text + "','" + idPers + "'";
            cmd.CommandText = "Insert into Abandon(" + listaCampuri + ") " + "Select "
+ listaValori;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
        }
        private void refresh_grid(int p)
            dataTable1TableAdapter.Fill(abandonDS.DataTable1);
            dataTable1BindingSource.Position = p;
        }
```

private bool validareCampuriObligatorii()


```
private void modifica inregistrare()
            string listaSet;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString = dataTable1TableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            DateTime d = dateTimePicker1.Value;
            string idSpec = cmbSpec.SelectedValue.ToString();
            string idPers = cmbNume.SelectedValue.ToString();
            listaSet = "data = #" + Convert.ToString(d.Month) + "/" +
Convert.ToString(d.Day) + "/" + Convert.ToString(d.Year) + "#, " + "id_specializare =
" + idSpec + "," +
               " an_specializare = " + txtAnSpec.Text + " , id_persoana = " + idPers;
            cmd.CommandText = "Update Abandon Set " + listaSet + " Where id abandon ="
+ lIdAb.Text;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
        }
        private void bAdaugare_Click(object sender, EventArgs e)
        {
            //Configurare butoane
            configureazaButoane(false);
            //Dezlegare controale Panel
            legareControale(false);
            //Ridicare protectie controale Panel
            protectiePanel(false);
            //Modifcare lblOp
            10p.Text = "ADAUGARE";
            //Pozitionare cursor pe primul camp
            dateTimePicker1.Focus();
            // Golire campuri
            golireCampuri();
        }
        private void bModificare_Click(object sender, EventArgs e)
            //Configurare butoane
            configureazaButoane(false);
            //Dezlegare controale Panel
            legareControale(false);
            //Ridicare protectie controale Panel
            protectiePanel(false);
            //Modifcare lblOp
            10p.Text = "MODIFICARE";
```

```
//Pozitionare cursor pe primul camp
            dateTimePicker1.Focus();
        }
        private void bStergere Click(object sender, EventArgs e)
            const string mesaj = "Confirmati stergerea";
            const string titlu = "Stergere inregistrare";
            var rezultat = MessageBox.Show(mesaj, titlu, MessageBoxButtons.YesNo,
MessageBoxIcon.Warning);
            if (rezultat == DialogResult.No)
                return;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString = dataTable1TableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            cmd.CommandText = "Delete From Abandon Where id_abandon = " + 1IdAb.Text;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
            dataTable1BindingSource.RemoveCurrent();
        }
        private void bConfirmare Click(object sender, EventArgs e)
            if (10p.Text == "ADAUGARE")
            {
                if (!validareCampuriObligatorii())
                    return;
                adauga inregistrare();
                golireCampuri();
                //Pune cursor pe primul camp
                dateTimePicker1.Focus();
                refresh_grid(dataTable1BindingSource.Position);
            }
            else if (lOp.Text == "MODIFICARE")
                modifica inregistrare();
                refresh_grid(dataTable1BindingSource.Position);
                //Initializare lblOp
                10p.Text = "";
                //Configurare(butoane)
                configureazaButoane(true);
                //Protectie componente Panel
                protectiePanel(true);
                //Legare controale
                legareControale(true);
            }
            else
                MessageBox.Show("Operatie actualizare neefectuata");
```


```
}
        private void bRenuntare_Click(object sender, EventArgs e)
            //Initializare lblOp
            10p.Text = "";
            //Configurare(butoane)
            configureazaButoane(true);
            //Protectie componente Panel
            protectiePanel(true);
            //Legare controale
            legareControale(true);
        }
        private void txtAnSpec_Leave(object sender, EventArgs e)
            decimal p;
            if (10p.Text == "")
                return;
            if (txtAnSpec.Text == "")
                return;
            if (bRenuntare.Focused)
                return;
            try
            {
                p = Convert.ToDecimal(txtAnSpec.Text);
            }
            catch
            {
                MessageBox.Show("Format eronat");
                txtAnSpec.Focus();
                return;
            }
        }
   }
}
```

Transfer


Data set




Design




Executie




Adaugare inregistrare:







Modificare inregistrare:



Stergere inregistrare:





```
Cod
```

```
using System;
using System.Windows.Forms;
using System.Data.OleDb;
namespace NichiforVlad
{
    public partial class Transfer : Form
        public Transfer()
            InitializeComponent();
        private void Transfer_Load(object sender, EventArgs e)
            // TODO: This line of code loads data into the 'studentiDS.Persoane'
table. You can move, or remove it, as needed.
            this.persoaneTableAdapter.Fill(this.studentiDS.Persoane);
            // TODO: This line of code loads data into the
'specializariDS.Specializari' table. You can move, or remove it, as needed.
            this.specializariTableAdapter.Fill(this.specializariDS.Specializari);
            // TODO: This line of code loads data into the 'transferDS.DataTable1'
table. You can move, or remove it, as needed.
            this.dataTable1TableAdapter.Fill(this.transferDS.DataTable1);
            //Initializare lblOp
            10p.Text = "";
            //Configurare(butoane)
            configureazaButoane(true);
            //Protectie componente Panel
            protectiePanel(true);
            //Legare controale
            legareControale(true);
```

```
}
        private void configureazaButoane(bool v)
            bRenuntare. Visible = !v;
            bConfirmare.Visible = !v;
            lIdTr.Visible = false;
            lIdSpec.Visible = false;
            lIdPers.Visible = false;
            bAdaugare.Enabled = v;
            bModificare.Enabled = v;
            bStergere.Enabled = v;
        }
        private void legareControale(bool v)
            if (v)
            {
                dateTimePicker1.DataBindings.Add("Value", dataTable1BindingSource,
"data");
                cmbSpec.DataBindings.Add("Text", dataTable1BindingSource, "denumire");
                cmbNume.DataBindings.Add("Text", dataTable1BindingSource, "nume");
                txtAnSpec.DataBindings.Add("Text", dataTable1BindingSource,
"an specializare");
                lIdSpec.DataBindings.Add("Text", dataTable1BindingSource,
"id specializare");
                lIdTr.DataBindings.Add("Text", dataTable1BindingSource,
"id transfer");
                lIdPers.DataBindings.Add("Text", dataTable1BindingSource,
"id persoana");
            }
            else
            {
                dateTimePicker1.DataBindings.Clear();
                cmbNume.DataBindings.Clear();
                cmbSpec.DataBindings.Clear();
                txtAnSpec.DataBindings.Clear();
                lIdSpec.DataBindings.Clear();
                lIdTr.DataBindings.Clear();
                lIdPers.DataBindings.Clear();
            }
        }
        private void protectiePanel(bool v)
            txtAnSpec.ReadOnly = v;
            cmbNume.Enabled = !v;
            cmbSpec.Enabled = !v;
            dateTimePicker1.Enabled = !v;
        }
        private void golireCampuri()
            txtAnSpec.Text = "";
            dateTimePicker1.Text = "";
            cmbSpec.Text = "";
            cmbNume.Text = "";
```

```
}
        private bool validareCampuriObligatorii()
            //Validare de completare obligatorie campurile
            if (txtAnSpec.Text == "")
            {
                MessageBox.Show("Completati Anul specializarii!");
                txtAnSpec.Focus();
                return false;
            }
            if (cmbSpec.Text == "")
                MessageBox.Show("Alegeti o specializare!");
                cmbSpec.Focus();
                return false;
            if (cmbNume.Text == "")
                MessageBox.Show("Alegeti un student!");
                cmbNume.Focus();
                return false;
            if (dateTimePicker1.Text == "")
            {
                MessageBox.Show("Alegeti o data!");
                dateTimePicker1.Focus();
                return false;
            return true;
        }
        private void adauga inregistrare()
            string listaCampuri;
            string listaValori;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString = dataTable1TableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            listaCampuri = "data, id specializare, an specializare, id persoana";
            string idSpec = cmbSpec.SelectedValue.ToString();
            string idPers = cmbNume.SelectedValue.ToString();
            DateTime d = dateTimePicker1.Value;
            listaValori = "#" + Convert.ToString(d.Month) + "/" +
Convert.ToString(d.Day) + "/" + Convert.ToString(d.Year) + "#" + ",'" + idSpec + "','"
+ txtAnSpec.Text + "','" + idPers + "'";
            cmd.CommandText = "Insert into Transfer(" + listaCampuri + ") " + "Select
" + listaValori;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
        }
        private void refresh_grid(int p)
            dataTable1TableAdapter.Fill(transferDS.DataTable1);
            dataTable1BindingSource.Position = p;
```

```
}
        private void modifica_inregistrare()
            string listaSet;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString = dataTable1TableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            DateTime d = dateTimePicker1.Value;
            string idSpec = cmbSpec.SelectedValue.ToString();
            string idPers = cmbNume.SelectedValue.ToString();
            listaSet = "data = #" + Convert.ToString(d.Month) + "/" +
Convert.ToString(d.Day) + "/" + Convert.ToString(d.Year) + "#, " + "id_specializare =
" + idSpec + "," +
                " an specializare = " + txtAnSpec.Text + " , id_persoana = " + idPers;
            cmd.CommandText = "Update Transfer Set " + listaSet + " Where id_transfer
=" + lIdTr.Text;
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
        }
        private void bAdaugare Click(object sender, EventArgs e)
            //Configurare butoane
            configureazaButoane(false);
            //Dezlegare controale Panel
            legareControale(false);
            //Ridicare protectie controale Panel
            protectiePanel(false);
            //Modifcare lblOp
            10p.Text = "ADAUGARE";
            //Pozitionare cursor pe primul camp
            dateTimePicker1.Focus();
            // Golire campuri
            golireCampuri();
        }
        private void bModificare_Click(object sender, EventArgs e)
            //Configurare butoane
            configureazaButoane(false);
            //Dezlegare controale Panel
            legareControale(false);
            //Ridicare protectie controale Panel
            protectiePanel(false);
            //Modifcare lblOp
            10p.Text = "MODIFICARE";
```

```
//Pozitionare cursor pe primul camp
            dateTimePicker1.Focus();
        }
        private void bStergere Click(object sender, EventArgs e)
            const string mesaj = "Confirmati stergerea";
            const string titlu = "Stergere inregistrare";
            var rezultat = MessageBox.Show(mesaj, titlu, MessageBoxButtons.YesNo,
MessageBoxIcon.Warning);
            if (rezultat == DialogResult.No)
                return;
            OleDbConnection con = new OleDbConnection();
            OleDbCommand cmd = new OleDbCommand();
            con.ConnectionString = dataTable1TableAdapter.Connection.ConnectionString;
            cmd.Connection = con;
            cmd.CommandText = "Delete From Transfer Where id transfer = " +
lIdTr.Text:
            MessageBox.Show(cmd.CommandText);
            con.Open();
            cmd.ExecuteNonQuery();
            con.Close();
            dataTable1BindingSource.RemoveCurrent();
        }
        private void bConfirmare Click(object sender, EventArgs e)
            if (10p.Text == "ADAUGARE")
            {
                if (!validareCampuriObligatorii())
                    return;
                adauga_inregistrare();
                golireCampuri();
                //Pune cursor pe primul camp
                dateTimePicker1.Focus();
                refresh_grid(dataTable1BindingSource.Position);
            else if (lOp.Text == "MODIFICARE")
                modifica_inregistrare();
                refresh_grid(dataTable1BindingSource.Position);
                //Initializare lblOp
                10p.Text = "";
                //Configurare(butoane)
                configureazaButoane(true);
                //Protectie componente Panel
                protectiePanel(true);
                //Legare controale
                legareControale(true);
            }
            else
```

```
MessageBox.Show("Operatie actualizare neefectuata");
        }
        private void bRenuntare_Click(object sender, EventArgs e)
            //Initializare lblOp
            10p.Text = "";
            //Configurare(butoane)
            configureazaButoane(true);
            //Protectie componente Panel
            protectiePanel(true);
            //Legare controale
            legareControale(true);
        }
        private void txtAnSpec_Leave(object sender, EventArgs e)
            decimal p;
            if (10p.Text == "")
                return;
            if (txtAnSpec.Text == "")
                return;
            if (bRenuntare.Focused)
                return;
            try
            {
                p = Convert.ToDecimal(txtAnSpec.Text);
            }
            catch
            {
                MessageBox.Show("Format eronat");
                txtAnSpec.Focus();
                return;
            }
        }
    }
}
```