

Differentially Private Synthetic Data

Version: 1

Differentially Private Synthetic Data

- Read the below article and apply the *differential privacy* scheme on your HW1 result and dataset, replacing the methods of *k-anonymity*, and *ℓ-diversity*.

[Differentially Private Synthetic Data | NIST](#)

- The winners' codes is listed in the next page. You can choose one or several to make the experiments.
- In your document report, you should provide:
 - Describe your method (from the webpages and their academic papers)
 - **Describe your experimental results**
 - Provide some novel ideas or schemes in this project (if you have)
 - **Provide a comparison with HW1**, e.g., both released the obfuscated dataset.
 - **Provide a comparison with the Midterm**, e.g., differential privacy is applied at different stages.

Reference (Code)

- [De-identification Tools | NIST](#)
 - **Final Challenge Winners:**
 - [1st Place - Team RMcKenna](#)
 - [2nd Place - Team DPSyn](#)
 - [3rd Place - Team PrivBayes](#)
 - [4th Place - Team Gardn999](#)
 - [5th Place - Team UCLANESL](#)

Upload the result to Moodle

- Upload your code and the ***detailed*** reports to Moodle.
 - Code: You must add some comments in your code for easy understanding.
 - Report Files: Document (Word) and Presentation (PPT).
 - Including a table in your report outlining the responsibilities of each team member for this final project.
 - Zipped to a file. The file name should be “TeamName_HW2.zip”