

Ruby Source Code Notes

Nicholas Yang

June 5, 2018

Contents

1	Intro	1
2	Globals	1
3	Helper Functions/Macros	1
4	Types	2
5	Lexer	2
6	Terminals	3
7	Grammar Rules	3
8	Sources	3

1 Intro

These are my notes for the Ruby source code. I hope to document my attempts to understand the Ruby code.

2 Globals

- `Qundef` — (?) A magic number that represents undefined

3 Helper Functions/Macros

- `has_delayed_token` — For Ruby parser, always false

4 Types

- `parser_params` — Oh boy, this is a complicated one. Consists of a massive struct that contains:
 - A `rb_imemo_tmpbuf_t` pointer called `heap` (so I'm guessing this is just the heap/free list for the parser?).
 - A `YYSTYPE` pointer called `lval`
 - A struct called `lex`
 - Two `stack_type`, i.e. `VALUE`'s called `cond_stack` and `cmdarg_stack`
 - A bunch of `int`'s:
 - * `tokidx`
 - * `toksiz`
 - * `tokline`
 - * `heredoc_end`
 - * `heredoc_indent`
 - * `heredoc_line_indent`
 - * `line_count`
 - * `ruby_sourceline`
- `VALUE` — `uintptr_t`
- `yyltokentype`
- `YYSTYPE` —
- `rb_imemo_tmpbuf_t` — A linked list with a payload consisting of two `file:///Users/nicholas/cs_projects/gsoc-2018-ruby-types/~VALUE~`'s: `flags` and `reserved` and a `VALUE` pointer called `...~ptr~` which apparently is a `malloc`'d buffer. Also has a `size_t` called `cnt` which is the size of that buffer. Finally has a pointer to another `rb_imemo_tmpbuf_struct` called `next`.

5 Lexer

- `yylex` — A wrapper for `parser_yylex` with some extra options. Initializes a `yyltokentype`. Assigns `p`, a struct of `file:///Users/nicholas/cs_projects/gsoc-2018-ruby-types/~parser_params~` an

`lval` (with type `YYSTYPE`) and gives `lval` a `val` of `Qundef`. (I guess initializing `p` with an empty `lval`?) Then calls `parser_yylex` with `p` and assigns the result to the `yytokentype` variable. If `has_delayed_token` (never in Ruby parser) then call `dispatch_delayed_token`. Else if `parser\yylex` returns 0 then call `dispatch_scan_event`, which, uh, in Ruby parser does nothing (well, it casts 0 to void).

- `parser_yylex` —

6 Terminals

- — `alias`
- — Global variable
- — `$+`, `$&`, `$‘`, `$\`
- — `$1`, `$2...`
-

7 Grammar Rules

- `mlhs` — Either `mlhs_basic` or a `mlhs_basic` in parenthesis. Pretty sure this is just any infix expression.
- `mlhs_basic` – Pretty much an infix expression

8 Sources

- <https://whitequark.org/blog/2013/04/01/ruby-hacking-guide-ch-11-finite-state-lexer/>
- <https://ruby-hacking-guide.github.io/>