

# **1 Introduction**

## **2 Background**

### **2.1 Microscopes and digital images**

### **2.2 Image manipulation**

### **2.3 Cell segmentation**

## **3 Apparatus**

### **3.1 The micro-fluidics environment**

### **3.2 The microscope**

### **3.3 Django**

### **3.4 CellProfiler**

## **4 Method**

### **4.1 Definitions**

### **4.2 Generating zMod**

### **4.3 Manual tracking**

### **4.4 Generating zDiff for segmentation round one**

### **4.5 Generating zEdge for segmentation round two**

### **4.6 Cell confidence**

## **5 Results**

### **5.1 Image modification**

#### **5.1.1 zMod**

#### **5.1.2 zBF**

#### **5.1.3 zDiff**

#### **5.1.4 zEdge**

### **5.2 Segmentation**

#### **5.2.1 zBF segmentation**

#### **5.2.2 zEdge segmentation**

#### **5.2.3 Classic segmentation**

## **6 Discussion**

### **6.1 zMod sensitivity and the effects on zBF**

### **6.2 zDiff reliability and its effects on zEdge**

### **6.3 Comparison of classic and zEdge segmentation**

## **7 Conclusion**

### **7.1 Conclusion**

### **7.2 Further work**

7.2.1 zMean

7.2.2 Brightfield profile

7.2.3 Edge completion