

Nicholas Donovan: <https://www.linkedin.com/in/nicholas-d-infosec23/>

Analyzing Redline Pcap

Summary:

RedLine is a stealer distributed as cracked games, applications, and services.

The [malware](#) steals information from web browsers, cryptocurrency wallets, and applications such as FileZilla, Discord, Steam, Telegram, and VPN clients. The binary also gathers data about the infected machine, such as the running processes, antivirus products, installed programs, the Windows product name, the processor architecture, etc. The stealer implements the following actions that extend its functionality: Download, RunPE, DownloadAndEx, OpenLink, and Cmd. The extracted information is converted to the XML format and exfiltrated to the C2 server via SOAP messages.

Analysis:

Today, we'll be analyzing a Redline pcap after its initial detonation on a host and going over what IOCs there are and what to look for with this given malware.

Upon initially opening the pcap you will be greeted with a decent amount of network traffic from multiple source IPs.

The screenshot shows the Wireshark network protocol analyzer interface. The top pane lists captured packets. The middle pane displays the details of a selected packet (No. 2334), showing the Ethernet II header, Internet Protocol Version 4 header, and Hypertext Transfer Protocol body. The bottom pane shows the raw packet data in hexadecimal and ASCII.

Packet List (Selected Packet No. 2334):

No.	Time	Source	Destination	Protocol	Length	Info
2334	606.304596	c6:ac:47:a3:50:44	de:d7:f0:66:cf:6d	ARP	42	10.10.0.1 is at c6:ac:47:a3:50:44
2335	606.304599	de:d7:f0:66:cf:6d	c6:ac:47:a3:50:44	ARP	60	who has 10.10.0.1? Tell 10.10.0.33
2336	605.580488	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2337	605.600044	10.10.0.33	185.215.113.17	TCP	66	[TCP Retransmission] [TCP Port numbers reused] 53533 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
2338	600.110152	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2339	597.180162	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2340	597.070453	10.10.0.33	185.215.113.17	TCP	66	[TCP Retransmission] [TCP Port numbers reused] 53533 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
2341	596.072504	10.10.0.33	185.215.113.17	TCP	66	53533 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
2342	577.578796	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2343	577.023495	10.10.0.33	185.215.113.17	TCP	66	[TCP Retransmission] [TCP Port numbers reused] 53532 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
2344	575.804665	c6:ac:47:a3:50:44	de:d7:f0:66:cf:6d	ARP	42	10.10.0.1 is at c6:ac:47:a3:50:44
2345	575.804666	de:d7:f0:66:cf:6d	c6:ac:47:a3:50:44	ARP	60	who has 10.10.0.1? Tell 10.10.0.33
2346	573.658321	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2347	571.023488	10.10.0.33	185.215.113.17	TCP	66	[TCP Retransmission] [TCP Port numbers reused] 53532 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
2348	569.278267	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2349	568.851547	10.10.0.33	185.215.113.17	TCP	66	53532 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
2350	566.272204	de:d7:f0:66:cf:6d	c6:ac:47:a3:50:44	ARP	60	10.10.0.33 is at de:d7:f0:66:cf:6d
2351	566.272181	c6:ac:47:a3:50:44	de:d7:f0:66:cf:6d	ARP	42	who has 10.10.0.33? Tell 184.01.71.13
2352	552.789254	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2353	550.919154	10.10.0.33	185.215.113.17	TCP	66	[TCP Retransmission] [TCP Port numbers reused] 53531 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
2354	550.804676	c6:ac:47:a3:50:44	de:d7:f0:66:cf:6d	ARP	42	10.10.0.1 is at c6:ac:47:a3:50:44
2355	550.804686	de:d7:f0:66:cf:6d	c6:ac:47:a3:50:44	ARP	60	who has 10.10.0.1? Tell 10.10.0.33
2356	546.358541	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2357	544.992217	10.10.0.33	185.215.113.17	TCP	66	[TCP Retransmission] [TCP Port numbers reused] 53531 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
2358	542.558310	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2359	540.979215	10.10.0.33	185.215.113.17	TCP	66	53533 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
2360	525.408795	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2361	525.304718	c6:ac:47:a3:50:44	de:d7:f0:66:cf:6d	ARP	42	10.10.0.1 is at c6:ac:47:a3:50:44
2362	525.304600	de:d7:f0:66:cf:6d	c6:ac:47:a3:50:44	ARP	60	who has 10.10.0.1? Tell 10.10.0.33
2363	524.945521	10.10.0.33	185.215.113.17	TCP	66	[TCP Retransmission] [TCP Port numbers reused] 53530 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
2364	521.978567	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2365	520.440489	de:d7:f0:66:cf:6d	c6:ac:47:a3:50:44	ARP	60	10.10.0.33 is at de:d7:f0:66:cf:6d
2366	520.440309	c6:ac:47:a3:50:44	de:d7:f0:66:cf:6d	ARP	42	who has 10.10.0.33? Tell 184.01.71.13
2367	518.958993	185.215.113.17	10.10.0.33	ICMP	94	Destination unreachable (Host unreachable)
2368	518.928813	10.10.0.33	185.215.113.17	TCP	66	[TCP Retransmission] [TCP Port numbers reused] 53530 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
2369	515.917032	10.10.0.33	185.215.113.17	TCP	66	53530 → 18597 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1

Packet Details (Selected Packet No. 2334):

- Ethernet II, Src: de:d7:f0:66:cf:6d (de:d7:f0:66:cf:6d), Dst: c6:ac:47:a3:50:44 (c6:ac:47:a3:50:44)
 - Destination: c6:ac:47:a3:50:44 (c6:ac:47:a3:50:44)
 - ...1. = 16 bit: Locally administered address (this is NOT the factory default)
 - ...0 = 30 bit: Individual address (unicast)
 - Source: de:d7:f0:66:cf:6d (de:d7:f0:66:cf:6d)
 - Address: de:d7:f0:66:cf:6d (de:d7:f0:66:cf:6d)
 - ...1. = 16 bit: Locally administered address (this is NOT the factory default)
 - ...0 = 30 bit: Individual address (unicast)
 - Type: IPv4 (0x0800)
- Internet Protocol Version 4, Src: 10.10.0.33, Dst: 8.8.8.8
 - 0800 = Version: 4
 - 0101 = Header Length: 20 bytes (5)
 - > Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 - Total Length: 76
 - Identification: 0x7581 (30081)
 - > 000. = Flags: 0x0
 - ...0 0000 0000 0000 = Fragment Offset: 0
 - Time to Live: 120
 - Protocol: UDP (17)
 - Header Checksum: 0xaae5 [validation disabled]
 - [Header checksum status: Unverified]
 - Source Address: 10.10.0.33
 - Destination Address: 8.8.8.8
- User Datagram Protocol, Src Port: 53464, Dst Port: 53
 - > Domain Name System (query)

Raw Packet Data (Selected Packet No. 2334):

```
0000 c6 ac 47 a3 50 44 de d7 f0 66 cf 6d 00 00 45 00 ..G.PD...f.m..E.
0010 00 4c 75 81 00 00 00 11 aa e5 0a 0a 00 21 00 00 ...L.....i...
0020 00 00 08 00 35 00 38 92 67 9b 1d 01 00 00 01 .....S.g.....
0030 00 00 00 00 00 0a 5e 65 78 75 72 75 6c 65 .....n exstrule
0040 73 0a 6f 66 66 69 63 65 61 78 78 75 04 6c 69 76 s'office apps-liv
0050 65 03 63 6f 6d 00 00 01 00 01 e.com....
```

It's important that we're able to narrow down our search to the affected source IP(s) in question.

Wireshark has a field called http.host we can search for which allows you to see any network traffic with an associated domain name.

<https://osqa-ask.wireshark.org/questions/33938/how-can-i-filter-by-website-names/>

Setting http.host as a filter for our traffic we end up getting significantly less results which is good for us as we're looking for those IOCs.

http.host									
No.	Time	Source	Destination	Protocol	Length	Info			
2186	257.453066	10.10.0.33	93.184.220.29	HTTP	294	GET /MFewTzBNfEswSTA3BgUrDgKCGuAB8Q50tcX2Fh0Zt1K2B=85iPI7wEwXoD1QQUT1JUIB1V5uNu5gK2F6K2B=ks7QYXjzKCEA177e19ggmle13j64vdGL0K3D HTTP/1.1			
1713	100.949434	10.10.0.33	194.87.236.205	HTTP	377	GET /jollion/lipster.exe HTTP/1.1			
1702	86.588432	10.10.0.33	194.87.236.205	HTTP	278	GET /favicon.ico HTTP/1.1			
1675	86.394989	10.10.0.33	194.87.236.205	HTTP	387	GET /icons/binary.gif HTTP/1.1			
1674	86.394892	10.10.0.33	194.87.236.205	HTTP	385	GET /icons/back.gif HTTP/1.1			
1666	86.350573	10.10.0.33	194.87.236.205	HTTP	386	GET /icons/blank.gif HTTP/1.1			
1660	86.281819	10.10.0.33	194.87.236.205	HTTP	324	GET /jollion/ HTTP/1.1			
1646	82.258695	10.10.0.33	13.107.5.80	HTTP	709	GET /qsm1.aspx?query=http%3A%2F%2Fhypercustom.top%2Fjollion%2F&maxwidth=32765&rowheight=20§ionHeight=160&FORM=IESS02&market=en-US HTTP/1.1			
1641	81.321582	10.10.0.33	104.80.229.162	HTTP	215	GET /pkips/certs/MicSecSerCA2011_2011-10-18.crt HTTP/1.1			
1611	81.173725	10.10.0.33	93.184.220.29	HTTP	290	GET /MFewTzBNfEswSTA3BgUrDgKCGuAB8TBL0V27RVZ7LBduomK2FnyB455PUeWQUSZ1Z1HJHwPys%28ghuNoZ70rUETFACEA8U118gImZT9XhrH1JQeIK3D HTTP/1.1			
1220	80.374805	10.10.0.33	93.184.220.29	HTTP	296	GET /MFewTzBNfEswSTA3BgUrDgKCGuAB8TBL0V27RVZ7LBduomK2FnyB455PUeWQUSZ1Z1HJHwPys%28ghuNoZ70rUETFACEA8U118gImZT9XhrH1JQeIK3D HTTP/1.1			
1184	80.055558	10.10.0.33	13.107.5.80	HTTP	706	GET /qsm1.aspx?query=http%3A%2F%2Fhypercustom.top%2Fjollion&maxwidth=32765&rowheight=20§ionHeight=160&FORM=IESS02&market=en-US HTTP/1.1			
1179	78.267298	10.10.0.33	8.230.24.126	HTTP	336	GET /msdownload/update/v3/static/trusted/en/pinruleset1.cab?fa8db18829dc6ca HTTP/1.1			
1170	73.969011	10.10.0.33	13.107.5.80	HTTP	705	GET /qsm1.aspx?query=http%3A%2F%2Fhypercustom.top%2Fjollion&maxwidth=32765&rowheight=20§ionHeight=160&FORM=IESS02&market=en-US HTTP/1.1			
1166	73.585780	10.10.0.33	13.107.5.80	HTTP	704	GET /qsm1.aspx?query=http%3A%2F%2Fhypercustom.top%2Fjollion&maxwidth=32765&rowheight=20§ionHeight=160&FORM=IESS02&market=en-US HTTP/1.1			
1162	71.914485	10.10.0.33	13.107.5.80	HTTP	703	GET /qsm1.aspx?query=http%3A%2F%2Fhypercustom.top%2Fjollion&maxwidth=32765&rowheight=20§ionHeight=160&FORM=IESS02&market=en-US HTTP/1.1			
1158	71.753437	10.10.0.33	13.107.5.80	HTTP	702	GET /qsm1.aspx?query=http%3A%2F%2Fhypercustom.top%2Fjollion&maxwidth=32765&rowheight=20§ionHeight=160&FORM=IESS02&market=en-US HTTP/1.1			
1155	71.723328	10.10.0.33	13.107.5.80	HTTP	701	GET /qsm1.aspx?query=http%3A%2F%2Fhypercustom.top%2Fjollion&maxwidth=32765&rowheight=20§ionHeight=160&FORM=IESS02&market=en-US HTTP/1.1			
1149	70.297893	10.10.0.33	13.107.5.80	HTTP	387	GET /qsm1.aspx?query=http%3A%2F%2Fhypercustom.top%2Fjollion&maxwidth=32765&rowheight=20§ionHeight=160&FORM=IESS02&market=en-US HTTP/1.1			
1074	42.168940	10.10.0.33	93.184.220.29	HTTP	290	GET /MFewTzBNfEswSTA3BgUrDgKCGuAB8SAUQYBqZawm1Rh6DohK2F=8YgFV7gQUA95QVbRtLtw8KP16xvD17I90VUCEA0LqoXyo4hxse7H52Fz9DKA3D HTTP/1.1			
661	18.902116	10.10.0.33	194.87.236.205	HTTP	278	GET /favicon.ico HTTP/1.1			
258	18.369575	10.10.0.33	142.250.179.131	HTTP	293	GET /gts1c3/MFewTzBNfEswSTA3BgUrDgKCGuAB8THLnmK3F9HNL067UdCuLV6wCQHwQinRk2F=4X0I7gXNPZzQ4kYU83E1H5cCEBtpDExK2Fw4Y3CgAAADyW3QK3D HTTP/1.1			
233	18.159304	10.10.0.33	239.255.255.250	SSDP	179	M-SEARCH * HTTP/1.1			
232	18.158969	10.10.0.33	239.255.255.250	SSDP	179	M-SEARCH * HTTP/1.1			
198	17.901207	10.10.0.33	142.250.179.131	HTTP	293	GET /gts1c3/MFewTzBNfEswSTA3BgUrDgKCGuAB8THLnmK3F9HNL067UdCuLV6wCQHwQinRk2F=4X0I7gXNPZzQ4kYU83E1H5cCEBtpDExK2Fw4Y3CgAAADyW3QK3D HTTP/1.1			
196	17.876054	10.10.0.33	142.250.179.131	HTTP	284	GET /gtsr1/MF4wTD8KtEgwRJA3BgUrDgKCGuAB8QkccL4d4Lq6j7bE781XZzEbmfwUAQUSK8r3nEak0ghnS95Z1zV81KtC4CDQIDVFNZazTHGUBUgYK3D HTTP/1.1			
191	17.834838	10.10.0.33	142.250.179.131	HTTP	293	GET /gtsr1/MF4wTD8KtEgwRJA3BgUrDgKCGuAB8S3V7h2NAf4F1pJ0Jkg6Z8BngGqUQYVHTmGKUN18q3UC99B900qP2F8Z2FUC8E9Dn2bVnk61EPxPBW0W3D HTTP/1.1			
171	17.752560	10.10.0.33	2.22.147.10	HTTP	299	GET /msdownload/update/v3/static/trusted/en/disallowedcertstl.cab?cea32afe9aa2a027 HTTP/1.1			
169	17.752351	10.10.0.33	2.22.147.10	HTTP	299	GET /msdownload/update/v3/static/trusted/en/disallowedcertstl.cab?3923a0aed5187941 HTTP/1.1			
116	16.504947	10.10.0.33	194.87.236.205	HTTP	316	GET / HTTP/1.1			
109	15.347904	10.10.0.33	239.255.255.250	SSDP	179	M-SEARCH * HTTP/1.1			
108	15.143466	10.10.0.33	239.255.255.250	SSDP	179	M-SEARCH * HTTP/1.1			
107	15.143132	10.10.0.33	239.255.255.250	SSDP	179	M-SEARCH * HTTP/1.1			
84	12.346013	10.10.0.33	239.255.255.250	SSDP	179	M-SEARCH * HTTP/1.1			
82	12.157374	10.10.0.33	239.255.255.250	SSDP	179	M-SEARCH * HTTP/1.1			
81	12.143162	10.10.0.33	239.255.255.250	SSDP	179	M-SEARCH * HTTP/1.1			

Now, we see only the source IP: 10.10.0.33!

When searching for potentially malicious internet traffic I recommend searching for High Risk IP Addresses: <https://www.fraudlabspro.com/high-risk-ip-address>

Looking over this network traffic I immediately see a GET request of an executable with a destination IP: 194.87.236.205 on Aug 19, 2021 18:02:03.094668000 Central Daylight Time

1713	100.949434	10.10.0.33	194.87.236.205	HTTP	377	GET /jollion/lipster.exe HTTP/1.1
------	------------	------------	----------------	------	-----	-----------------------------------

To gather additional information I right click on the traffic and follow TCP stream bringing us to this window:

This is the malicious domain based off the results from both VT and alienvault.

DOMAIN

hypercustom.top

Add to Pulse

City

RELAYED FOR PRIVACY

Country

DE

Creation Date

2021-08-15T19:41:08

Dissec

unassigned

Domain Name

hypercustom.top

SHOWING 1 TO 10 OF 22 ENTRIES

1 2 3 NEXT

Passive DNS

STATUS	HOSTNAME	QUERY TYPE	ADDRESS	FIRST SEEN	LAST SEEN	ASN	COUNTRY
Unknown	hypercustom.top	A	NOCDNAN	2021-08-08 06:16	2024-02-08 02:44		
Unknown	hypercustom.top	A	46.73.214.97	2021-08-24 03:41	2021-08-25 12:06	AS4786 garant-park-internet-fo	Russia
Unknown	hypercustom.top	NS	b.dnspod.com	2021-08-20 12:06	2021-08-20 12:07	ASNone	China
Unknown	hypercustom.top	NS	a.dnspod.com	2021-08-20 12:06	2021-08-20 12:07	AS134756 chinanet-nanjing-jdun-idc-network	China
Unknown	hypercustom.top	SOA	a.dnspod.com	2021-08-20 12:06	2021-08-20 12:07	AS134756 chinanet-nanjing-jdun-idc-network	China
Unknown	hypercustom.top	NS	c.dnspod.com	2021-08-20 12:06	2021-08-20 12:07	AS4837 china-unicom-shanghai-backbone	China
Unknown	hypercustom.top	A	194.87.236.205	2021-08-19 11:59	2021-08-20 12:07	AS48347 jsc-microsoft-ekspert	Russia

Associated Files

Show 10 entries

DATE	HASH	AVAST	AVG	CLAMAV	MSDEFENDER
Aug 26, 2024	5a8f82f9f6c8b03862de7ad6d6ae589e70b6f750205dc0438f5632472cde			WinDropper/fagtor-9886202-0	
Aug 24, 2021	7608e6324b282280061ba071c5b0a473e9e980a05953a0ed69e776507e4	Win32/Malware-gen			
Aug 23, 2021	ce9877f9b6a40af7d0a476339a0672f8776cc0668f3963e43ba689189950b	Win32/DropperK-gen.(troj)		WinPacked/Barya-9895531-0	

SHOWING 1 TO 3 OF 3 ENTRIES

Related Domains

Also, another hint is that the user agent is Internet Explorer. Anything with a user agent of IE needs to be investigated as nothing should be using that program ideally.

There doesn't seem to be any additional malicious network traffic I can review outside of that executable being downloaded within the pcap.


ip.dst == 194.87.236.205

No.	Time	Source	Destination	Protocol	Length	Info
2012	101.149716	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=214501 Win=262144 Len=0
2013	101.149740	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=215961 Win=262144 Len=0
2014	101.149771	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=217421 Win=262144 Len=0
2015	101.149795	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=218881 Win=262144 Len=0
2020	101.179324	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=220341 Win=262144 Len=0
2021	101.179458	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=221801 Win=262144 Len=0
2028	101.180046	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=223261 Win=262144 Len=0
2029	101.180160	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=224721 Win=262144 Len=0
2030	101.180273	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=226181 Win=262144 Len=0
2031	101.180381	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=227641 Win=262144 Len=0
2038	101.181243	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=229101 Win=262144 Len=0
2039	101.181274	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=230561 Win=262144 Len=0
2040	101.181302	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=232021 Win=262144 Len=0
2041	101.181328	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=233481 Win=262144 Len=0
2042	101.181408	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=234941 Win=262144 Len=0
2043	101.181436	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=236401 Win=262144 Len=0
2044	101.181464	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=237861 Win=262144 Len=0
2045	101.181491	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=239321 Win=262144 Len=0
2056	101.181984	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=240781 Win=262144 Len=0
2057	101.182255	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=242241 Win=262144 Len=0
2058	101.182362	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=243701 Win=262144 Len=0
2059	101.183149	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=245161 Win=262144 Len=0
2060	101.183179	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=246621 Win=262144 Len=0
2061	101.183205	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=248081 Win=262144 Len=0
2062	101.183231	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=249541 Win=262144 Len=0
2063	101.183302	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=251001 Win=262144 Len=0
2064	101.183329	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=252461 Win=262144 Len=0
2065	101.183355	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [ACK] Seq=324 Ack=253921 Win=262144 Len=0
2066	101.228483	10.10.0.33	194.87.236.205	TCP	60	53497 → 80 [FIN, ACK] Seq=324 Ack=253201 Win=261400 Len=0
2075	116.632770	10.10.0.33	194.87.236.205	TCP	60	53495 → 80 [ACK] Seq=1 Ack=214 Win=261928 Len=0
2082	122.205201	10.10.0.33	194.87.236.205	TCP	60	53495 → 80 [FIN, ACK] Seq=1 Ack=214 Win=261928 Len=0
2083	122.205452	10.10.0.33	194.87.236.205	TCP	60	53495 → 80 [RST, ACK] Seq=2 Ack=214 Win=0 Len=0
2087	122.248192	10.10.0.33	194.87.236.205	TCP	60	53495 → 80 [RST] Seq=2 Win=0 Len=0
2118	130.995282	10.10.0.33	194.87.236.205	TCP	60	53498 → 80 [ACK] Seq=1 Ack=214 Win=261928 Len=0
2160	235.414101	10.10.0.33	194.87.236.205	TCP	60	53498 → 80 [FIN, ACK] Seq=1 Ack=214 Win=261928 Len=0
2161	235.414464	10.10.0.33	194.87.236.205	TCP	60	53498 → 80 [RST, ACK] Seq=2 Ack=214 Win=0 Len=0

Protocol: TCP (6)

Header Checksum: 0x11b9 [validation disabled]

Doing a bit of research we actually see that destination IP is associated with Russia and a known IOC of Redline found below!



Thank you for reading my analysis of this pcap and I hope you learned something!

Resources:

https://malpedia.caad.fkie.fraunhofer.de/details/win.redline_stealer

<https://bazaar.abuse.ch/sample/c1659a495f138b63f88811224783a82f96af6f37e6b3df0a8aa771e946a26a7d/#iocs>

<https://tria.ge/210821-bw3kx2chyn/behavioral1>

<https://www.bleepingcomputer.com/tag/redline/>

<https://securityscorecard.com/research/detailed-analysis-redline-stealer/>

Redline pcap: <https://github.com/brett-fitz/malware-pcap/tree/main/redline/pcap>