

# CS280r Project Proposal

## Group Mediation: something

Sophie Hilgard & Nicholas Hoernle

---

---

### 1. Introduction and Motivation

Given a group work setting, a moderator is interested in controlling the interaction of the group while not necessarily participating in the execution of the task at hand (Short and Matarić, 2015). We propose an on-line meeting environment where an artificial agent is able to control the meeting to optimize for the flow and productivity of the meeting whilst still engaging the various group members. The purpose of this project is to implement a ‘Slack bot’ to test the effect that an influencing agent may have in a human group environment.

Matsuyama et al. (2015) highlights the difficulty of maintaining the quality of interaction between a robot agent and a group. Thus to implement a feasible test, we constrain an implementation of the system to slack where easier text analysis can be conducted to facilitate a written group work meeting. The choice of slack is further due to the popularity of the tool in group code and business environments (JEFFREY, 2016)(Lebeuf et al., 2017).

### 2. Relation to CS280r Coursework

Grosz and Hunsberger (2006) present the formalism of shared plans but do not elaborate on how humans and/or agents collectively agree upon these plans. Hutchins (1995) presents a case study on the formalized communication among the participants about a sailing ship. He clearly shows how the correct communication protocols allowed the team to function efficiently and adapt to a changing environment. Friedkin et al. (2016) introduces the concept of group consensus and how the dependence on logical constraints affect the group decision. This project would rather tackle the problem of neutralizing overly influential (loud and outspoken) members of the group and encouraging participation by the quieter/less-spoken group members. The project may further extend the work done by Kamar et al. (2009) who design ways for an agent to decide when it is useful to help other members of the group with assigned tasks. In this case, the agent would have a very incomplete picture of what is being done (as the agent is not expected to comprehend the purposes of the meeting), but it should be in a position to infer enough information to assist in allowing the group to reach a consensus.

### 3. References

- E. Short, M. Matarić, Towards robot moderators: understanding goal-directed multi-party interactions, in: AAAI Fall Symposium on Artificial Intelligence and Human-Robot Interaction, 2015.
- Y. Matsuyama, I. Akiba, S. Fujie, T. Kobayashi, Four-participant group conversation: A facilitation robot controlling engagement density as the fourth participant, *Computer Speech & Language* 33 (1) (2015) 1–24.
- M. P. JEFFREY, HOW SCIENTISTS USE SLACK, *Nature* 536 (2016) 285–291.
- C. Lebeuf, M.-A. Storey, A. Zagalsky, How Software Developers Mitigate Collaboration Friction with Chatbots, *arXiv preprint arXiv:1702.07011* .
- B. J. Grosz, L. Hunsberger, The dynamics of intention in collaborative activity, *Cognitive Systems Research* 7 (2) (2006) 259–272.
- E. Hutchins, *Cognition in the Wild*, MIT press, 1995.
- N. E. Friedkin, A. V. Proskurnikov, R. Tempo, S. E. Parsegov, Network science on belief system dynamics under logic constraints, *Science* 354 (6310) (2016) 321–326.
- E. Kamar, Y. Gal, B. J. Grosz, Incorporating helpful behavior into collaborative planning, in: *Proceedings of The 8th International Conference on Autonomous Agents and Multiagent Systems-Volume 2*, International Foundation for Autonomous Agents and Multiagent Systems, 875–882, 2009.