OSD DEVELOPER DOCUMENTATION

Contents

- Backfill Reservation
- Erasure Coded Placement Groups
  - Glossary
  - Table of content
    - Developer notes
      - Introduction
      - Reading and writing encoded chunks from and to OSDs
      - Erasure code library
      - Notes
    - Jerasure plugin
      - Introduction
    - ECBackend Implementation Strategy
      - Misc initial design notes
        - PGTemp and Crush
        - Distinguished acting set positions
        - Object Classes
        - Scrub
        - Crush
    - ECBackend
      - MAIN OPERATION OVERVIEW
        - WHOLE STRIPE WRITE
        - READ-MODIFY-WRITE
        - OSD Object Write and Consistency
        - ExtentCache
        - Pipeline
- last_epoch_started
- Log Based PG
  - Background
    - Why PrimaryLogPG?
    - Primary log-based replication
  - ReplicatedBackend/ECBackend unification strategy
    - PGBackend
  - PGBackend Interface Explanation
    - Readable vs Degraded
    - Client Reads
    - Scrub
    - Recovery
- Map and PG Message handling
  - Overview
  - MOSDMap
  - MOSDPGOp/MOSDPGSubOp
  - CEPH_MSG_OSD_OP processing
  - Peering Messages
- OSD
  - Concepts
  - Overview
- OSD Throttles
  - WBThrottle
  - op_queue_throttle
  - journal usage throttle
- PG
  - Concepts
  - Peering Details and Gotchas
- PG Removal
- PGPool
- Recovery Reservation
  - Things to Note
  - See Also

- Scrubbing Behavior Table
  - State variables
- Snaps
  - Overview
  - Ondisk Structures
  - Snap Removal
  - Recovery
  - SnapMapper
  - Split
- Watch Notify
  - Overview
  - Watch Lifecycle
  - Notify Lifecycle
- Writeback Throttle