Ex1


Exercicio2.java
import java.util.Scanner;
public class Exercicio2 {
public static void main (String[] cu) {
Scanner scanner = new Scanner (System.in);
System.out.print (s: "digite um numero de 1 a 12: ");
int numero = scanner.nextInt();
switch (numero) {
case 1:
System.out.println(x: "Mes: Janeiro");
break;
case 2:
System.out.println(x: "Mes: Fevereiro");
break;
case 3:
System.out.println(x: "Mes: Marco");
break;
case 4:
System.out.println(x: "Mes: Abril");
break;
case 5:
System.out.println(x: "Mes: Maio");
break;
case 6:
System.out.println(x: "Mes: Junho");
break;
case 7:
System.out.println(x: "Mes: Julho");
break;
case 8:
System.out.println(x: "Mes: Agosto");
break;
case 9:
System.out.println(x: "Mes: Setembro");

Ex2


Exercicio3.java
import java.util.Scanner;
public class Exercicio3 {
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.print (s: "digite um numero: ");
double num = sc.nextDouble();
if (num > 0) {
System.out.println(x: "Positivo");
} else if (num < 0) {
System.out.println(x: "Negativo");
} else {
System.out.println(x: "Zero");
}
}
}

Ex3


File Edit Selection View Go Run
algoritmos
EXPLORER
ALGORITMOS
Ex3.java
Ex3.java > Language Support for Java(TM) by Red Hat > Ex3
import java.util.Scanner;
public class Ex3 {
Run main | Debug main | Run | Debug
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
char l = sc.next().charAt(index: 0);
if (l == 'a' || l == 'e' || l == 'i' || l == 'o' || l == 'u') {
System.out.println(x: "Vogal");
} else {
System.out.println(x: "Consoante");
}
}
}
OUTLINE
TIMELINE
PROJECTS
RUN CONFIGURATION
JAVA PROJECTS
Indexing completed. Java: Ready Update is ready, click to restart.
Ln 15, Col 2 Spaces: 4 UTF-8 CRLF Java Signed out

Ex4


File Edit Selection View Go Run
algoritmos
EXPLORER
ALGORITMOS
Ex4.java
Ex4.java > Language Support for Java(TM) by Red Hat > Ex4 > main(String[])
import java.util.Scanner;
public class Ex4 {
Run main | Debug main | Run | Debug
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.print (s: "digite um numero de 1 a 100: ");
double p = sc.nextDouble();
if (p <= 50) {
System.out.println(x: "Barato");
} else if (p <= 100) {
System.out.println(x: "Medio");
} else {
System.out.println(x: "Caro");
}
}
}
OUTLINE
TIMELINE
PROJECTS
RUN CONFIGURATION
JAVA PROJECTS
Indexing completed. Java: Ready Update is ready, click to restart.
Ln 6, Col 57 Spaces: 4 UTF-8 CRLF Java Signed out

Ex5


Ex5.java
import java.util.Scanner;

public class Ex5 {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print (s: "digite um numero: ");
        double a = sc.nextDouble();
        System.out.print (s: "digite o segundo numero: ");
        double b = sc.nextDouble();
        System.out.print (s: "digite uma operacao: ");
        char op = sc.next().charAt(index: 0);

        if (op == '+') {
            System.out.println(a + b);
        } else if (op == '-') {
            System.out.println(a - b);
        } else if (op == '*') {
            System.out.println(a * b);
        } else if (op == '/') {
            System.out.println(a / b);
        }
    }
}

Ex6


Ex6.java
import java.util.Scanner;

public class Ex6 {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print (s: "digite sua idade: ");
        int idade = sc.nextInt();

        if (idade <= 10) {
            System.out.println(x: "Infantil");
        } else if (idade <= 17) {
            System.out.println(x: "Juvenil");
        } else {
            System.out.println(x: "Senior");
        }
    }
}

Ex7


Ex7.java
import java.util.Scanner;
public class Ex7 {
Run main | Debug main | Run | Debug
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.print (s: "digite seu peso: ");
double peso = sc.nextDouble();
System.out.print (s: "digite sua altura: ");
double altura = sc.nextDouble();
double imc = peso / (altura * altura);
if (imc < 18.5) {
System.out.println(x: "Abaixo do peso");
} else if (imc < 25) {
System.out.println(x: "Normal");
} else if (imc < 30) {
System.out.println(x: "Sobrepeso");
} else {
System.out.println(x: "Obesidade");
}
}
}

Ex8


Ex8.java
import java.util.Scanner;
public class Ex8 {
Run main | Debug main | Run | Debug
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.print (s: "digite seu ano de nascimento: ");
int ano = sc.nextInt();
if (ano <= 2000) {
System.out.println(x: "Século XX");
} else {
System.out.println(x: "Século XXI");
}
}
}

Ex9


Ex9.java
import java.util.Scanner;
public class Ex9 {
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
int op = sc.nextInt();
if (op == 1) {
double c = sc.nextDouble();
double f = (c * 9/5) + 32;
System.out.println(f);
} else {
double f = sc.nextDouble();
double c = (f - 32) * 5/9;
System.out.println(c);
}
}
}

Ex10


Ex10.java
import java.util.Scanner;
public class Ex10 {
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
int x = sc.nextInt();
int y = sc.nextInt();
if (x > 0 && y > 0) {
System.out.println(x: "Quadrante I");
} else if (x < 0 && y > 0) {
System.out.println(x: "Quadrante II");
} else if (x < 0 && y < 0) {
System.out.println(x: "Quadrante III");
} else {
System.out.println(x: "Quadrante IV");
}
}
}

Ex11


Ex11.java
import java.util.Scanner;
public class Ex11 {
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
int v = sc.nextInt();
System.out.println(v / 100 + " notas de 100");
v = v % 100;
System.out.println(v / 50 + " notas de 50");
v = v % 50;
}
}

Ex12


Ex12.java
public class Ex12 {
public static void main(String[] args) {
if (a >= b && a >= c) {
if (b >= c)
System.out.println(a + " " + b + " " + c);
else
System.out.println(a + " " + c + " " + b);
} else if (b >= a && b >= c) {
if (a >= c)
System.out.println(b + " " + a + " " + c);
else
System.out.println(b + " " + c + " " + a);
} else {
if (a >= b)
System.out.println(c + " " + a + " " + b);
else
System.out.println(c + " " + b + " " + a);
}
}
}