

3
2
1
0
−log10 (adj. p−value)
−0.0000050
−0.0000025
0.0000000
0.0000025
weighted mean difference
adj. p−value < 0.001
no
TF activity higher in
K562
MCF7
TFBS
25000
50000
75000

*TF labeling skipped because number of significant TFs
exceeds the maximum of 150 (312)

2.0
1.5
1.0
0.5
0.0
−log10 (adj. p−value)

−0.0000050
−0.0000025
0.0000000
0.0000025
weighted mean difference

adj. p−value < 0.01
no
yes

TF activity higher in
K562
MCF7

TFBS
25000
50000
75000

*TF labeling skipped because number of significant TFs
exceeds the maximum of 150 (356)

2.0
1.5
1.0
0.5
0.0
−log10 (adj. p−value)

−0.0000050
−0.0000025
0.0000000
0.0000025
weighted mean difference

adj. p−value < 0.05
no
yes

TF activity higher in
K562
MCF7

TFBS
25000
50000
75000

*TF labeling skipped because number of significant TFs
exceeds the maximum of 150 (408)

2.0
1.5
1.0
0.5
0.0

−log10 (adj. p−value)

−0.0000050
−0.0000025
0.0000000
0.0000025

weighted mean difference

adj. p−value < 0.1
no
yes

TF activity higher in
K562
MCF7

TFBS
25000
50000
75000

*TF labeling skipped because number of significant TFs
exceeds the maximum of 150 (457)

−log10 (adj. p−value)

2.0
1.5
1.0
0.5
0.0


−0.0000050
−0.0000025
0.0000000
0.0000025

weighted mean difference

adj. p−value < 0.2
no
yes

TF activity higher in
K562
MCF7

TFBS
25000
50000
75000


3
2
1
0
−log10 (raw p−value)
−0.0000050
−0.0000025
0.0000000
0.0000025
weighted mean difference
raw p−value < 0.001
no
TF activity higher in
K562
MCF7
TFBS
25000
50000
75000

*TF labeling skipped because number of significant TFs
exceeds the maximum of 150 (312)

2

1

0

−log10 (raw p−value)

−0.0000050

−0.0000025

0.0000000

0.0000025

weighted mean difference

raw p−value < 0.01

no

yes

TF activity higher in

K562

MCF7

TFBS

25000

50000

75000

*TF labeling skipped because number of significant TFs
exceeds the maximum of 150 (397)

−log10 (raw p−value)

2

1

0

−0.0000050

−0.0000025

0.0000000

0.0000025

weighted mean difference

raw p−value < 0.05

no

yes

TF activity higher in

K562

MCF7

TFBS

25000

50000

75000

*TF labeling skipped because number of significant TFs
exceeds the maximum of 150 (446)

2

1

0

−log10 (raw p−value)

−0.0000050

−0.0000025

0.0000000

0.0000025

weighted mean difference

raw p−value < 0.1

no

yes

TF activity higher in

K562

MCF7

TFBS

25000

50000

75000

*TF labeling skipped because number of significant TFs
exceeds the maximum of 150 (503)

−log10 (raw p−value)

2

1

0

−0.0000050

−0.0000025

0.0000000

0.0000025

weighted mean difference

raw p−value < 0.2

no

yes

TF activity higher in

K562

MCF7

TFBS

25000

50000

75000