



#### Namespace



## Namespace



## View Namespaces

```
> kubectl get namespaces

NAME STATUS AGE
default Active 20m
kube-system Active 20m
```

## View Resources in a Namespace

> kubectl	get pods	;		
NAME myapp-pod	READY 1/1	STATUS Running	AGE 20s	

<pre>&gt; kubectl get podsnamespace=kube-system</pre>						
NAME	READY	STATUS	RESTARTS	AGE		
etcd-kubemaster	1/1	Running	2	14d		
kube-apiserver-kubemaster	1/1	Running	4	14d		
kube-controller-manager-kubemaster	1/1	Running	4	14d		
kube-dns-86f4d74b45-zgh8p	3/3	Running	10	14d		
kube-flannel-ds-gmg5r	1/1	Running	4	14d		
kube-flannel-ds-kt74d	1/1	Running	4	14d		
kube-flannel-ds-qtlg8	1/1	Running	4	14d		
kube-proxy-4nkb6	1/1	Running	3	14d		
kube-proxy-b6wnm	1/1	Running	3	14d		
kube-proxy-rph7b	1/1	Running	2	14d		
kube-scheduler-kubemaster	1/1	Running	3	14d		
metrics-server-6fbfb84cdd-jt5q9	1/1	Running	0	3d		



## Create Namespace

```
namespace-definition.yml
apiVersion: v1
kind: Namespace
metadata:
   name: team1
spec:
```

```
kubectl create -f namespace-definition.yml
namespace "team1" created
```

## Assign Objects to Namespace

```
kubectl create -f pod-definition.yml --namespace=team1
pod "myapp-pod" created
```

```
kubectl create -f pod-definition.yml
pod "myapp-pod" created
```

```
pod-definition.yml
apiVersion: V1
kind: Pod
metadata:
 name: myapp-pod
Indomelspace: team1
    app: myapp
    type: front-end
spec:
 containers:
  - name: nginx-container
    image: nginx
```




## Demo

Namespace





# Taints And Tolerations






2

Intolerant Tolerant






Taint







**K**ODE**K**LOUD











2



**K**ODE**K**LOUD





Taint=blue



#### Taints - Node

kubectl taint nodes node1 app=myapp:NoSchedule




## ★ Tolerations - PODs

kubectl taint nodes node1 app=myapp:NoSchedule


```
pod-definition.yml
apiVersion:
kind: Pod
metadata:
name: myapp-pod
spec:
 containers:
 - name: nginx-container
   image: nginx
  tolerations:
 - key:" "
    operator: "Equal"
   value:"
    effect:"
```

## Taint - NoExecute










Taint=blue



kubectl describe node kubemaster | grep Taint

Taints: node-role.kubernetes.io/master:NoSchedule






## Demo

Taints and Tolerations






#### Node Selectors












#### Node Selectors


```
pod-definition.yml
apiVersion:
kind: Pod
metadata:
name: myapp-pod
spec:
 containers:
 - name: data-processor
   image: data-processor
 nodeSelector:
    size: Large
```





## Label Nodes

- kubectl label nodes <node-name> <label-key>=<label-value>
- kubectl label nodes node-1 size=Large




#### Node Selector

```
pod-definition.yml

apiVersion:
kind: Pod
metadata:
  name: myapp-pod
spec:
  containers:
  - name: data-processor
  image: data-processor
  nodeSelector:
    size: Large
```

kubectl create -f pod-definition.yml

#### Node Selector




```
pod-definition.yml
apiVersion:
kind: Pod
metadata:
name: myapp-pod
spec:
 containers:
 - name: data-processor
   image: data-processor
 nodeSelector:
    size: Large
```

#### Node Selector - Limitations







- Large OR Medium?
- NOT Small


## Demo

Taints and Tolerations






## Node Affinity



#### PODs to Nodes



#### Node Selectors

```
pod-definition.yml
apiVersion:
kind: Pod
metadata:
name: myapp-pod
spec:
 containers:
 - name: data-processor
   image: data-processor
 nodeSelector:
```

- Large OR Medium?
- NOT Small



## Node Affinity

```
pod-definition.yml
apiVersion:
kind: Pod
metadata:
name: myapp-pod
spec:
 containers:
 - name: data-processor
   image: data-processor
  nodeSelector:
    size: Large
```

```
pod-definition.yml
apiVersion:
kind:
metadata:
name: myapp-pod
spec:
containers:
 - name: data-processor
   image: data-processor
 affinity:
  nodeAffinity:
    requiredDuringSchedulingIgnoredDuringExecution:
      nodeSelectorTerms:
      - matchExpressions:
        - key: size
          operator: In
          values:
          - Large
```



## Node Affinity

```
pod-definition.yml
apiVersion:
kind:
metadata:
name: myapp-pod
spec:
containers:
 - name: data-processor
   image: data-processor
 affinity:
  nodeAffinity:
    requiredDuringSchedulingIgnoredDuringExecution:
      nodeSelectorTerms:
      - matchExpressions:
        - key: size
          operator: Exists
```



## Node Affinity Types

Available:

requiredDuringSchedulingIgnoredDuringExecution preferredDuringSchedulingIgnoredDuringExecution

Planned:

requiredDuringSchedulingRequiredDuringExecution



## Node Affinity Types

Available:

requiredDuringSchedulingIgnoredDuringExecution

preferredDuringSchedulingIgnoredDuringExecution

	DuringScheduling	DuringExecution
Type 1	Required	Ignored
Type 2	Preferred	Ignored




## Node Affinity Types

Planned:

requiredDuringSchedulingRequiredDuringExecution

	DuringScheduling	DuringExecution
Type 1	Required	Ignored
Type 2	Preferred	Ignored
Type 3	Required	Required



**K**ODE**K**LOUD

## Demo

Taints and Tolerations




## References

https://kubernetes.io/docs/concepts/configuration/assign-pod-node/



Node Affinity
vs
Taints and
Tolerations



















#### Taints and Tolerations



## Node Affinity



## Taints/Tolerations and Node Affinity

