### Lab 4 - B00058026

```
C:\Users\nicky\Desktop\College\College\Year 4\Semester 2\Web Services\Labs\lab04.xml - Note
                                                                                                                                                                                                                     - n ×
          Search View Encoding Language Settings Macro Run Window
lab04.xml ⊠
         Generated by JAX-WS RI at http://jax-ws.dev.java.net. RI's version is Metro/2.3 (tags/2.3-7528; 2013-04-29T19:34:10+0000)
          JAXWS-RI/2.2.8 JAXWS/2.2 svn-revision#unknown.
      cdefinitions xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd" xmlns:wsp="
http://www.w3.org/ns/ws-policy" xmlns:wsp1 2="http://schemas.xmlsoap.org/ws/2004/09/policy" xmlns:wsam="
http://www.w3.org/2007/05/addressing/metadata" xmlns:oap="http://schemas.xmlsoap.org/ws/004/09/policy" xmlns:tns="http://Lab04/" xmlns:xsd="
http://www.w3.org/2001/04Uschema" xmlns="http://schemas.xmlsoap.org/wsdl/" targetNamespace="http://Lab04/" name="Lab04Service">
http://www.w3.org/2001/04Uschema" xmlns="http://schemas.xmlsoap.org/wsdl/" targetNamespace="http://schemas.xmlsoap.org/wsdl/" targetNamespace="http://schemas.xmlsoap.or
                <types
                      <xsd:schema>
<xsd:import namespace="http://Lab04/" schemaLocation="http://desktop-0d4klr3:8080/Lab04/Lab04Service?xsd=1" />
</xsd:schema>
               <message name="constructorResponse"</pre>
                       </message>
                </message>
<message name="getPriceResponse">
<part name="parameters" element="tns:getPriceResponse" />
                | \part | name - parameters = stement - this:getFriderespons |
/message | name = "updateStock" |
| \part | name = "parameters = element = "this:updateStock" |
</message>
                </message>
                <operation name="getPrice"</pre>
                      </operation>
<operation>
amme="updateStock">
<input wsam:Action="http://Lab04/Lab04/updateStockRequest" message="tns:updateStock" />
<output wsam:Action="http://Lab04/Lab04/updateStockResponse" message="tns:updateStockResponse"</pre>
                       </operation>

<
                <binding name="Lab04PortBinding" type="tns:Lab04">
                      </input>
                            <output>
                                   <soap:body use="literal" />
                     <input>
                                   <soap:body use="literal" />
                            </input
                            </operation>
                     <operation name="updateStock">
                         <output>
  <soap:body use="literal" />
                            </output>
                      <operation name="changeStock">
  <soap:operation soapAction="" />
  <input>
                                   <soap:body use="literal" />
                            </input>
                            <output>
                                   <soap:body use="literal" />
                <pre
          </definitions
```

### **Types**

The types element contains the user defined data types.

## **Interface and Operations**

The interface is an abstract definition of the web service which does not have an information about where and how the service is provided.

An operation describes the input and output data structures.

# **Input and Output**

Input and output refers to the input and output messages.

### **Binding types**

Binding defines the protocol and data format for each port type.