

FagusED · International Mathematics  
01 · Number

What is the key method or rule for number structure?

IMA-0001

PREGUNTA

FagusED · International Mathematics  
01 · Number

What is the key method or rule for sets and regions?

IMA-0002

PREGUNTA

FagusED · International Mathematics  
01 · Number

Which is prime?

- A) 1
- B) 21
- C) 29
- D) 39

IMA-0003

PREGUNTA

FagusED · International Mathematics  
01 · Number

What is HCF(18,30)?

- A) 3
- B) 6
- C) 9
- D) 90

IMA-0004

PREGUNTA

FagusED · International Mathematics  
01 · Number

What is 15% of 80?

- A) 8
- B) 12
- C) 15
- D) 20

IMA-0005

PREGUNTA

FagusED · International Mathematics  
01 · Number

Write 0.00056 in standard form.

- A)  $5.6 \times 10^{-4}$
- B)  $5.6 \times 10^4$
- C)  $56 \times 10^{-4}$
- D)  $0.56 \times 10^{-3}$

IMA-0006

PREGUNTA

FagusED · International Mathematics  
01 · Number

How would you check or qualify a result involving multiplicative models?

IMA-0007

PREGUNTA

FagusED · International Mathematics  
02 · Algebra

What is the key method or rule for expressions and algebraic rules?

IMA-0008

PREGUNTA

FagusED · International Mathematics  
02 · Algebra

What is the key method or rule for equations and formulae?

IMA-0009

PREGUNTA

FagusED · International Mathematics  
02 · Algebra

Simplify  $5a - 2a + 7$ .

- A)  $3a + 7$
- B)  $7a + 7$
- C)  $3a - 7$
- D)  $10a + 7$

IMA-0010

PREGUNTA

FagusED · International Mathematics  
02 · Algebra

Expand  $-2(x - 3)$ .

- A)  $-2x - 6$
- B)  $-2x + 6$
- C)  $2x - 6$
- D)  $-x + 3$

IMA-0011

PREGUNTA

FagusED · International Mathematics  
02 · Algebra

Factorise  $x^2 - 16$ .

- A)  $(x - 4)(x + 4)$
- B)  $(x - 8)^2$
- C)  $x(x - 16)$
- D)  $(x - 4)^2$

IMA-0012

PREGUNTA

FagusED · International Mathematics  
02 · Algebra

Solve  $3x + 2 = 14$ .

- A) 3
- B) 4
- C) 5
- D) 6

IMA-0013

PREGUNTA

FagusED · International Mathematics  
02 · Algebra

How would you check or qualify a result involving surds and algebraic fractions?

IMA-0014

PREGUNTA

FagusED · International Mathematics  
03 · Functions

What is the key method or rule for functions as input-output rules?

IMA-0015

PREGUNTA

C) 29

IMA-0003

RESPUESTA

A universal set contains all objects under discussion.  $A \cap B$  is the overlap,  $A \cup B$  includes either set, and  $A'$  is the complement relative to the universal set. Fill the overlap first, then the exclusive parts, then the outside region.

IMA-0002

RESPUESTA

A prime number has exactly two positive factors. Prime factorisation writes an integer as a product of primes; the highest common factor uses the lowest common powers and the lowest common multiple uses the highest. A rational number can be written as a fraction of integers; irrational numbers cannot.

IMA-0001

RESPUESTA

A)  $5.6 \times 10^{-4}$

IMA-0006

RESPUESTA

B) 12

IMA-0005

RESPUESTA

B) 6

IMA-0004

RESPUESTA

An equation is balanced when the same operation is applied to both sides. Eliminate or substitute to solve two equations in two unknowns. Rearranging a formula treats the requested letter as the unknown and every other letter as constant. Check the final values in the original equations.

IMA-0009

RESPUESTA

Algebra uses letters for unknown or varying values. Like terms have the same variable part; add their coefficients. The distributive law multiplies each term in a bracket. To factorise, identify a common factor or reverse a quadratic expansion. State any excluded values when simplifying an algebraic fraction.

IMA-0008

RESPUESTA

An interest rate or population growth rate may not remain constant forever.

IMA-0007

RESPUESTA

A)  $(x - 4)(x + 4)$

IMA-0012

RESPUESTA

B)  $-2x + 6$

IMA-0011

RESPUESTA

A)  $3a + 7$

IMA-0010

RESPUESTA

A function assigns one output to each allowed input. Its domain gives permitted inputs; its range gives outputs. In  $f(x)$ , replace every  $x$  with the given value before evaluating. A table, equation, graph and verbal rule can describe the same relationship.

IMA-0015

RESPUESTA

Cancelling a term from a sum changes the value; cancel factors only.

IMA-0014

RESPUESTA

B) 4

IMA-0013

RESPUESTA

**FagusED · International Mathematics**  
**03 · Functions**

What is the key method or rule for domain, intercepts and graph shapes?

IMA-0016

PREGUNTA

**FagusED · International Mathematics**  
**03 · Functions**

For  $f(x)=2x+1$ , find  $f(3)$ .  
A) 5  
B) 6  
C) 7  
D) 8

IMA-0017

PREGUNTA

**FagusED · International Mathematics**  
**03 · Functions**

For  $f(x)=x^2$ , find  $f(-4)$ .  
A) -16  
B) -8  
C) 8  
D) 16

IMA-0018

PREGUNTA

**FagusED · International Mathematics**  
**03 · Functions**

Which  $x$  is excluded from  $f(x)=1/(x-5)$ ?  
A) -5  
B) 0  
C) 1  
D) 5

IMA-0019

PREGUNTA

**FagusED · International Mathematics**  
**03 · Functions**

If  $f(x)=3x$  and  $g(x)=x+2$ , find  $fg(1)$ .  
A) 5  
B) 7  
C) 9  
D) 11

IMA-0020

PREGUNTA

**FagusED · International Mathematics**  
**03 · Functions**

How would you check or qualify a result involving graphical methods?

IMA-0021

PREGUNTA

**FagusED · International Mathematics**  
**04 · Coordinate geometry**

What is the key method or rule for gradient from two points?

IMA-0022

PREGUNTA

**FagusED · International Mathematics**  
**04 · Coordinate geometry**

What is the key method or rule for midpoint and distance?

IMA-0023

PREGUNTA

**FagusED · International Mathematics**  
**04 · Coordinate geometry**

Gradient from (0,1) to (2,5)?  
A) 1  
B) 2  
C) 3  
D) 4

IMA-0024

PREGUNTA

**FagusED · International Mathematics**  
**04 · Coordinate geometry**

Midpoint of (2,4) and (8,10)?  
A) (6,14)  
B) (5,7)  
C) (3,3)  
D) (10,14)

IMA-0025

PREGUNTA

**FagusED · International Mathematics**  
**04 · Coordinate geometry**

Distance between (0,0) and (3,4)?  
A) 4  
B) 5  
C) 6  
D) 7

IMA-0026

PREGUNTA

**FagusED · International Mathematics**  
**04 · Coordinate geometry**

Which line is parallel to  $y = 3x + 2$ ?  
A)  $y = -3x + 4$   
B)  $y = x/3 + 4$   
C)  $y = 3x - 7$   
D)  $y = -x/3 + 1$

IMA-0027

PREGUNTA

**FagusED · International Mathematics**  
**04 · Coordinate geometry**

How would you check or qualify a result involving graphical intersection checks?

IMA-0028

PREGUNTA

**FagusED · International Mathematics**  
**05 · Geometry**

What is the key method or rule for angles and polygons?

IMA-0029

PREGUNTA

**FagusED · International Mathematics**  
**05 · Geometry**

What is the key method or rule for congruence and similarity?

IMA-0030

PREGUNTA

FagusED · International Mathematics  
03 · Functions

D) 16

IMA-0018

RESPUESTA

FagusED · International Mathematics  
03 · Functions

C) 7

IMA-0017

RESPUESTA

FagusED · International Mathematics  
03 · Functions

Linear graphs are straight lines, quadratics are parabolas, and reciprocals have excluded values and asymptotes. Set  $x=0$  to find a y-intercept and set  $f(x)=0$  for x-intercepts. Look at the domain before drawing a curve:  $y=1/x$  is undefined at  $x=0$ .

IMA-0016

RESPUESTA

FagusED · International Mathematics  
03 · Functions

Inspect both sides of a quadratic graph so that negative roots are not missed.

IMA-0021

RESPUESTA

FagusED · International Mathematics  
03 · Functions

C) 9

IMA-0020

RESPUESTA

FagusED · International Mathematics  
03 · Functions

D) 5

IMA-0019

RESPUESTA

FagusED · International Mathematics  
04 · Coordinate geometry

B) 2

IMA-0024

RESPUESTA

FagusED · International Mathematics  
04 · Coordinate geometry

The midpoint averages the two x-values and the two y-values separately. The distance formula comes from Pythagoras:  $d^2 = (\Delta x)^2 + (\Delta y)^2$ . A sketch helps detect an impossible negative distance or midpoint outside the segment.

IMA-0023

RESPUESTA

FagusED · International Mathematics  
04 · Coordinate geometry

The gradient of the line from  $(x_1, y_1)$  to  $(x_2, y_2)$  is change in y divided by change in x. A positive gradient rises to the right and a negative gradient falls. A horizontal line has gradient zero; a vertical line has undefined gradient.

IMA-0022

RESPUESTA

FagusED · International Mathematics  
04 · Coordinate geometry

C)  $y = 3x - 7$

IMA-0027

RESPUESTA

FagusED · International Mathematics  
04 · Coordinate geometry

B) 5

IMA-0026

RESPUESTA

FagusED · International Mathematics  
04 · Coordinate geometry

B) (5,7)

IMA-0025

RESPUESTA

FagusED · International Mathematics  
05 · Geometry

Congruent triangles match exactly in side lengths and angles, often by SSS, SAS, ASA or RHS. Similar figures have equal corresponding angles and lengths in a common ratio  $k$ . Corresponding areas change by  $k^2$  and volumes by  $k^3$ . Match corresponding vertices before calculating.

IMA-0030

RESPUESTA

FagusED · International Mathematics  
05 · Geometry

Angles on a straight line total  $180^\circ$ , around a point  $360^\circ$  and inside a triangle  $180^\circ$ . Parallel lines yield corresponding and alternate equal angles and co-interior supplementary angles. A polygon with  $n$  sides has interior angle sum  $(n - 2) \times 180^\circ$ .

IMA-0029

RESPUESTA

FagusED · International Mathematics  
04 · Coordinate geometry

Check both original equations after a graphical estimate.

IMA-0028

RESPUESTA

**FagusED · International Mathematics**  
**05 · Geometry**

Sum of angles in a triangle?

- A)  $90^\circ$
- B)  $180^\circ$
- C)  $270^\circ$
- D)  $360^\circ$

IMA-0031

PREGUNTA

**FagusED · International Mathematics**  
**05 · Geometry**

Interior angle sum of a hexagon?

- A)  $360^\circ$
- B)  $540^\circ$
- C)  $720^\circ$
- D)  $900^\circ$

IMA-0032

PREGUNTA

**FagusED · International Mathematics**  
**05 · Geometry**

One exterior angle of a regular decagon?

- A)  $18^\circ$
- B)  $36^\circ$
- C)  $72^\circ$
- D)  $144^\circ$

IMA-0033

PREGUNTA

**FagusED · International Mathematics**  
**05 · Geometry**

If lengths scale by 3, areas scale by

- A) 3
- B) 6
- C) 9
- D) 27

IMA-0034

PREGUNTA

**FagusED · International Mathematics**  
**05 · Geometry**

How would you check or qualify a result involving investigating geometric patterns?

IMA-0035

PREGUNTA

**FagusED · International Mathematics**  
**06 · Mensuration**

What is the key method or rule for units and area?

IMA-0036

PREGUNTA

**FagusED · International Mathematics**  
**06 · Mensuration**

What is the key method or rule for circles, arcs and sectors?

IMA-0037

PREGUNTA

**FagusED · International Mathematics**  
**06 · Mensuration**

1 m<sup>2</sup> equals how many cm<sup>2</sup>?

- A) 100
- B) 1000
- C) 10000
- D) 1000000

IMA-0038

PREGUNTA

**FagusED · International Mathematics**  
**06 · Mensuration**

Area of a triangle with base 8 cm and height 5 cm?

- A) 13
- B) 20
- C) 40
- D) 80

IMA-0039

PREGUNTA

**FagusED · International Mathematics**  
**06 · Mensuration**

Circumference of a circle with radius 4?

- A)  $4\pi$
- B)  $8\pi$
- C)  $16\pi$
- D)  $32\pi$

IMA-0040

PREGUNTA

**FagusED · International Mathematics**  
**06 · Mensuration**

Volume of a cylinder with radius 2 and height 5?

- A)  $10\pi$
- B)  $20\pi$
- C)  $25\pi$
- D)  $40\pi$

IMA-0041

PREGUNTA

**FagusED · International Mathematics**  
**06 · Mensuration**

How would you check or qualify a result involving models with changing dimensions?

IMA-0042

PREGUNTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

What is the key method or rule for right triangles?

IMA-0043

PREGUNTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

What is the key method or rule for sine, cosine and tangent?

IMA-0044

PREGUNTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

Hypotenuse of sides 5 and 12?

- A) 11
- B) 12
- C) 13
- D) 17

IMA-0045

PREGUNTA

**FagusED · International Mathematics**  
**05 · Geometry**

B)  $36^\circ$

IMA-0033

RESPUESTA

**FagusED · International Mathematics**  
**05 · Geometry**

C)  $720^\circ$

IMA-0032

RESPUESTA

**FagusED · International Mathematics**  
**05 · Geometry**

B)  $180^\circ$

IMA-0031

RESPUESTA

**FagusED · International Mathematics**  
**06 · Mensuration**

Convert lengths before calculating. Area is measured in square units:  $1 \text{ m}^2 = 10000 \text{ cm}^2$ ; volume is in cubic units:  $1 \text{ m}^3 = 1000000 \text{ cm}^3$ . A triangle has area  $\frac{1}{2} \times \text{base} \times \text{perpendicular height}$ , and a trapezium has area  $\frac{1}{2} \times \text{sum of parallel sides} \times \text{height}$ .

IMA-0036

RESPUESTA

**FagusED · International Mathematics**  
**05 · Geometry**

Measurements can be imprecise; use angle sums to justify the formula.

IMA-0035

RESPUESTA

**FagusED · International Mathematics**  
**05 · Geometry**

C) 9

IMA-0034

RESPUESTA

**FagusED · International Mathematics**  
**06 · Mensuration**

B) 20

IMA-0039

RESPUESTA

**FagusED · International Mathematics**  
**06 · Mensuration**

C) 10000

IMA-0038

RESPUESTA

**FagusED · International Mathematics**  
**06 · Mensuration**

The circle circumference is  $2\pi r$  and area is  $\pi r^2$ . A sector with central angle  $\theta$  takes fraction  $\theta/360$  of a full circle, so its arc length is  $(\theta/360)2\pi r$  and area is  $(\theta/360)\pi r^2$ . Include straight radii when asked for sector perimeter.

IMA-0037

RESPUESTA

**FagusED · International Mathematics**  
**06 · Mensuration**

A graph of volume against  $h$  is a line only if radius stays constant.

IMA-0042

RESPUESTA

**FagusED · International Mathematics**  
**06 · Mensuration**

B)  $20\pi$

IMA-0041

RESPUESTA

**FagusED · International Mathematics**  
**06 · Mensuration**

B)  $8\pi$

IMA-0040

RESPUESTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

C) 13

IMA-0045

RESPUESTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

For a marked acute angle in a right triangle, sine = opposite/hypotenuse, cosine = adjacent/hypotenuse, tangent = opposite/adjacent. Label sides relative to that angle before choosing. Use inverse trig for an angle and check the calculator is in degrees.

IMA-0044

RESPUESTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

Pythagoras gives  $\text{hypotenuse}^2 = \text{other side}^2 + \text{other side}^2$ . The hypotenuse is opposite the right angle. For a missing shorter side, subtract squared lengths before taking a square root. In 3D, use one right triangle to find a face diagonal, then another for a space diagonal.

IMA-0043

RESPUESTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

For opposite 3, hypotenuse 5,  $\sin \theta$  is

- A)  $3/5$
- B)  $4/5$
- C)  $5/3$
- D)  $3/4$

IMA-0046

PREGUNTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

For adjacent 4, opposite 3,  $\tan \theta$  is

- A)  $4/3$
- B)  $3/4$
- C)  $3/5$
- D)  $4/5$

IMA-0047

PREGUNTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

Which is the sine rule?

- A)  $a/\sin A = b/\sin B$
- B)  $a^2 + b^2 = c^2$  for all triangles
- C)  $\sin A + \sin B = 1$
- D)  $a \cos A = b \cos B$

IMA-0048

PREGUNTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

How would you check or qualify a result involving sensitivity to measurements?

IMA-0049

PREGUNTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

What is the key method or rule for moving a shape?

IMA-0050

PREGUNTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

What is the key method or rule for enlargement and scale?

IMA-0051

PREGUNTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

Translate (2,3) by (4,-1).

- A) (6,2)
- B) (-2,4)
- C) (8,3)
- D) (2,-1)

IMA-0052

PREGUNTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

Reflect (3,-2) in the x-axis.

- A) (-3,-2)
- B) (-3,2)
- C) (3,2)
- D) (2,-3)

IMA-0053

PREGUNTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

Rotate (2,1)  $180^\circ$  about origin.

- A) (1,2)
- B) (-2,-1)
- C) (2,-1)
- D) (-1,2)

IMA-0054

PREGUNTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

Enlarge (1,-3) by scale factor 2 about origin.

- A) (2,-6)
- B) (-2,6)
- C) (1,-6)
- D) (3,-1)

IMA-0055

PREGUNTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

How would you check or qualify a result involving repeated motions as sequences?

IMA-0056

PREGUNTA

**FagusED · International Mathematics**  
**09 · Probability**

What is the key method or rule for single events?

IMA-0057

PREGUNTA

**FagusED · International Mathematics**  
**09 · Probability**

What is the key method or rule for sample space and combinations?

IMA-0058

PREGUNTA

**FagusED · International Mathematics**  
**09 · Probability**

$P(A) = 0.35$ . What is  $P(\text{not } A)$ ?

- A) 0.35
- B) 0.65
- C) 1.35
- D) 0.75

IMA-0059

PREGUNTA

**FagusED · International Mathematics**  
**09 · Probability**

$P(\text{heads twice})$  for a fair coin?

- A)  $1/2$
- B)  $1/4$
- C)  $1/3$
- D)  $1/8$

IMA-0060

PREGUNTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

A)  $a/\sin A = b/\sin B$

IMA-0048

RESPUESTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

B)  $3/4$

IMA-0047

RESPUESTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

A)  $3/5$

IMA-0046

RESPUESTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

An enlargement with scale factor  $k$  sends a point  $X$  from centre  $O$  to  $X'$  with  $OX' = k OX$  as directed. Negative scale factors place images across the centre. Lengths change by  $|k|$  and areas by  $k^2$ . Use lines through corresponding vertices to locate the centre.

IMA-0051

RESPUESTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

A translation moves each point by the same column vector, such as  $(3,-2)$ : right 3 and down 2. A reflection uses a mirror line and reverses orientation. A rotation requires its centre, angle and direction. Give a transformation in full to distinguish motions with similar images.

IMA-0050

RESPUESTA

**FagusED · International Mathematics**  
**07 · Trigonometry**

State model assumptions such as level ground.

IMA-0049

RESPUESTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

B)  $(-2,-1)$

IMA-0054

RESPUESTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

C)  $(3,2)$

IMA-0053

RESPUESTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

A)  $(6,2)$

IMA-0052

RESPUESTA

**FagusED · International Mathematics**  
**09 · Probability**

A probability lies between 0 and 1. For equally likely outcomes,  $P(A) = \text{favourable outcomes}/\text{total outcomes}$ . Complement  $P(\text{not } A) = 1 - P(A)$ . Experimental relative frequency approximates probability when trials are numerous, but is not guaranteed to match exactly.

IMA-0057

RESPUESTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

$n$  counts complete moves and starts at zero.

IMA-0056

RESPUESTA

**FagusED · International Mathematics**  
**08 · Transformations and vectors**

A)  $(2,-6)$

IMA-0055

RESPUESTA

**FagusED · International Mathematics**  
**09 · Probability**

B)  $1/4$

IMA-0060

RESPUESTA

**FagusED · International Mathematics**  
**09 · Probability**

B)  $0.65$

IMA-0059

RESPUESTA

**FagusED · International Mathematics**  
**09 · Probability**

List the full sample space systematically using a table or tree. For either event  $A$  or event  $B$ ,  $P(A \cup B) = P(A) + P(B) - P(A \cap B)$ . If events cannot occur together, the overlap is zero. With equally likely pair outcomes, count ordered pairs rather than just distinct totals.

IMA-0058

RESPUESTA

**FagusED · International Mathematics**  
**09 · Probability**

Probability of a 6 on a fair die?  
A)  $\frac{1}{3}$   
B)  $\frac{1}{6}$   
C)  $\frac{1}{4}$   
D) 6

IMA-0061

PREGUNTA

**FagusED · International Mathematics**  
**09 · Probability**

A certain event has probability  
A) 0  
B) 0.5  
C) 1  
D) 6

IMA-0062

PREGUNTA

**FagusED · International Mathematics**  
**09 · Probability**

How would you check or qualify a result involving probability simulation?

IMA-0063

PREGUNTA

**FagusED · International Mathematics**  
**10 · Statistics**

What is the key method or rule for kinds of data and displays?

IMA-0064

PREGUNTA

**FagusED · International Mathematics**  
**10 · Statistics**

What is the key method or rule for mean, median and spread?

IMA-0065

PREGUNTA

**FagusED · International Mathematics**  
**10 · Statistics**

Median of 2,4,9?  
A) 2  
B) 4  
C) 5  
D) 9

IMA-0066

PREGUNTA

**FagusED · International Mathematics**  
**10 · Statistics**

Mean of 3,5,7,9?  
A) 5  
B) 6  
C) 7  
D) 8

IMA-0067

PREGUNTA

**FagusED · International Mathematics**  
**10 · Statistics**

Range of 2,5,11,14?  
A) 9  
B) 11  
C) 12  
D) 14

IMA-0068

PREGUNTA

**FagusED · International Mathematics**  
**10 · Statistics**

For grouped data, the mean uses  
A) lower bounds only  
B) class midpoints  
C) upper bounds only  
D) modal class only

IMA-0069

PREGUNTA

**FagusED · International Mathematics**  
**10 · Statistics**

How would you check or qualify a result involving model selection and residuals?

IMA-0070

PREGUNTA

**FagusED · International Mathematics**  
**09 · Probability**

Simulation outcomes need not equal the theoretical prediction exactly.

IMA-0063

RESPUESTA

**FagusED · International Mathematics**  
**09 · Probability**

C) 1

IMA-0062

RESPUESTA

**FagusED · International Mathematics**  
**09 · Probability**

B) 1/6

IMA-0061

RESPUESTA

**FagusED · International Mathematics**  
**10 · Statistics**

B) 4

IMA-0066

RESPUESTA

**FagusED · International Mathematics**  
**10 · Statistics**

Mean = sum of values/number of values. Median is the middle ordered observation; mode is the most frequent. Range = largest - smallest. Quartiles split ordered data, and interquartile range =  $Q3 - Q1$ . Compare typical value and spread together.

IMA-0065

RESPUESTA

**FagusED · International Mathematics**  
**10 · Statistics**

Categorical data name groups; numerical data are discrete counts or continuous measurements. Choose a bar chart for categories, a histogram for grouped continuous values and a scatter diagram for paired measurements. An unequal interval width in a histogram requires frequency density, not bar height equal to frequency.

IMA-0064

RESPUESTA

**FagusED · International Mathematics**  
**10 · Statistics**

B) class midpoints

IMA-0069

RESPUESTA

**FagusED · International Mathematics**  
**10 · Statistics**

C) 12

IMA-0068

RESPUESTA

**FagusED · International Mathematics**  
**10 · Statistics**

B) 6

IMA-0067

RESPUESTA

**FagusED · International Mathematics**  
**10 · Statistics**

Avoid treating a line of best fit as an exact rule for every observation.

IMA-0070

RESPUESTA