

Scenario ID	JIRA ID name	SW Requirement	SY Requirement	Positive
1	Remove tibia resection depth from surgeon preferences screen	NA(No requirement present)	NA(No requirement present)	<p>Pre-requisite: Ensure to create a new surgeon and not access SPP-Launcher.</p> <p>Log in to new surgeon-->Create a TKA case--> Begin operation--> Navigate to Surgeon preferences screen-->Verify that there is no option for tibia resection depth in the state.</p>
2		NA(No requirement present)	NA(No requirement present)	<p>Pre-requisite: Ensure to select an implant, deformity, reference file in SPP-Launcher. Change preference values for Tibia resection depth before quitting the state.</p> <p>Create a TKA case--> Begin operation--> Navigate to Surgeon preferences screen-->Verify that there is no option for tibia resection depth in the state.</p>
3		NA(No requirement present)	NA(No requirement present)	

18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
45				
46				
47				
48				
49				
50				
51				
52				

Negative	Boundary Analysis	State Transition
	NA	
		Continue from G3-- >Complete the case with good points--> Navigate back from Post-op Gap Assessment to Surgeon preference screen--> Verify that there is no option for tibia resection depth in the state.
<p>Pre-requisite: Downgrade system to 1.7 or earlier. Create a case and change surgeon preferences for tibia resection depth. Accept the changes for this case by clicking No on pop-up. Complete the case.</p> <p>Upgrade the system to CORI 2.0--> Log in to same surgeon--> Resume the case completed in 1.7 or earlier--> Navigate to Combined Planning--> Navigate back to Surgeon preferences screen--> Verify that there is no option for tibia resection depth in the state</p>		

<p>Pre-requisite: Downgrade system to 1.7 or earlier. Create a case and change surgeon preferences for tibia resection depth. Accept the changes for this case by clicking Yes on pop-up. Complete the case.</p> <p>Upgrade the system to CORI 2.0--> Log in to same surgeon--> Resume the case completed in 1.7 or earlier--> Navigate to Combined Planning--> Navigate back to Surgeon preferences screen--> Verify that there is no option for tibia resection depth in the state</p>		

[illegible]

Combination Testing	Remarks
<p>Log in to a surgeon--> Select SPP widget--> Quit without changing anything-->Create a TKA case--> Navigate to surgeon preferences screen--> Verify that there is no option for tibia resection depth in the state--> Navigate to Post-op gap assessment state--> Navigate back to Surgeon preference screen--> Verify that there is no option for tibia resection depth--> Quit from the state--> Select SPP widget--> change implant, deformity and change preferences--> Quit to save --> Resume the case--> Navigate from Combined planning screen to surgeon preference screen--> Verify that there is no tibia resection depth in the state</p>	

[illegible]

[illegible]

Linked JIRA ID
Linked Epic: https://smith-nephew.atlassian.net/browse/RIOSI-933

