Supplemental Figure 1: Manuscript III

Marion Jetter, Nicolas Blöchliger, Michael Hombach* Institute of Medical Microbiology, University of Zurich, Gloriastrasse 30/32, 8006 Zürich, Switzerland

24/11/2016

Contents


1	Amikacine1.1 Amikacine, A. baumanii1.2 Amikacine, P. aeruginosa	4
2	Ampicilline2.1 Ampicilline, E. faecalis	;
3	Cefepime 3.1 Cefepime, P. aeruginosa	7
4	Ceftazidime 4.1 Ceftazidime, P. aeruginosa	8
5	Ciprofloxacine 5.1 Ciprofloxacine, A. baumanii 5.2 Ciprofloxacine, P. aeruginosa	
6	6.1 Gentamicine, A. baumanii	11 12 13 14
7	7.1 Imipeneme, <i>A. baumanii</i>	15 15 16
8	Levofloxacine8.1 Levofloxacine, A. baumanii	
9	Meropeneme9.1 Meropeneme, A. baumanii	
10	10.1 Norfloxacine, E. faecalis	21 21 22
	Piperacilline/Tazobactam 11.1 Piperacilline/Tazobactam. P. aeruginosa.	23

12	Tobramycine	2
	12.1 Tobramycine, A. baumanii	2
	12.2 Tobramycine, <i>P. aeruginosa</i>	2
13	Vancomycine	2
	13.1 Vancomycine, E. faecalis	2
	13.2 Vancomycine, E. faecium	2
14	Auxiliary figure for Tab. 2 (main text)	2

1 Amikacine

1.1 Amikacine, A. baumanii


phenotype	n
Aminoglycoside-non-wild-type	34
wild-type	124




Caption or footnote for Amikacine / A. baumanii, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

1.2 Amikacine, P. aeruginosa

phenotype	n
Aminoglycoside-non-wild-type	30
wild-type	265






Caption or footnote for Amikacine / P. aeruginosa, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

2 Ampicilline

2.1 Ampicilline, E. faecalis


phenotype	n
beta-Lactamase-non-wild-type	4
wild-type	133




Caption or footnote for Ampicilline / E. faecalis, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

2.2 Ampicilline, E. faecium

phenotype	n
beta-Lactamase-non-wild-type wild-type	210 17






Caption or footnote for Ampicilline / E. faecium, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

3 Cefepime

$3.1\quad \text{Cefepime, }\textit{P. aeruginosa}$

phenotype	n
beta-Lactamase-non-wild-type	41
wild-type	254




Caption or footnote for Cefepime / P. aeruginosa, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

4 Ceftazidime

4.1 Ceftazidime, P. aeruginosa

phenotype	n
beta-Lactamase-non-wild-type	47
wild-type	248




Caption or footnote for Ceftazidime / P. aeruginosa, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

5 Ciprofloxacine

5.1 Ciprofloxacine, A. baumanii


phenotype	n
Quinolone-non-wild-type	38
wild-type	120



Caption or footnote for Ciprofloxacine / A. baumanii, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

5.2 Ciprofloxacine, P. aeruginosa

phenotype	n
Quinolone-non-wild-type	93
wild-type	202




Caption or footnote for Ciprofloxacine / P. aeruginosa, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

time / h

6 Gentamicine

6.1 Gentamicine, A. baumanii

phenotype	n
Aminoglycoside-non-wild-type	34
wild-type	124




Caption or footnote for Gentamicine / A. baumanii, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

6.2 Gentamicine, E. faecalis

phenotype	n
highlevel resistance	37
wild-type	100







Caption or footnote for Gentamicine / E. faecalis, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

6.3 Gentamicine, E. faecium

phenotype	n
highlevel resistance	125
wild-type	102
•	







Caption or footnote for $Gentamicine \ / \ E.$ faecium, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

6.4 Gentamicine, P. aeruginosa

phenotype	n
Aminoglycoside-non-wild-type	28
wild-type	267






Caption or footnote for Gentamicine / P. aeruginosa, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

7 Imipeneme

7.1 Imipeneme, A. baumanii


phenotype	n
beta-Lactamase-non-wild-type	36
wild-type	122



Caption or footnote for Imipeneme / A. baumanii, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

7.2 Imipeneme, P. aeruginosa

phenotype	n
beta-Lactamase-non-wild-type wild-type	103 192




Caption or footnote for Imipeneme / P. aeruginosa, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

time / h

8 Levofloxacine

8.1 Levofloxacine, A. baumanii


phenotype	n
Quinolone-non-wild-type	38
wild-type	120




Caption or footnote for Levofloxacine / A. baumanii, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

8.2 Levofloxacine, P. aeruginosa

phenotype	n
Quinolone-non-wild-type wild-type	108 187
wiid-type	10






Caption or footnote for Levofloxacine / P. aeruginosa, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

9 Meropeneme

9.1 Meropeneme, A. baumanii


phenotype	n
beta-Lactamase-non-wild-type wild-type	36 122



Caption or footnote for Meropeneme / A. baumanii, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

9.2 Meropeneme, P. aeruginosa

phenotype	n
beta-Lactamase-non-wild-type wild-type	72 223




Caption or footnote for Meropeneme / P. aeruginosa, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

10 Norfloxacine

10.1 Norfloxacine, E. faecalis

phenotype	n
Quinolone-non-wild-type	51
wild-type	86




Caption or footnote for Norfloxacine / E. faecalis, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

10.2 Norfloxacine, E. faecium

phenotype	n
Quinolone-non-wild-type	196
wild-type	31






Caption or footnote for Norfloxacine / E. faecium, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

11 Piperacilline/Tazobactam

11.1 Piperacilline/Tazobactam, P. aeruginosa

phenotype	n
beta-Lactamase-non-wild-type	41
wild-type	254




Caption or footnote for Piperacilline/Tazobactam / P. aeruginosa, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

12 Tobramycine

12.1 Tobramycine, A. baumanii


phenotype	n
Aminoglycoside-non-wild-type	26
wild-type	132




Caption or footnote for Tobramycine / A. baumanii, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

12.2 Tobramycine, P. aeruginosa

phenotype	n
Aminoglycoside-non-wild-type	27
wild-type	268






Caption or footnote for Tobramycine / P. aeruginosa, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

13 Vancomycine

13.1 Vancomycine, E. faecalis


phenotype	n
Glycopeptide-non-wild-type	2
wild-type	135




Caption or footnote for Vancomycine / E. faecalis, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

13.2 Vancomycine, E. faecium

phenotype	n
Glycopeptide-non-wild-type	62
wild-type	165





Caption or footnote for Vancomycine / E. faecium, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

14 Auxiliary figure for Tab. 2 (main text)

