

# Supplemental Figure 1: Development of zone diameters of wild-type and non-wild-type populations over time

Marion Jetter, Nicolas Blöchliger, Michael Hombach\*

Institute of Medical Microbiology, University of Zurich, Gloriastrasse 30/32, 8006 Zürich, Switzerland

22/11/2016

## Contents

<b>1</b>	<b>Amoxicillin clavulanate</b>	<b>4</b>
1.1	Amoxicillin clavulanate, <i>E. coli</i> . . . . .	4
1.2	Amoxicillin clavulanate, <i>K. pneumoniae</i> . . . . .	5
<b>2</b>	<b>Ampicillin</b>	<b>6</b>
2.1	Ampicillin, <i>E. coli</i> . . . . .	6
<b>3</b>	<b>Cefepime</b>	<b>7</b>
3.1	Cefepime, <i>E. cloacae</i> . . . . .	7
3.2	Cefepime, <i>E. coli</i> . . . . .	8
3.3	Cefepime, <i>K. pneumoniae</i> . . . . .	9
<b>4</b>	<b>Cefoxitin</b>	<b>10</b>
4.1	Cefoxitin, <i>E. coli</i> . . . . .	10
4.2	Cefoxitin, <i>K. pneumoniae</i> . . . . .	11
4.3	Cefoxitin, <i>S. aureus</i> . . . . .	12
4.4	Cefoxitin, <i>S. epidermidis</i> . . . . .	13
<b>5</b>	<b>Cefpodoxime</b>	<b>14</b>
5.1	Cefpodoxime, <i>E. cloacae</i> . . . . .	14
5.2	Cefpodoxime, <i>E. coli</i> . . . . .	15
5.3	Cefpodoxime, <i>K. pneumoniae</i> . . . . .	16
<b>6</b>	<b>Ceftriaxone</b>	<b>17</b>
6.1	Ceftriaxone, <i>E. cloacae</i> . . . . .	17
6.2	Ceftriaxone, <i>E. coli</i> . . . . .	18
6.3	Ceftriaxone, <i>K. pneumoniae</i> . . . . .	19
<b>7</b>	<b>Cefuroxime</b>	<b>20</b>
7.1	Cefuroxime, <i>E. cloacae</i> . . . . .	20
7.2	Cefuroxime, <i>E. coli</i> . . . . .	21
7.3	Cefuroxime, <i>K. pneumoniae</i> . . . . .	22
<b>8</b>	<b>Ciprofloxacin</b>	<b>23</b>
8.1	Ciprofloxacin, <i>E. cloacae</i> . . . . .	23
8.2	Ciprofloxacin, <i>E. coli</i> . . . . .	24
8.3	Ciprofloxacin, <i>K. pneumoniae</i> . . . . .	25
8.4	Ciprofloxacin, <i>S. aureus</i> . . . . .	26
8.5	Ciprofloxacin, <i>S. epidermidis</i> . . . . .	27


<b>9</b>	<b>Clindamycin</b>	<b>28</b>
9.1	Clindamycin, <i>S. aureus</i> . . . . .	28
9.2	Clindamycin, <i>S. epidermidis</i> . . . . .	29
<b>10</b>	<b>Erythromycin</b>	<b>30</b>
10.1	Erythromycin, <i>S. aureus</i> . . . . .	30
10.2	Erythromycin, <i>S. epidermidis</i> . . . . .	31
<b>11</b>	<b>Fusidic acid</b>	<b>32</b>
11.1	Fusidic acid, <i>S. aureus</i> . . . . .	32
11.2	Fusidic acid, <i>S. epidermidis</i> . . . . .	33
<b>12</b>	<b>Gentamicin</b>	<b>34</b>
12.1	Gentamicin, <i>E. cloacae</i> . . . . .	34
12.2	Gentamicin, <i>E. coli</i> . . . . .	35
12.3	Gentamicin, <i>K. pneumoniae</i> . . . . .	36
12.4	Gentamicin, <i>S. aureus</i> . . . . .	37
12.5	Gentamicin, <i>S. epidermidis</i> . . . . .	38
<b>13</b>	<b>Kanamycin</b>	<b>39</b>
13.1	Kanamycin, <i>S. aureus</i> . . . . .	39
13.2	Kanamycin, <i>S. epidermidis</i> . . . . .	40
<b>14</b>	<b>Levofloxacin</b>	<b>41</b>
14.1	Levofloxacin, <i>E. cloacae</i> . . . . .	41
14.2	Levofloxacin, <i>E. coli</i> . . . . .	42
14.3	Levofloxacin, <i>K. pneumoniae</i> . . . . .	43
14.4	Levofloxacin, <i>S. aureus</i> . . . . .	44
14.5	Levofloxacin, <i>S. epidermidis</i> . . . . .	45
<b>15</b>	<b>Linezolid</b>	<b>46</b>
15.1	Linezolid, <i>S. aureus</i> . . . . .	46
15.2	Linezolid, <i>S. epidermidis</i> . . . . .	47
<b>16</b>	<b>Meropenem</b>	<b>48</b>
16.1	Meropenem, <i>E. cloacae</i> . . . . .	48
16.2	Meropenem, <i>E. coli</i> . . . . .	49
16.3	Meropenem, <i>K. pneumoniae</i> . . . . .	50
<b>17</b>	<b>Minocycline</b>	<b>51</b>
17.1	Minocycline, <i>S. aureus</i> . . . . .	51
17.2	Minocycline, <i>S. epidermidis</i> . . . . .	52
<b>18</b>	<b>Naladixic acid</b>	<b>53</b>
18.1	Naladixic acid, <i>E. cloacae</i> . . . . .	53
18.2	Naladixic acid, <i>E. coli</i> . . . . .	54
18.3	Naladixic acid, <i>K. pneumoniae</i> . . . . .	55
<b>19</b>	<b>Norfloxacin</b>	<b>56</b>
19.1	Norfloxacin, <i>E. cloacae</i> . . . . .	56
19.2	Norfloxacin, <i>E. coli</i> . . . . .	57
19.3	Norfloxacin, <i>K. pneumoniae</i> . . . . .	58
19.4	Norfloxacin, <i>S. aureus</i> . . . . .	59
19.5	Norfloxacin, <i>S. epidermidis</i> . . . . .	60
<b>20</b>	<b>Penicillin</b>	<b>61</b>

20.1	Penicillin, <i>S. aureus</i> . . . . .	61
20.2	Penicillin, <i>S. epidermidis</i> . . . . .	62
<b>21</b>	<b>Piperacillin/Tazobactam</b>	<b>63</b>
21.1	Piperacillin/Tazobactam, <i>E. cloacae</i> . . . . .	63
21.2	Piperacillin/Tazobactam, <i>E. coli</i> . . . . .	64
21.3	Piperacillin/Tazobactam, <i>K. pneumoniae</i> . . . . .	65
<b>22</b>	<b>Rifampicin</b>	<b>66</b>
22.1	Rifampicin, <i>S. aureus</i> . . . . .	66
22.2	Rifampicin, <i>S. epidermidis</i> . . . . .	67
<b>23</b>	<b>Sulfameth./Trimethoprim</b>	<b>68</b>
23.1	Sulfameth./Trimethoprim, <i>E. cloacae</i> . . . . .	68
23.2	Sulfameth./Trimethoprim, <i>E. coli</i> . . . . .	69
23.3	Sulfameth./Trimethoprim, <i>K. pneumoniae</i> . . . . .	70
23.4	Sulfameth./Trimethoprim, <i>S. aureus</i> . . . . .	71
23.5	Sulfameth./Trimethoprim, <i>S. epidermidis</i> . . . . .	72
<b>24</b>	<b>Temocillin</b>	<b>73</b>
24.1	Temocillin, <i>E. cloacae</i> . . . . .	73
24.2	Temocillin, <i>E. coli</i> . . . . .	74
24.3	Temocillin, <i>K. pneumoniae</i> . . . . .	75
<b>25</b>	<b>Tetracycline</b>	<b>76</b>
25.1	Tetracycline, <i>S. aureus</i> . . . . .	76
25.2	Tetracycline, <i>S. epidermidis</i> . . . . .	77
<b>26</b>	<b>Tigecycline</b>	<b>78</b>
26.1	Tigecycline, <i>E. cloacae</i> . . . . .	78
26.2	Tigecycline, <i>E. coli</i> . . . . .	79
26.3	Tigecycline, <i>K. pneumoniae</i> . . . . .	80
26.4	Tigecycline, <i>S. aureus</i> . . . . .	81
26.5	Tigecycline, <i>S. epidermidis</i> . . . . .	82
<b>27</b>	<b>Tobramycin</b>	<b>83</b>
27.1	Tobramycin, <i>E. cloacae</i> . . . . .	83
27.2	Tobramycin, <i>E. coli</i> . . . . .	84
27.3	Tobramycin, <i>K. pneumoniae</i> . . . . .	85
27.4	Tobramycin, <i>S. aureus</i> . . . . .	86
27.5	Tobramycin, <i>S. epidermidis</i> . . . . .	87
<b>28</b>	<b>Auxillary figure for Fig. 2 (main text)</b>	<b>89</b>
<b>29</b>	<b>Fig. 1 (main text): Enterobacteriaceae</b>	<b>89</b>
<b>30</b>	<b>Fig. 2 (main text): staphylococci</b>	<b>90</b>
<b>31</b>	<b>Fig. 3 (main text)</b>	<b>91</b>

# 1 Amoxicillin clavulanate

## 1.1 Amoxicillin clavulanate, *E. coli*


phenotype	n
aquired AmpC	47
ESBL	150
KPC	1
NDM	1
other beta-lactamases*	217
OXA-48	4
wild-type	57



Caption or footnote for Amoxicillin clavulanate / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

## 1.2 Amoxicillin clavulanate, *K. pneumoniae*

phenotype	n
aquired AmpC	1
ESBL	63
KPC	13
NDM	6
other beta-lactamases*	129
OXA-48	10
VIM	2
wild-type	155




Caption or footnote for Amoxicillin clavulanate / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

# 2 Ampicillin

## 2.1 Ampicillin, *E. coli*

phenotype	n
aquired AmpC	47
ESBL	150
KPC	1
NDM	1
other beta-lactamases*	217
OXA-48	4
wild-type	57




Caption or footnote for Ampicillin / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

### 3 Cefepime

#### 3.1 Cefepime, *E. cloacae*


phenotype	n
AmpC hyperproduction	223
ESBL	26
OXA-48	1
VIM	1
wild-type	52



Caption or footnote for Cefepime / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

### 3.2 Cefepime, *E. coli*

phenotype	n
aquired AmpC	47
ESBL	150
KPC	1
NDM	1
other beta-lactamases*	217
OXA-48	4
wild-type	57




*Caption or footnote for Cefepime / E. coli, to be written.* Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.



### 3.3 Cefepime, *K. pneumoniae*

phenotype	n
acquired AmpC	1
ESBL	63
KPC	13
NDM	6
other beta-lactamases*	121
OXA-48	10
VIM	2
wild-type	163




Caption or footnote for Cefepime / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

# 4 Cefoxitin

## 4.1 Cefoxitin, *E. coli*


phenotype	n
aquired AmpC	47
ESBL	150
KPC	1
NDM	1
other beta-lactamases*	217
OXA-48	4
wild-type	57



Caption or footnote for Cefoxitin / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

## 4.2 Cefoxitin, *K. pneumoniae*


phenotype	n
acquired AmpC	1
ESBL	63
KPC	13
NDM	6
other beta-lactamases*	121
OXA-48	10
VIM	2
wild-type	163



Caption or footnote for Cefoxitin / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

4.3 Cefoxitin, *S. aureus*


phenotype	n
PBP2a	51
wild-type	158



Caption or footnote for Cefoxitin / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

4.4 Cefoxitin, *S. epidermidis*

phenotype	n
blaZ Penicillinase	4
PBP2a	256
wild-type	34




Caption or footnote for Cefoxitin / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

# 5 Cefpodoxime

## 5.1 Cefpodoxime, *E. cloacae*


phenotype	n
AmpC hyperproduction	223
ESBL	26
OXA-48	1
VIM	1
wild-type	52



Caption or footnote for Cefpodoxime / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

5.2 Cefpodoxime, *E. coli*


phenotype	n
aquired AmpC	47
ESBL	150
KPC	1
NDM	1
other beta-lactamases*	217
OXA-48	4
wild-type	57



Caption or footnote for Cefpodoxime / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

### 5.3 Cefpodoxime, *K. pneumoniae*

phenotype	n
aquired AmpC	1
ESBL	63
KPC	13
NDM	6
other beta-lactamases*	121
OXA-48	10
VIM	2
wild-type	163




Caption or footnote for Cefpodoxime / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.



# 6 Ceftriaxone

## 6.1 Ceftriaxone, *E. cloacae*


phenotype	n
AmpC hyperproduction	223
ESBL	26
OXA-48	1
VIM	1
wild-type	52



Caption or footnote for Ceftriaxone / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

6.2 Ceftriaxone, *E. coli*


phenotype	n
aquired AmpC	47
ESBL	150
KPC	1
NDM	1
other beta-lactamases*	217
OXA-48	4
wild-type	57



Caption or footnote for Ceftriaxone / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

### 6.3 Ceftriaxone, *K. pneumoniae*

phenotype	n
aquired AmpC	1
ESBL	63
KPC	13
NDM	6
other beta-lactamases*	121
OXA-48	10
VIM	2
wild-type	163




Caption or footnote for Ceftriaxone / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

## 7 Cefuroxime

### 7.1 Cefuroxime, *E. cloacae*


phenotype	n
AmpC hyperproduction	223
ESBL	26
OXA-48	1
VIM	1
wild-type	52



Caption or footnote for Cefuroxime / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

## 7.2 Cefuroxime, *E. coli*


phenotype	n
aquired AmpC	47
ESBL	150
KPC	1
NDM	1
other beta-lactamases*	217
OXA-48	4
wild-type	57



Caption or footnote for Cefuroxime / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

### 7.3 Cefuroxime, *K. pneumoniae*


phenotype	n
aquired AmpC	1
ESBL	63
KPC	13
NDM	6
other beta-lactamases*	121
OXA-48	10
VIM	2
wild-type	163



Caption or footnote for Cefuroxime / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.


## 8 Ciprofloxacin

### 8.1 Ciprofloxacin, *E. cloacae*



*Caption or footnote for Ciprofloxacin / E. cloacae, to be written.* Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.


8.2 Ciprofloxacin, *E. coli*



Caption or footnote for Ciprofloxacin / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.




8.3 Ciprofloxacin, *K. pneumoniae*




Caption or footnote for Ciprofloxacin / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

8.4 Ciprofloxacin, *S. aureus*



Caption or footnote for Ciprofloxacin / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

8.5 Ciprofloxacin, *S. epidermidis*




Caption or footnote for Ciprofloxacin / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

## 9 Clindamycin


### 9.1 Clindamycin, *S. aureus*

phenotype	n
cMLS	26
iMLS	44
wild-type	97



Caption or footnote for Clindamycin / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.


9.2 Clindamycin, *S. epidermidis*



Caption or footnote for Clindamycin / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

# 10 Erythromycin


## 10.1 Erythromycin, *S. aureus*



Caption or footnote for Erythromycin / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

10.2 Erythromycin, *S. epidermidis*


phenotype	n
cMLS	22
Efflux	28
iMLS	5
wild-type	64



Caption or footnote for Erythromycin / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

# 11 Fusidic acid

## 11.1 Fusidic acid, *S. aureus*




Caption or footnote for Fusidic acid / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.



11.2 Fusidic acid, *S. epidermidis*

phenotype	n
non-wild-type	150
wild-type	144




Caption or footnote for Fusidic acid / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

# 12 Gentamicin

## 12.1 Gentamicin, *E. cloacae*


phenotype	n
AAC(2')/AAC(3')-II/-IV	2
multiple mechanisms	84
wild-type	213



Caption or footnote for Gentamicin / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

12.2 Gentamicin, *E. coli*


phenotype	n
AAC(2')/AAC(3')-II/-IV	11
multiple mechanisms	113
wild-type	349



Caption or footnote for Gentamicin / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.


12.3 Gentamicin, *K. pneumoniae*

phenotype	n
AAC(2')/AAC(3')-II/-IV	3
multiple mechanisms	72
wild-type	300




Caption or footnote for Gentamicin / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

12.4 Gentamicin, *S. aureus*



Caption or footnote for Gentamicin / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.


12.5 Gentamicin, *S. epidermidis*



Caption or footnote for Gentamicin / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.


# 13 Kanamycin

## 13.1 Kanamycin, *S. aureus*



Caption or footnote for Kanamycin / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

13.2 Kanamycin, *S. epidermidis*




Caption or footnote for Kanamycin / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.




## 14 Levofloxacin

### 14.1 Levofloxacin, *E. cloacae*




Caption or footnote for Levofloxacin / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

14.2 Levofloxacin, *E. coli*




Caption or footnote for Levofloxacin / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

14.3 Levofloxacin, *K. pneumoniae*




Caption or footnote for Levofloxacin / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

14.4 Levofloxacin, *S. aureus*



Caption or footnote for Levofloxacin / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

14.5 Levofloxacin, *S. epidermidis*




Caption or footnote for Levofloxacin / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

15    Linezolid

15.1    Linezolid, *S. aureus*


phenotype	n
wild-type	407



*Caption or footnote for Linezolid / S. aureus, to be written.*

15.2 Linezolid, *S. epidermidis*

phenotype	n
wild-type	294




Caption or footnote for Linezolid / *S. epidermidis*, to be written.

16 Meropenem

16.1 Meropenem, *E. cloacae*

phenotype	n
AmpC hyperproduction	223
ESBL	26
OXA-48	1
VIM	1
wild-type	52




Caption or footnote for Meropenem / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.



16.2 Meropenem, *E. coli*


phenotype	n
aquired AmpC	47
ESBL	150
KPC	1
NDM	1
other beta-lactamases*	217
OXA-48	4
wild-type	57



Caption or footnote for Meropenem / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

16.3 Meropenem, *K. pneumoniae*

phenotype	n
aquired AmpC	1
ESBL	63
KPC	13
NDM	6
other beta-lactamases*	121
OXA-48	10
VIM	2
wild-type	163




Caption or footnote for Meropenem / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

17 Minocycline

17.1 Minocycline, *S. aureus*


phenotype	n
tetB efflux and/or ribosomal protection	6
wild-type	403



Caption or footnote for Minocycline / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

17.2 Minocycline, *S. epidermidis*


phenotype	n
tetB efflux and/or ribosomal protection	3
wild-type	294



Caption or footnote for Minocycline / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.


18 Naladixic acid

18.1 Naladixic acid, *E. cloacae*



Caption or footnote for Naladixic acid / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.


18.2 Naladixic acid, *E. coli*



Caption or footnote for Naladixic acid / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

18.3 Naladixic acid, *K. pneumoniae*


phenotype	n
high level resistance	140
low level resistance	117
wild-type	119



Caption or footnote for Naladixic acid / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

## 19 Norfloxacin


### 19.1 Norfloxacin, *E. cloacae*



Caption or footnote for Norfloxacin / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.




19.2 Norfloxacin, *E. coli*




Caption or footnote for Norfloxacin / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

19.3 Norfloxacin, *K. pneumoniae*




Caption or footnote for Norfloxacin / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

19.4 Norfloxacin, *S. aureus*



Caption or footnote for Norfloxacin / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.


19.5 Norfloxacin, *S. epidermidis*



Caption or footnote for Norfloxacin / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

# 20 Penicillin


## 20.1 Penicillin, *S. aureus*



Caption or footnote for Penicillin / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

20.2 Penicillin, *S. epidermidis*

phenotype	n
blaZ Penicillinase	4
PBP2a	256
wild-type	34




Caption or footnote for Penicillin / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

# 21 Piperacillin/Tazobactam

## 21.1 Piperacillin/Tazobactam, *E. cloacae*


phenotype	n
AmpC hyperproduction	223
ESBL	26
OXA-48	1
VIM	1
wild-type	52



Caption or footnote for Piperacillin/Tazobactam / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

21.2 Piperacillin/Tazobactam, *E. coli*

phenotype	n
aquired AmpC	47
ESBL	150
KPC	1
NDM	1
other beta-lactamases*	217
OXA-48	4
wild-type	57




Caption or footnote for Piperacillin/Tazobactam / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.



21.3 Piperacillin/Tazobactam, *K. pneumoniae*

phenotype	n
acquired AmpC	1
ESBL	63
KPC	13
NDM	6
other beta-lactamases*	128
OXA-48	10
VIM	2
wild-type	156




Caption or footnote for Piperacillin/Tazobactam / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

22 Rifampicin

22.1 Rifampicin, *S. aureus*


phenotype	n
non-wild-type	7
wild-type	400



Caption or footnote for Rifampicin / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

22.2 Rifampicin, *S. epidermidis*

phenotype	n
non-wild-type	41
wild-type	253




Caption or footnote for Rifampicin / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

23 Sulfameth./Trimethoprim

23.1 Sulfameth./Trimethoprim, *E. cloacae*


phenotype	n
non-wild-type	81
wild-type	118



Caption or footnote for Sulfameth./Trimethoprim / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

23.2 Sulfameth./Trimethoprim, *E. coli*


phenotype	n
non-wild-type	160
wild-type	122



Caption or footnote for Sulfameth./Trimethoprim / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

23.3 Sulfameth./Trimethoprim, *K. pneumoniae*


phenotype	n
non-wild-type	82
wild-type	143



Caption or footnote for Sulfameth./Trimethoprim / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

23.4 Sulfameth./Trimethoprim, *S. aureus*


phenotype	n
non-wild-type	9
wild-type	164



Caption or footnote for Sulfameth./Trimethoprim / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

23.5 Sulfameth./Trimethoprim, *S. epidermidis*

phenotype	n
non-wild-type	136
wild-type	155




Caption or footnote for Sulfameth./Trimethoprim / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.



24 Temocillin

24.1 Temocillin, *E. cloacae*


phenotype	n
AmpC hyperproduction	205
ESBL	11
VIM	1
wild-type	51



Caption or footnote for Temocillin / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

24.2 Temocillin, *E. coli*


phenotype	n
aquired AmpC	32
ESBL	91
NDM	1
other beta-lactamases*	52
OXA-48	4
wild-type	3



Caption or footnote for Temocillin / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

24.3 Temocillin, *K. pneumoniae*

phenotype	n
acquired AmpC	1
ESBL	18
KPC	10
NDM	5
other beta-lactamases*	99
OXA-48	10
VIM	1
wild-type	124




Caption or footnote for Temocillin / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

25 Tetracycline

25.1 Tetracycline, *S. aureus*


phenotype	n
non-tetB-efflux	35
tetB efflux and/or ribosomal protection	5
wild-type	366



Caption or footnote for Tetracycline / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

25.2 Tetracycline, *S. epidermidis*


phenotype	n
non-tetB-efflux	59
tetB efflux and/or ribosomal protection	3
wild-type	232



Caption or footnote for Tetracycline / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

26 Tigecycline


26.1 Tigecycline, *E. cloacae*



Caption or footnote for Tigecycline / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

26.2 Tigecycline, *E. coli*


phenotype	n
RND pump	3
wild-type	347



Caption or footnote for Tigecycline / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

26.3 Tigecycline, *K. pneumoniae*

phenotype	n
RND pump	87
wild-type	253




Caption or footnote for Tigecycline / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.



26.4 Tigecycline, *S. aureus*


phenotype	n
wild-type	406



Caption or footnote for Tigecycline / *S. aureus*, to be written.

26.5 Tigecycline, *S. epidermidis*

phenotype	n
wild-type	294




Caption or footnote for Tigecycline / *S. epidermidis*, to be written.

27 Tobramycin

27.1 Tobramycin, *E. cloacae*


phenotype	n
AAC(2')/AAC(3')-II/-IV	2
ANT(4')/AAC(6')-Ib	6
multiple mechanisms	84
wild-type	207



Caption or footnote for Tobramycin / *E. cloacae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

27.2 Tobramycin, *E. coli*


phenotype	n
AAC(2')/AAC(3')-II/-IV	11
ANT(4')/AAC(6')-Ib	49
multiple mechanisms	113
wild-type	300



Caption or footnote for Tobramycin / *E. coli*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.


27.3 Tobramycin, *K. pneumoniae*

phenotype	n
AAC(2')/AAC(3')-II/-IV	3
ANT(4')/AAC(6')-Ib	41
multiple mechanisms	72
wild-type	259




Caption or footnote for Tobramycin / *K. pneumoniae*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

27.4 Tobramycin, *S. aureus*



Caption or footnote for Tobramycin / *S. aureus*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.

27.5 Tobramycin, *S. epidermidis*



Caption or footnote for Tobramycin / *S. epidermidis*, to be written. Boxes range from the 5th to the 95th percentiles, whiskers cover the whole range of the data, and thick lines indicate medians.






29 Fig. 1 (main text): Enterobacteriaceae



30 Fig. 2 (main text): staphylococci



31 Fig. 3 (main text)

