

A Minimal Demo of knitr

Yihui Xie, modified by NicoBloc

October 22, 2016

You can test if **knitr** works with this minimal demo. OK, let's get started with some boring random numbers:

```
set.seed(1121)
head(x <- rnorm(1000))


## [1] 0.1449583 0.4383221 0.1531912 1.0849426 1.9995449 -0.8118832

mean(x); var(x)

## [1] -0.03538379
## [1] 1.024176
```


The first element of `x` is 0.1449583. Boring boxplots and histograms recorded by the PDF device:

```
## two plots side by side (option fig.show='hold')
par(mar=c(4, 4, 1, .1), cex.lab=.95, cex.axis=.9, mgp=c(2, .7, 0), tcl=-.3, las=1)
boxplot(x)
hist(x, main='Boring histogram')
```



Cool plot (Brownian motion):

```
plot(cumsum(x), type='l')
silent <- lapply(2:4, function(i) lines(cumsum(sample(x)), col=i))
```



Do the above chunks work? You should be able to compile the \TeX document and get a PDF file like this one: <https://github.com/yihui/knitr/releases/download/doc/knitr-minimal.pdf>. The Rnw source of this document is at <https://github.com/yihui/knitr/blob/master/inst/examples/knitr-minimal.Rnw>.