# General Exam Paper

#### Nico Courts

#### Winter 2019

#### **Abstract**

We begin by going through a considerable amount of domain knowledge concerning representations of  $\operatorname{GL}_n$ , representations of  $\operatorname{\mathfrak{S}}_n$ , and strict polynomial functors all in service of understanding the Schur-Weyl functor that relates several of these categories. From there, we investigate recent work on the part of Krause and his students Aquilino and Reischuk on this functor and the fact that it is monoidal under reasonably natural monoidal structures on the categories in question. Finally we ask some questions about whether the monoidal structure on strict polynomial functors extends meaningfully to pathologies that arise in positive characteristic.

#### Contents

1	Introduction1.1 Schur and Polynomial Representations1.2 The Schur-Weyl Functor	2 2 2
2	Representations of $GL_n$ and of $\mathfrak{S}_n$	3
3	The Schur-Weyl Functor	3
4	Strict Polynomial Functors	3
5	Questions and Extensions	3
Ac	cknowledgements	3
Re	eferences	4

#### 1 Introduction

#### 1.1 Schur and Polynomial Representations

The story of this project (more-or-less) begins with Schur's doctoral thesis [Sch01] in which he defined polynomial representations of  $GL_n$ —a theory which he developed more completely in his later paper Über die rationalen Darstellungen der allgemeinen linearen Gruppe<sup>1</sup> [Sch73]. In these papers, Schur develops the idea of a **polynomial representation of**  $GL_n$ , meaning a (finite dimensional) representation where the coefficient functions of the representing map

$$\rho: \operatorname{GL}_n \to \operatorname{GL}(V)$$

is polynomial in each coordinate. That is, if  $V = \bigoplus_{i=1}^{n} k v_i$ , then for every  $1 \le i, j \le n$ , we have the map  $r_{v_i v_j} : \operatorname{GL}_n \to k$  such that

$$\rho(g) \cdot v_i = \sum_{i=1}^n r_{v_i v_j} v_j.$$

A result in [Sch01] gives us a nice simplifying observation: if V is a polynomial representation, then V decomposes as a direct sum of representations

$$V = \bigoplus_{\delta} V_{\delta}$$

where each  $V_{\delta}$  is a polynomial representation where the coefficient functions are *homogeneous* degree  $\delta$ . This allows us to focus our attention to the structure of these  $V_{\delta}$  as the fundamental building blocks of the theory.

One of the more surprising connections made in this theory comes from the observation that the vector space (recall  $V \cong k^n$ )

$$E = V^{\otimes r}$$

is made into a  $(GL_n(k), \mathfrak{S}_r)$ -bimodule in a very natural way, and that this bimodule gives us a way to relate **mod**- $\mathfrak{S}_r$  with (a subcategory of)  $GL_n(k)$ -**mod** via the so-called **Schur-Weyl functor.** 

### 1.2 The Schur-Weyl Functor

Clearly a connection between representations of two groups that are so ubiquitous in group theory and math in general is a stunning observation, and much effort has been expended since the late 20th century to study this functor and its properties—especially in how it relates the representation theory of these two groups.

For instance, Friedlander and Suslin [FS97] originally discussed the idea of **strict polynomial functors** and showed that the category of repesentations of the Schur algebra S(n,d) was equivalent to the category  $\mathcal{P}_d$  of homodegree d strict polynomial functors.

<sup>&</sup>lt;sup>1</sup>English: On the rational representations of the general linear group

In later work, Krause [Kra13] used an alternative construction of  $\mathcal{P}_d$  as the category of of reprsentations of the d-divided powers of the category of finitely generated projective k-modules. The upshot being that the latter object  $\Gamma^d P_k$  has an obvious monoidal structure which  $\mathcal{P}_d$  inherits in a natural way. This new concrete monoidal structure opens up the field to discussing several notions of duality defined in different contexts and solidifying connections between them.

Krause's students Aquilino and Reischuk, in their paper [AR17], prove, among other facts, that under these natural monoidal structures the Schur-Weyl functor is in fact monoidal. This puts the theory of representations of these groups and algebras firmly in the realm of monoidal categories, opening up the area to new questions using tools from category theory.

- 2 Representations of  $GL_n$  and of  $\mathfrak{S}_n$
- 3 The Schur-Weyl Functor
- 4 Strict Polynomial Functors
- 5 Questions and Extensions

## Acknowledgements

I extend my most heartfelt thanks to my advisor, Julia Pevtsova, who not only helped me immensely in setting a target for this project, but also introduced me to many of the classical ideas found in this paper (some times more than once). Her knowledge and understanding while I learned this subject has been absolutely invaluable to me.

My thanks also to my loving partner, who stands besides me in good times and in bad and always patiently humors me when I need someone to spew math at (or a shoulder to cry on).

Finally, thank you to my friends and colleagues in the University of Washington math department for many fruitful conversations and for helping me to foster my natural mathematical curiosity into a raging fire.

## References

- [AR17] Cosima Aquilino and Rebecca Reischuk. "The monoidal structure on strict polynomial functors". In: J. Algebra 485 (2017), pp. 213–229. ISSN: 0021-8693. DOI: 10.1016/j.jalgebra.2017.05.009. URL: https://doi.org/10.1016/j.jalgebra.2017.05.009.
- [FS97] Eric M. Friedlander and Andrei Suslin. "Cohomology of finite group schemes over a field". In: *Inventiones mathematicae* 127.2 (Jan. 1997), pp. 209–270. ISSN: 1432-1297. DOI: 10.1007/s002220050119. URL: https://doi.org/10.1007/s002220050119.

- [Kra13] Henning Krause. "Koszul, Ringel and Serre duality for strict polynomial functors". In: *Compos. Math.* 149.6 (2013), pp. 996–1018. ISSN: 0010-437X. DOI: 10.1112/S0010437X12000814. URL: https://doi.org/10.1112/S0010437X12000814.
- [Sch01] Issai Schur. Über eine Klasse von Matrizen, die sich einer gegebenen Matrix zuordnen lassen. s.n., 1901. URL: http://hdl.handle.net/2027/hvd.32044091874271.
- [Sch73] Issai Schur. "Über die rationalen Darstellungen der allgemeinen linearen Gruppe". In: Gesammelte Abhandlungen. Vol. 3. Springer-Verlag, 1973, pp. 68–85.