


¿Por qué ambas carpetas pueden acabar con versiones diferentes?

Porque cada carpeta es una copia local independiente y pueden tener cambios diferentes

```
C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-ANA>git add catalogo-
practica.csv
fatal: pathspec 'catalogo-practica.csv' did not match any files

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-ANA>git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        gestor-incidencias/catalogo-practica.csv

nothing added to commit but untracked files present (use "git add" to track)

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-ANA>git add catalogo-
practica.csv
fatal: pathspec 'catalogo-practica.csv' did not match any files


C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-ANA>git add gestor-in
cidencias/catalogo-practica.csv

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-ANA>git commit -m "cr
ea el catalogo inicial de libros"
[main 4685f11] crea el catalogo inicial de libros
 1 file changed, 2 insertions(+)
 create mode 100644 gestor-incidencias/catalogo-practica.csv

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-ANA>git log --oneline
-5
fatal: unrecognized argument: --oneline-5

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-ANA>git log --oneline
 -5
4685f11 (HEAD -> main) crea el catalogo inicial de libros
eeb7d63 (origin/main, origin/HEAD) proyecto1_EntornoDeDesarrollo

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-ANA>
```



¿El commit local publica por sí solo el archivo?

No, el commit solo guarda el cambio localmente y push lo publica en GitHub.

¿Qué diferencia hay entre commit y push?

commit guarda los cambios en el repositorio local y push los sube al repositorio remoto.

Por qué Carlos no veía el CSV en local?

Porque su copia local todavía no tenía los cambios de Ana.

¿Qué ha conseguido con fetch?

Ha descargado la información de los cambios remotos sin incorporarlos a su copia local.

```
C:\Users\nicol\OneDrive\Desktop\apps>cd GitHub_git

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git>cd bibliteca-CARLOS

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>git remote
origin

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>git fetch orig
in
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 4 (delta 1), reused 4 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 407 bytes | 16.00 KiB/s, done.
From https://github.com/NicoLeria/Gestor-Incidencias
   eeb7d63..4685f11  main       -> origin/main

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>
```

```
C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>git fetch orig
in
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 4 (delta 1), reused 4 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 407 bytes | 16.00 KiB/s, done.
From https://github.com/NicoLeria/Gestor-Incidencias
   eeb7d63..4685f11  main       -> origin/main

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>
```

```
C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>git pull
Updating eeb7d63..4685f11
Fast-forward
 gestor-incidencias/catalogo-practica.csv | 2 ++
 1 file changed, 2 insertions(+)
 create mode 100644 gestor-incidencias/catalogo-practica.csv

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>
```

```
C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>git log --onel
ine -5
4685f11 (HEAD -> main, origin/main, origin/HEAD) crea el catalogo inicial de li
bros
eeb7d63 proyecto1_EntornoDeDesarrollo

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>
```

¿Qué diferencia has observado entre fetch y pull?

fetch obtiene los cambios sin aplicarlos y pull los obtiene y los integra en local.
¿Ha tenido Carlos que crear el CSV manualmente?

No, pull lo ha incorporado automáticamente desde el repositorio remoto.

```
C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>git add gestor
-incidencias/catalogo-practica.csv

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>git commit -m
"Añade un segundo libro al catalogo"
[main f87b0dc] Añade un segundo libro al catalogo
 1 file changed, 2 insertions(+), 1 deletion(-)

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 431 bytes | 431.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/NicoLeria/Gestor-Incidencias.git
   4685f11..f87b0dc  main -> main


C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-CARLOS>
```

```
C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-ANA>git fetch origin

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-ANA>git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean

C:\Users\nicol\OneDrive\Desktop\apps\GitHub_git\bibliteca-ANA>
```



Recorrido del segundo libro: Carlos añade el libro. Hace add, commit. hace push a GitHub. Ana hace fetch origin y status. Ana hace pull y recibe el cambio.