# NIM-Theory

Algorithms and Games



• Who knows NIM?

- Who knows NIM?
- n piles of  $k_1, \ldots, k_n > 0$  coins

- Who knows NIM?
- n piles of  $k_1, \ldots, k_n > 0$  coins
- valid moves:

- Who knows NIM?
- n piles of  $k_1, \ldots, k_n > 0$  coins
- valid moves:
  - choose a single (non-empty) pile

- Who knows NIM?
- n piles of  $k_1, \ldots, k_n > 0$  coins
- valid moves:
  - choose a single (non-empty) pile
  - remove an arbitrary number of coins from the pile (at least one, at most all)

- Who knows NIM?
- n piles of  $k_1, \ldots, k_n > 0$  coins
- valid moves:
  - choose a single (non-empty) pile
  - remove an arbitrary number of coins from the pile (at least one, at most all)
- Normal play: the last one to make a valid move wins

• n integers  $f_1, \ldots, f_n > 1$ 

- n integers  $f_1, \ldots, f_n > 1$
- Valid move:

- n integers  $f_1, \ldots, f_n > 1$
- Valid move:
  - Choose a non-prime integer  $f_i > 1$

- n integers  $f_1, \ldots, f_n > 1$
- Valid move:
  - Choose a non-prime integer  $f_i > 1$
  - Split  $f_i$  into (one or more) prime factors  $p_1, \ldots, p_k > 1, k \ge 1$  and a rest f' > 1

- n integers  $f_1, \ldots, f_n > 1$
- Valid move:
  - Choose a non-prime integer  $f_i > 1$
  - Split  $f_i$  into (one or more) prime factors  $p_1, \ldots, p_k > 1, k \ge 1$  and a rest f' > 1
  - $\circ$  Replace  $f_i$  with  $p_1, \ldots, p_k$  and f'

- n integers  $f_1, \ldots, f_n > 1$
- Valid move:
  - Choose a non-prime integer  $f_i > 1$
  - Split  $f_i$  into (one or more) prime factors  $p_1, \ldots, p_k > 1, k \ge 1$  and a rest f' > 1
  - Replace  $f_i$  with  $p_1, \ldots, p_k$  and f'
- Normal play: the last one to make a valid move wins

#### Poker-NIM

- Startposition:
  - Same as for NIM

#### Poker-NIM


- Startposition:
  - Same as for NIM
- Possible moves:
  - Similar to NIM, but instead of removing coins you may also put an arbitrary number of coins from your pool (built by previously taken coins) on a heap.

#### Poker-NIM


- Startposition:
  - Same as for NIM
- Possible moves:
  - Similar to NIM, but instead of removing coins you may also put an arbitrary number of coins from your pool (built by previously taken coins) on a heap.
- Normal play: the last one to make a valid move wins

•  $n \times m$  chess board one black, one white coin per row in different columns


•  $n \times m$  chess board one black, one white coin per row in different columns




- $n \times m$  chess board one black, one white coin per row in different columns
- Valid move:




- $n \times m$  chess board one black, one white coin per row in different columns
- Valid move:
  - Choose a row




- $n \times m$  chess board one black, one white coin per row in different columns
- Valid move:
  - Choose a row
  - move the coin of your color left or right arbitrarily many steps, but a least one



- $n \times m$  chess board one black, one white coin per row in different columns
- Valid move:
  - Choose a row
  - move the coin of your color left or right arbitrarily many steps, but a least one
  - don't jump over your opponent's coin




- n × m chess board one black, one white coin per row in different columns
- Valid move:
  - Choose a row
  - move the coin of your color left or right arbitrarily many steps, but a least one
  - don't jump over your opponent's coin




Normal play: the last one to make a valid move wins

# Kayles (aka Rip van Winkle's Game)



Bowling: Row of n pins. In a move hit one or two neighbored pins.




ullet Bowling: Row of n pins. In a move always hit two neighbored pins. Single pins can be removed.




 $\circ$  Bowling: Row of n pins. In a move hit one or two neighbored pins.

- Setting:
  - as for NIM



• Bowling: Row of n pins. In a move hit one or two neighbored pins.

- Setting:
  - as for NIM
- Possible moves:



- Setting:
  - as for NIM
- Possible moves:
  - Chose an arbitrary, non-empty stack

• Bowling: Row of n pins. In a move hit one or two neighbored pins.

- Setting:
  - o as for NIM
- Possible moves:
  - Chose an arbitrary, non-empty stack
  - Remove one or two coins from this stack

• Bowling: Row of n pins. In a move hit one or two neighbored pins.

- Setting:
  - o as for NIM
- Possible moves:
  - Chose an arbitrary, non-empty stack
  - Remove one or two coins from this stack
  - Optional: split the remaining stack into two non-empty, smaller stacks

 $\circ$  Bowling: Row of n pins. In a move hit one or two neighbored pins.


- Setting:
  - o as for NIM
- Possible moves:
  - Chose an arbitrary, non-empty stack
  - Remove one or two coins from this stack
  - Optional: split the remaining stack into two non-empty, smaller stacks
- Normal play: the last one to make a valid move wins
  - Bowling: Row of *n* pins. In a move hit one or two neighbored pins.



 $\circ$  Bowling: Row of n pins. In a move hit two neighbored pins.

Setting:

As for NIM



- Setting:
  - As for NIM
- Possible moves:
  - Choose an arbitrary, non-empty stack

 $\circ$  Bowling: Row of n pins. In a move hit two neighbored pins.

- Setting:
  - As for NIM
- Possible moves:
  - Choose an arbitrary, non-empty stack
  - Remove two coins from this stack

• Bowling: Row of n pins. In a move hit two neighbored pins.

## Dawson's Kayles II

- Setting:
  - As for NIM
- Possible moves:
  - Choose an arbitrary, non-empty stack
  - Remove two coins from this stack
  - Optional: split the remaining stack into two non-empty, smaller stacks
  - $\circ$  Bowling: Row of n pins. In a move hit two neighbored pins.

### Dawson's Kayles II

- Setting:
  - As for NIM
- Possible moves:
  - Choose an arbitrary, non-empty stack
  - Remove two coins from this stack
  - Optional: split the remaining stack into two non-empty, smaller stacks
- Normal play: the last one to make a valid move wins
  - $\circ$  Bowling: Row of n pins. In a move hit two neighbored pins.

### Monochromatic Triangle

ullet n points in the plane, in general position

### Monochromatic Triangle

- n points in the plane, in general position
- Valid move:
  - Draw a straight line segment connecting two points, not crossing any other line

### Monochromatic Triangle

- n points in the plane, in general position
- Valid move:
  - Draw a straight line segment connecting two points, not crossing any other line
- The game ends when an empty triangle occurs

## Triangulation Coloring Game

• Triangulation on n points in the plane, all edges are black (white on the blackboard)

## Triangulation Coloring Game

- Triangulation on n points in the plane, all edges are black (white on the blackboard)
- Valid moves:
  - Select a black edge, color it green

## Triangulation Coloring Game

- Triangulation on n points in the plane, all edges are black (white on the blackboard)
- Valid moves:
  - Select a black edge, color it green
- The game ends when the first green empty triangle occurs.

• Games:

- Games:
  - NIM

- Games:
  - NIM
  - Prime-game

- **Games:** 
  - NIM
  - Prime-game
  - Poker NIM

- NIM
- Prime-game
- Poker NIM
- Northcott's Game

#### • Games:


- NIM
- Prime-game
- Poker NIM
- Northcott's Game
- Kayles

- NIM
- Prime-game
- Poker NIM
- Northcott's Game
- Kayles
- Dawson's Kayles

- NIM
- Prime-game
- Poker NIM
- Northcott's Game
- Kayles
- Dawson's Kayles
- Monochromatic Triangle

- o NIM
- Prime-game
- Poker NIM
- Northcott's Game
- Kayles
- Dawson's Kayles
- Monochromatic Triangle
- Triangulation Coloring Game

- NIMPrime-game
  - Poker NIM
  - Northcott's Game
  - Kayles
  - Dawson's Kayles
  - Monochromatic Triangle
  - Triangulation Coloring Game



- Northcott's Game
- Kayles
- Dawson's Kayles
- Monochromatic Triangle
- Triangulation Coloring Game

#### • Games:





- Kayles
- Dawson's Kayles
- Monochromatic Triangle
- Triangulation Coloring Game




- Kayles
- Dawson's KaylesMonochromatic Triangle
  - Triangulation Coloring Game

#### • Games:







## **Games:** prague-Grundy-Theory 1935/39; aka NIM-theory NIM Prime-game Poker NIM Northcott's Game Kayles Dawson's Kayles Monochromatic Triangle Triangulation Coloring Game

Single pile of coins

- Single pile of coins
- Remove either 1 or 2 coins ...

- Single pile of coins
- Remove either 1 or 2 coins . . .
- Remove 1, 2 or 3 coins ....

- Single pile of coins
- Remove either 1 or 2 coins ...
- Remove 1, 2 or 3 coins ....
- Remove  $1 \le i \le k$  coins . . .

- Single pile of coins
- Remove either 1 or 2 coins ...
- Remove 1, 2 or 3 coins . . .
- Remove  $1 \le i \le k$  coins . . .
  - Strategy?

- Single pile of coins
- Remove either 1 or 2 coins . . .
- Remove 1, 2 or 3 coins . . .
- Remove  $1 \le i \le k$  coins . . .
  - Strategy?
  - $\circ$  NIM  $\to k$  unbounded

- Single pile of coins
- Remove either 1 or 2 coins . . .
- Remove 1, 2 or 3 coins ....
- Remove  $1 \le i \le k$  coins . . .
  - Strategy?
  - $\circ$  NIM  $\to k$  unbounded
- How about several piles?

• Nimbers  $*i, i \ge 0$ , are a 'code' used for game-positions:

- Nimbers  $*i, i \ge 0$ , are a 'code' used for game-positions:
  - $*i, i \neq 0 \Rightarrow 1^{st}$  player win (the player to move)

- Nimbers  $*i, i \ge 0$ , are a 'code' used for game-positions:
  - $*i, i \neq 0 \Rightarrow 1^{st}$  player win (the player to move)
  - \*0  $\Rightarrow$   $2^{nd}$  player win (the one just moved)

- Nimbers  $*i, i \ge 0$ , are a 'code' used for game-positions:
  - $*i, i \neq 0 \Rightarrow 1^{st}$  player win (the player to move)
  - $\Rightarrow$  2<sup>nd</sup> player win (the one just moved) o \*0

 $\bullet \Rightarrow$  For optimal play, always try to reach a position with nimber \*0.

- Nimbers  $*i, i \ge 0$ , are a 'code' used for game-positions:
  - $*i, i \neq 0 \Rightarrow 1^{st}$  player win (the player to move)
  - > \*0  $\Rightarrow 2^{nd}$  player win (the one just moved)

- $\Rightarrow$  For optimal play, always try to reach a position with nimber \*0.
- Terminal positions have nimber \*0 (normal play)

A nimber code implies:

- A nimber code implies:
  - From a \*0 situation no legal move leads to another
    \*0 situation

- A nimber code implies:
  - From a \*0 situation no legal move leads to another
    \*0 situation
    - Interpretation: If I made a winning move, my opponent can not

- A nimber code implies:
  - From a \*0 situation no legal move leads to another
    \*0 situation
    - Interpretation: If I made a winning move, my opponent can not
  - From any  $*i, i \neq 0$ , situation there is a legal move to a \*0 situation

- A nimber code implies:
  - From a \*0 situation no legal move leads to another
    \*0 situation
    - Interpretation: If I made a winning move, my opponent can not
  - From any  $*i, i \neq 0$ , situation there is a legal move to a \*0 situation
    - Interpretation: If my opponent gives me a (for them) non-optimal situation, I can make a winning move

MEX-rule (Minimal Excluded):

#### **MEX-rule** (Minimal Excluded):

• The nimber of a position P is the smallest value which is NOT a nimber of any position which is reachable by a valid move from P.

#### **MEX-rule** (Minimal Excluded):

• The nimber of a position P is the smallest value which is NOT a nimber of any position which is reachable by a valid move from P.

The MEX-rule guarantees a good code!

#### **MEX-rule** (Minimal Excluded):

• The nimber of a position P is the smallest value which is NOT a nimber of any position which is reachable by a valid move from P.

- The MEX-rule guarantees a good code!
- From a \*0 situation no legal move leads to another
  \*0 position

#### **MEX-rule** (Minimal Excluded):

• The nimber of a position P is the smallest value which is NOT a nimber of any position which is reachable by a valid move from P.

- The MEX-rule guarantees a good code!
- From a \*0 situation no legal move leads to another
  \*0 position
- From any  $*i, i \neq 0$ , situation there is a legal move to a \*0 situation.

XOR-rule:

#### XOR-rule:

 The nimber of a set of positions is the XOR-sum of the nimbers of the positions.

#### XOR-rule:

 The nimber of a set of positions is the XOR-sum of the nimbers of the positions.

- Simplifies computation of nimbers for several piles.
- That is, using the MEX-rule AND the XOR-rules makes computations much more efficient!

#### XOR-rule:

 The nimber of a set of positions is the XOR-sum of the nimbers of the positions.

- Simplifies computation of nimbers for several piles.
- That is, using the MEX-rule AND the XOR-rules makes computations much more efficient!
- For correctness the MEX-rule is sufficient.



NIM:

#### NIM

#### NIM:

• A stack of size i has nimber \*i

#### NIM

#### NIM:

- A stack of size i has nimber \*i
- The nimber of a group of stacks is the XOR-sum of their heights

#### NIM

#### NIM:

- A stack of size i has nimber \*i
- The nimber of a group of stacks is the XOR-sum of their heights
- $\Rightarrow$  Always try to obtain a position to get  $k_1 \otimes k_2 \otimes k_3 \otimes \cdots \otimes k_n = 0$

# Games, Triangulations, Theory

#### Literature:

- Winning Ways for Your Mathematical Plays E.R. Berlekamp, J.H. Conway and R.K. Guy: Second Edition 2001, Volume 1, A K Peters, Ltd.
- Games on triangulations O. Aichholzer, D. Bremner, E.D. Demaine, F. Hurtado, E. Kranakis, H. Krasser, S. Ramaswami, S. Sethia, and J. Urrutia: Theoretical Computer Science, 343(1-2):42-71,2005.

Oswin Aichholzer

Thanks for your attention...