

PDBe REST API

Jose M. Dana



PDBe REST API

- Each URL answers **one** question
- HTTP **GET** requests for individual queries
- HTTP **POST** requests for batch queries (not every call allows POST requests)
- **JSON** output
- HTTP status codes:
 - HTTP **200**: OK
 - HTTP **404**: What you are looking for is not present (e.g. the entry doesn't have any mappings when calling <http://wwwdev.ebi.ac.uk/pdbe/api/mappings/4rj1>)
 - HTTP **5XX**: Something bad happened. Please report.
- Do you plan to use the REST API? Subscribe to the mailing list!: **pdbe-api-users@ebi.ac.uk**
(pdbe-api-users-join@ebi.ac.uk)



PDBe REST API

Programmatic access to PDBe data

PDB | EMBD | COMPOUNDS | SIFTS | PISA | SSM | VALIDATION | TOPOLOGY | SEARCH

Share Feedback

Version o.8.6

REST calls based on PDB entry data

Show/Hide All Calls

Summary

<http://wwwdev.ebi.ac.uk/pdbe/api/pdb/entry/summary/:pdbid>

This call provides a summary of properties of a PDB entry, such as the title of the entry, list of depositors, date of deposition, date of release, date of latest revision, experimental method, list of related entries in case split entries, etc.

pdbid	<input type="text" value="1cbs"/>	String	4-character PDB id code.
postdata	<input type="text"/>	String	POST data should contain one or more comma-separated PDB ids leaving the pdbid field blank. If POST data is provided, POST request will be run instead of the default GET.

Quotes RunCall Select Expand Collapse 2+ 3+

Molecules in the entry (alias /entry/entities)


<http://wwwdev.ebi.ac.uk/pdbe/api/pdb/entry/molecules/:pdbid>

This call provides the details of molecules (or entities in mmCIF-speak) modelled in the entry, such as entity id, description, type, polymer-type (if applicable), number of copies in the entry, sample preparation method, source organism(s) (if applicable), etc.

pdbid	<input type="text" value="1cbs"/>	String	4-character PDB id code.
postdata	<input type="text"/>	String	POST data should contain one or more comma-separated PDB ids leaving the pdbid field blank. If POST data is provided, POST request will be run instead of the default GET.


Quotes RunCall Select Expand Collapse 2+ 3+

PDB



- Summary
- Status
- Experiment
- Publications
- Secondary structure
- ...

EMDB




- Summary
- Imaging
- Publications
- Map
- ...

Compounds



- Summary
- Atoms
- Bonds
- Entries containing the compounds

SIFTS




- PDB mappings to external resources (UniProt, CATH, GO, etc.)
- Mappings from external resources to PDB
- Homologous molecules

Pisa




- 'asis' assembly energetics summary
- Assembly details
- ...

SSM




- Structure similarity queries

Validation



- Quality metrics
- Outliers
- ...

Topology



- 2D secondary structure layout

A few things

- <http://wwwdev.ebi.ac.uk/pdbe/api/>
- <http://wwwdev.ebi.ac.uk/pdbe/api/doc/>
- https://github.com/PDBEurope/RESTAPI_tutorials
 - `git clone https://github.com/PDBEurope/RESTAPI_tutorials.git`
 - `cd RESTAPI_tutorials/notebooks`
 - `ipython notebook .`
- pdbe-api-users-join@ebi.ac.uk

Acknowledgments

- Manuel A. Fernández
- Swanand Gore
- Ingvar Lagerstedt
- Eduardo Sanz
- Sameer Velankar
- Mike Wainwright

Q & A