

Database

Person (id:int, name:char(50), address:char(50), age:int, height:float)
Car (targa:char(25), brand:char(50), color(30), owner:int)

- owner is a FK to Person
- No attribute can be null.

Task

Create a java program, or a python if you prefer, that connects to your database and performs the following operations in order:

1. Drops the two tables from the database if they already exist.
2. Creates the two tables as described above.
3. Generates 1 million (random) tuples, so that each tuple has a different value for the height attribute, and insert them into the table `Person`. Make sure that the last inserted tuple, and only that, has the value 185 for the height attribute.
4. Generates 1 more million (random) tuples and inserts them in the table `Car`.
5. Retrieves from the database and prints to `stderr` all the `id` of the 1 million persons.
6. Updates all tuples that have value 185 as height and makes them to have a height equal to 200 – (your query should work even if there are many tuples that have value 185 in the attribute height).
7. Selects from the table `Person` and prints to the `stderr` the `id` and the `address` of the person with height 200.
8. Creates a B+tree index on the attribute height.
9. Retrieves from the database and prints to the `stderr` the `id` of the 1 million persons.
10. Updates all the tuples that have value 200 as height and makes them to have a height equal to 210 – (your query should work even if there are many tuples that have value 200 in the attribute height).
11. Selects from the table `Person` and prints to the `stderr` the `id` and the `address` of the person with height 210.

For each of the above operations you need to report (print to the `stdout`) the time it took to execute it. To do so you may keep in a variable the time before starting the execution (in nanoseconds), then get the system time after the execution has been completed and the difference in nanoseconds is the approximate time it took for the step to be executed. Your standard output stream should be of the form:

```
Step 1 needs 10 ns
Step 2 needs 27 ns
Step 3 needs 77 ns
...
```

Notes & Delivery

- This assignment IS NOT in groups. EACH STUDENT HAS TO DELIVER IT INDIVIDUALLY.
- You need to deliver ONE file only (java or python) that is named as A3_XXX.java (or .py) where the XXX is your matricola.
- The delivery is done via the Google Classroom.
- You may assume JDBC to be available in the classpath (java) and pycpg2 to be already installed (python).