27/11/24, 18:35 about:blan

Course Glossary: Introduction to Artificial Intelligence (AI)

Welcome! This alphabetized glossary contains many terms used in this course. Understanding these terms is essential when working in the industry, participating in user groups, and participating in other certificate programs.

Term	Definition
AI algorithms	Programming that tells the computer how to learn to operate on its own, thereby enabling it to attain artificial intelligence (AI).
AI-driven predictive maintenance systems	Using AI in production control, to monitor and detect missing materials or quality issues.
AI-driven robotics	Robots powered with AI that are augmented with a variety of sensors.
AI-driven energy management systems	Using AI in production control to manage and optimize energy production, distribution, and consumption within energy systems.
AI-powered quality control systems	Using AI in production control, to manage quality by enhancing efficiency, accuracy, and decision-making capabilities in various fields.
Augmented intelligence	Technology that enhances human capabilities by providing AI-powered tools and assistance.
Authorization	The process of determining whether an authenticated user has the right to perform an operation.
Automation	The techniques involving technology, programs, robotics, or processes to achieve minimal human intervention.
Big data stores	A larger, more complex data set, especially from new data sources.
Big data	A dynamic, large, and disparate volume of data being created by people, tools, and machines.
Biometric	Application of statistical analysis to biological data of individuals by means of unique physical characteristics.
Carbon footprints	The greenhouse gases produced by digital technology resources, devices, tools, and platforms.
Chatbots	Computer programs that simulate human conversation to provide information, answer questions, and perform tasks via text or voice interactions.
Claude models	Advanced AI language models, designed for natural language understanding and generation. They are similar to OpenAI's GPT series and are used in various applications such as chatbots, content creation, and other AI-driven tasks that require language processing capabilities.
Cloud computing	A technology that stores and uses data and services over the internet instead of keeping everything on your computer.
Cobots or collaborative robots	AI-driven robots that can work alongside humans in a shared workspace to enhance efficiency and increase productivity. Unlike traditional robots, cobots are designed to interact directly with people, making automation more accessible and versatile.
Cognitive	The term involves intellectual activities such as thinking, reasoning, and problem-solving.
Cognitive computing	A technology that can evaluate an individual's performance and offer personalized recommendations. It provides enhanced functionality, adaptability, and intelligence across various domains.
Cyberattack	An attempt targeting to damage a computer network, computer information system, or personal digital devices.
Cybersecurity	Protection of information technology of individuals and organizations from cyberattacks.
Data analysis	Process that involves cleaning, transforming, and modeling data to uncover useful information to aid business decision-making.
Data augmentation	The process of generating data from the existing data to train machine learning models.
Dashboards	Tool to present a bird's-eye view of the complete picture while also allowing you to drill down into the next level of information for each parameter. These are easy to comprehend for an average user, make collaboration easy between teams, and allow you to generate reports on the go.
Dall-E model	A multimodal model developed by OpenAI that exhibits the ability to generate images that precisely match the input text or prompt.
Data scientist	Data professionals who develop algorithms, build predictive models, and uncover patterns and trends in large data sets. They apply statistical analysis, especially inferential statistics, machine learning, and predictive modeling, to extract insights from data and make predictions.
Data readiness	The technique involves removing inconsistencies, filling gaps, and ensuring the data is relevant to the problem of the data.
Deepfake	Altering of an image or recording to misrepresent someone as doing or saying something that was not actually done or said.
Deep learning	Deep learning is a specialized subset of machine learning. Deep learning layers algorithms to create a neural network, which is an artificial replication of the brain's structure and functionality.
Digital landscape	The digital landscape encompasses all hardware, software, and content involved in digital advertising, which is where businesses and customers interact.
Digital data source	The digital location where the data is held in a data table, object, or other storage format.
E-commerce	A platform for buying and selling products and services, transmitting funds and data over the internet.
Edge computing	The practice of processing data closer to the source of generation rather than relying on centralized data centers.

about:blank 1/3

27/11/24, 18:35 about:blank

Form Object Name A Prope of All that larves on the device inself rather than relying on the closed. Edge Al A Prope of All that larves on the device inself rather than relying on the closed. Electronic beaths records. A rigital version of patient-ceatered records that makes information available in real time. Exception A rigital version of patient-ceatered records that makes information available in real time. Generative Al All that is capable of creating more ceated (licit, images, music, and/o, and valce) and responding to human cenversations. Generative Al: Variational Vales are a type of generative All model that works by transforming angue data through conding and deceding. They have there interested in the sequence of a related present and accoder network. Generative Al: Creatable All that is exploited for created and the decident and the decident makes. Generative Al: Transformance Authorizenessor a generally used in animal leaguage processing DALP tasks. They contain for carded and decoder inyers. Generative Al: Williamodal Vales and the control of the processing and all sections in the sequence beautiful to a processing and all sections and decoder and work. Generative Al: Williamodal Vales and the control of the processing and all sections in the sequence and all sections and decoder and work. Generative Al: Williamodal Mediamodal models process in spot and generative All sections and decoder and vales and the data for proces	7/11/24, 16.55	
Electronic health revoked A digital version of patient ecinicaed records that make antiformation available in real time. Entryption A method of caceding data so that only authorized individuals can ecospected the information. Generative AI. Variational All that is capable of creating new content (text, images, marie, audio, and video) and responding to human conversations. Generative AI. Variational and a stress is a present generative all model that sorts by immforming upon data intrough encoding mid decoding. They have three middles of the content of the content of text in great and the discrimination. The generator and the content of content of cartier generated elements. These models predict the metals of the content of the content of cartier generated elements. These models predict the metals of the content of the content of cartier generated elements. These models predict the metals of the content of the content of cartier and the collection of the content of cartier generated elements. These models predict the metals of the content of third particles and the content of cartier generated elements. These models predict the metals of third particles and the content of cartier and decoder layers. Generative AI: Unimabil another Contentive AI: Triansformers All third and the condets precess inputs and generate computs within the same modelity. Whitimodal models have been in the sequence beautiful program of the content of cartier and decoder layers. All third another of things (60) All third another in the content of things (60) All things (60) All things (60) All things (60) All preferences of trinking, controlling, and transper of memory from parchase to the sale of the goods. Michaels Cartining All quality (60) All preferences of trinking, controlling, and transper of memory from parchase to the parchase of the goods. Michaels Cartining of the preference in the computer that the computer is the content of the goods. Michaels Cartining of the preference in the computer that the comput	Term	Definition
February A method of posterior potential processor in partners in transacte internation fromtion from time.	Edge AI	A type of AI that lives on the device itself rather than relying on the cloud.
Generative A1 Ministrand and security of certaining new centered (sex), images, music, audit, and velocity and responding to human conversations. Generative A1 Struitizend autorised of A1 Struit St		A digital version of patient-centered records that makes information available in real time.
Generative AE Variational amountsoders (VALS) are a type of generative AI model that works by transforming input data through encoding and decoding. They have there amount pairs an encoder network, a latent speec, and a decoder network. Generative AE Cancarative decreasing and the control of the control of Generative AE (Generative AE) and the control of the control of Cancarative AE (Generative AE) and the control of the control of Cancarative AE (Generative AE) and the control of carlier generated elements. These models predict the acceptance where the expension and the projects once. Generative AE: Transformers are generally used in natural language processing (NLP) tasks. They consist of cancer and decoder layers, considering the control of carlier generated elements. These models predict the acceptance AE: Multimodal models bandle inputs from one modality and produce computs in a different modality. Generative AE: Multimodal anodels bandle inputs from one modality and produce computs in a different modality. Internet of Things (IoT) Applicaments where AI can produce computs that are maccurate or completely fabricated. The phenomenon highlights the amportance of critical fabridating when taining AI generated contents. Internet of Things (IoT) Applicaments of the control of physical devices that generate data. Internet of Things (IoT) Applicaments of the control of physical devices that generate data. Internet of Things (IoT) Application of the control of physical devices that generate data. Internet of Things (IoT) Application of the control of physical devices that generate data. Internet of Things (IoT) Application of the control of physical devices that generate data. Internet of Things (IoT) Application of the control of physical devices that generate data. Application of the control of the goods. Internetive learning and the contr	Encryption	A method of encoding data so that only authorized individuals can comprehend the information.
maintenance (VAF) of the contrain of Contraining of the Contraining of Contrainin	Generative AI	AI that is capable of creating new content (text, images, music, audio, and video) and responding to human conversations.
descriminator of AE Autorgressive models retained and as equentially, considering the context of earlier generated elements. These models predict the models are determined in the sequence based on the previous one. Generative AE United of the Content of the Content of the Content of Earlier generated elements. These models predict the models for the previous one. Generative AE United of the Content of the		
models next element in the sequence based on the previous one. Generative Al: Transformers Inmaformers are generally used in matural language processing (NLP) tasks. They consist of encoder and decoder layers, acidable gibt model in off-circity by generate set sequences or perform cases language translations. Generative Al: Unimodal Generative Al: Unimodal Multimodal models process inputs and generate outputs within the same modality. Generative Al: Multimodal Aphanomenon where Al can produce outputs that are inaccurate or completely fabricated. The phenomenon highlights the importance of critical thinking when using Al-generated content. Internet of Things (BoT) Aphanomenon where Al can produce outputs that are inaccurate or completely fabricated. The phenomenon highlights the importance of critical thinking when using Al-generated content. Internet of Things (BoT) The process of tracking, controlling, and usage of inventory from purchase to the sale of the goods. Internet of things (BoT) The process of tracking, controlling, and usage of inventory from purchase to the sale of the goods. Internet of things (BoT) Alyopamic learning setty where learners actively engage with content, instructors, and poers through digital or physical international containers against the produce of the processing and analysis. These devices that generate dest. LLMs are pretrained on large arounds of data. Alyopamic learning active of Alyopamic learning of the processing international produces of inventory from purchase to the sale of the goods. Machine learning models Computer programs that can recognize and generate test. LLMs are pretrained on large arounds of data. Ale carriage against the produces of a december of a set of computer societies features within the within and make predictions. Programs and accounts of the programs that aim to trait the computers to identify patterns within mee data and make predictions. Programs and the processing of the programs and an international and sportificate and adopt		
emoling the model to effectively generate text sequences or perform cross-language translations. Generative Al: Unlimedal Unlimedal models process inputs and generate outputs within the same modality. Generative Al: Multimodal Multimodal models process inputs and generate outputs within the same modality. Hallucinations Aphenomenon where Al can produce outputs that are inaccurate or completely fabricated. The phenomenon highlights the importance of critical thinking when using Al-generated content. Interest of Things (IoT) Appendix of physical devices connected to the internet that collect and share data for processing and analysis. These devices can be sensors, cumeras, or other devices that generate data. Inventory management The process of tracking, controlling, and usage of inventory from purchase to the sale of the goods. Interactive learning A dynamic learning scalp where learners actively engage with content, instructors, and peers through digital or physical environment Harchite learning A dynamic learning scalp where learners actively engage with content, instructors, and peers through digital or physical environment The branch of Al and computer science focuses on using data and algorithms to ministe how humans learn, gradually improving accounting and provided and apportions to enhance the mining. Hachine learning engineers The branch of Al and computer science focuses on using data and algorithms to ministe how humans learn, gradually improving accounting engineers Programmers who construct the algorithms, systems, models, and frameworks that enable machines to learn and perform ministers and produced provided and provided a		
Generative AE Multimodal Generative AE Multimodal Generative AE Multimodal Multimodal models handle inputs from one modality and produce outputs in a different modality. Multimodal models handle inputs from one modality and produce outputs in a different modality. A phenomenon where AI can produce outputs that are inaccurate or completely fabricated. The phenomenon highlights the importance of critical thinking when using AI generated content. Internet of Things (IoT) A network of physical devices connected to the internet that collect and share data for processing and analysis. These devices can be sensors, cameras, or other devices that generate data. Internet of Things (IoT) A process of tracking, controlling, and usage of inventory from purchase to the sale of the goods. Interactive learning environment A special Adynamic learning setup where learners actively engage with content, instructors, and peers through digital or physical division of the process of tracking, controlling, and usage of inventory from purchase to the sale of the goods. Interactive learning environment A special AI program that can recognize and generate text. LLMs are petrained on large amounts of data. Machine learning models Computer programs that aim to train the computers to identify patterns within new data and make predictions. Machine learning engineers Programmers who construct the algorithms, systems, models, and frameworks that enable machines to learn and perform functions independently and effectively. Meta's Llama models An accessible, open-source LLM designed for developers, researchers, and businesses to build, experiment, and responsibly sell-their generative AI ideas. Natural language processing MACHO Machine learning technology that enables computers to interpret and comprehend human language. Neural network: Perceptor The simplest type of artificial neural network consisting of only input and output layers. Neural network: Peer feorward A natificial neural network consisting of only input and output lay	Generative AI: Transformers	
Hallocinations Aphenomenon where AI can produce outputs that are inaccurate or completely fabricated. The phenomenon highlights the importance of critical thinking when using AI-generated content. Internet of Things (for) Anework of physical devices connected to the internet that collect and share data for processing and analysis. These devices can be sensors, cameras, or other devices that generate data. Inventory management The process of tracking, controlling, and usage of inventory from purchase to the sale of the goods. Interactive learning Adynamic learning setup where learners actively engage with content, instructors, and peers through digital or physical environment interactions to enhance learning. Large language model (LLM) Atype of AI program that can recognize and generate text. LLMs are pretrained on large amounts of data. The branch of AI and computer science focuses on using data and algorithms to imitate how humans learn, gradually improving accuracy. It helps systems learn and improve at forecasting, much like how people learn from experience. Machine learning models Computer programs that aim to train the computers to identify patterns within new data and make predictions. Machine learning engineers Pagements who construct the algorithms, systems, models, and frameworks that enable machines to learn and perform functions independently and effectively. Meta's Llama models Anexoscible, open source LLM designed for developers, researchers, and businesses to build, experiment, and responsibly scale their generative AI ideas. Neural network: Computational models that are influenced by the human brain's neural structure. Neural network: Peer-forward Air page of a militarial neural network consists of interpret and comprehend human language. Neural network: Peer-forward Airype of artificial neural network consists of interpret and comprehend human language. Neural network: Peer-forward Airype of neural network that is similar to the feed-forward network time in the neurons in the next la		Unimodal models process inputs and generate outputs within the same modality.
Internet of Things (IoT) Anetwork of physical devices connected to the internet that collect and share data for processing and analysis. These devices can be sensors, cameras, or other devices that generate data. Inventory management The process of tracking, controlling, and usage of inventory from purchase to the sale of the goods. Internetive learning Advanantic learning setup where learners actively engage with content, instructors, and peers through digital or physical environment Apper of Al program that can recognize and generate text. LLMs are pretrained on large amounts of data. Internetive learning The branch of Al and computer science focuses on using data and algorithms to imitate how humans learn, gradually improving accuracy, it helps systems learn and improve at forecasting, much like how people learn from experience. Machine learning models Computer programs that aim to train the computers to identify patterns within new data and make predictions. Machine learning enginees Programmers who construct the algorithms, systems, models, and frameworks that enable machines to learn and perform functions independently and effectively. Meta's Llama models An accessible, open-source LLM designed for developers, researchers, and businesses to build, experiment, and responsibly calle their generative Al ideas. Natural language processing (NLP) Machine learning technology that enables computers to interpret and comprehend human language. Natural networks Computational models that are influenced by the human brain's neural structure. Neural network: Perceptron The simplest type of artificial neural network consisting of only input and output layers. Neural network: Perceptron The simplest type of artificial neural network consisting of only input and output layers. Neural network: Deep feed-forward Atype of artificial neural network in which information flows in one direction, that is, inthe forward direction. Each neuron in a layer receives input from neurons in the previous layer and then passes i		Multimodal models handle inputs from one modality and produce outputs in a different modality.
Inventory management The process of tracking, controlling, and usage of inventory from purchase to the sale of the goods. Interactive learning Adynamic learning setup where learners actively engage with content, instructors, and peers through digital or physical interactions to enhance learning. Large language model (LLM) A type of AI program that can recognize and generate text. LLMs are pretrained on large amounts of data. Machine learning The branch of AI and computer science focuses on using data and algorithms to imitate how humans learn, gradually improving accuracy. It helps systems learn and improve at forecasting, much like how people learn from experience. Machine learning models Computer programs that aim to train the computers to identify patterns within new data and make predictions. Machine learning engineers Programmers who construct the algorithms, systems, models, and frameworks that enable machines to learn and perform functions independently and effectively. Meta's Llama models An accessible, open-source LLM designed for developers, researchers, and businesses to build, experiment, and responsibly scale their generative AI ideas. Natural language processing Machine learning technology that enables computers to interpret and comprehend human language. Computational models that are influenced by the human brain's neural structure. Neural network: Percepton The simplest type of artificial neural network consisting of only input and output layers. Neural network: Percepton The simplest type of artificial neural network consisting of only input and output layers. Neural network: Peed-forward A type of artificial neural network in which information flows in one direction, that is, in the forward direction. Each neuron in a layer receives input from neurons in the previous layer and then passes its output to neurons in the next layer. Neural network: Deep feed-forward A type of neural network that combines two or more neural network with just more than one hidden layer. A type of neura	Hallucinations	
Interactive learning environment interactions to enhance learning setup where learners actively engage with content, instructors, and peers through digital or physical interactions to enhance learning. Large language model (LLM) A type of AI program that can recognize and generate text. LLMs are pretrained on large amounts of data. Machine learning The branch of AI and computer science focuses on using data and algorithms to imitate how humans learn, gradually improving accuracy. It helps systems learn and improve at forecasting, much like how people learn from experience. Machine learning models Computer programs that aim to train the computers to identify patterns within new data and make predictions. Programmers who construct the algorithms, systems, models, and frameworks that enable machines to learn and perform functions independently and effectively. Meta's Llama models An accessible, open-source LLM designed for developers, researchers, and businesses to build, experiment, and responsibly scale their generative AI ideas. Natural language processing (MLP) Neural networks Computational models that are influenced by the human brain's neural structure. Neural network: Perceptron The simplest type of artificial neural network consists of interconnected nodes known as neurons. The neurons take incoming data, like the human brain's neurological network, and learn to make decisions over time. Neural network: Perceptron Apyse of artificial neural network consists of interconnected nodes known as neurons. The neurons take incoming data, like the human brain's neurological network, and learn to make decisions over time. Apyse of artificial neural network consisting of only input and output layers. Neural network: Perceptron Apyse of artificial neural network consisting of only input and output layers. Neural network: Peed-forward Atype of neural network in which information flows in one direction, that is, in the forward direction. Each neuron in a layer receives input from neurons in the previous lay	Internet of Things (IoT)	
environment interactions to enhance learning. Large language model (LLM) A type of Al program that can recognize and generate text. LLMs are pretrained on large amounts of data. Machine learning The branch of A1 and computer science focuses on using data and algorithms to intrinate how humans learn, gradually improving accuracy. It helps systems learn and improve at forecasting, much like how people learn from experience. Machine learning models Computer programs that aim to train the computers to identify patterns within new data and make predictions. Machine learning engineers Programmers who construct the algorithms, systems, models, and frameworks that enable machines to learn and perform functions independently and effectively. Meta's Llama models An accessible, open-source LLM designed for developers, researchers, and businesses to build, experiment, and responsibly scale their generative A1 ideas. Natural language processing (NLP) Neural networks Computational models that are influenced by the human brain's neural structure. Neurons in A1 An artificial neural network consists of interconnected nodes known as neurons. The neurons take incoming data, like the human brain's neurological network, and learn to make decisions over time. Neural network: Perceptron The simplest type of artificial neural network consisting of only input and output layers. Neural network: Feed-forward A type of artificial neural network in which information flows in one direction, that is, in the forward direction. Each neuron in a layer receives input from neurons in the previous layer and then passes its output to neurons in the next layer. Neural network: Deep feed-forward A type of neural network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Modular A type of neural network that is particularly well-suited for analyzing visual data. Neural networks: Convolutional consider the context of the input. A type of neural network where the neurons in hidden layers rece	Inventory management	The process of tracking, controlling, and usage of inventory from purchase to the sale of the goods.
Machine learning The branch of AI and computer science focuses on using data and algorithms to imitate how humans learn, gradually improving accuracy. It helps systems learn and improve at forecasting, much like how people learn from experience. Machine learning models Computer programs that aim to train the computers to identify patterns within new data and make predictions. Machine learning engineers Programmers who construct the algorithms, systems, models, and frameworks that enable machines to learn and perform functions independently and effectively. Meta's Llama models An accessible, open source LLM designed for developers, researchers, and businesses to build, experiment, and responsibly scale their generative AI ideas. Natural language processing (McIP) Neural networks Computational models that are influenced by the human brain's neural structure. Neural network: Perceptron The simplest type of artificial neural network consists of interconnected nodes known as neurons. The neurons take incoming data, like the human brain's neural network: Perceptron A type of artificial neural network in twork on sisting of only input and output layers. Neural network: Perceptron A type of artificial neural network in twork information flows in one direction, that is, in the forward direction. Each neuron in a layer receives input from neurons in the previous layer and then passes its output to neurons in the next layer. Neural network: Deep feed-forward A type of neural network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Modular A type of neural network that combines two or more neural networks to arrive at the output. Neural network: Convolutional network that is particularly well-suited for analyzing visual data. Neural networks (RNNs) A type of neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. BM watsonx Assistant A type of neural network where t		
Machine learning models Computer programs that aim to train the computers to identify patterns within new data and make predictions. Machine learning models Programmers who construct the algorithms, systems, models, and frameworks that enable machines to learn and perform functions independently and effectively. Meta's Llama models An accessible, open-source LLM designed for developers, researchers, and businesses to build, experiment, and responsibly scale their generative AI ideas. Natural language processing (NLP) Neural networks Computational models that are influenced by the human brain's neural structure. Neurons in AI An artificial neural network consists of interconnected nodes known as neurons. The neurons take incoming data, like the human brain's neurological network, and learn to make decisions over time. Neural network: Perceptron The simplest type of artificial neural network consisting of only input and output layers. Neural network: Feed-forward A type of artificial neural network in which information flows in one direction, that is, in the forward direction. Each neuron in a layer receives input from neurons in the previous layer and then passes its output to neurons in the next layer. Neural network: Deep feed-forward A type of neural network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Ocnyolutional neural network that is particularly well-suited for analyzing visual data. Neural network: Recurrent network: Recurrent network: Recurrent network (RNNs) A type of neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. A method that predicts future outcomes by using historical data c	Large language model (LLM)	A type of AI program that can recognize and generate text. LLMs are pretrained on large amounts of data.
Machine learning engineers Programmers who construct the algorithms, systems, models, and frameworks that enable machines to learn and perform functions independently and effectively. Meta's Llama models An accessible, open-source LLM designed for developers, researchers, and businesses to build, experiment, and responsibly scale their generative AI ideas. Natural language processing (MLP) Machine learning technology that enables computers to interpret and comprehend human language. Neural networks Computational models that are influenced by the human brain's neural structure. Neurons in AI An artificial neural network consists of interconnected nodes known as neurons. The neurons take incoming data, like the human brain's neurological network, and learn to make decisions over time. Neural network: Perceptron The simplest type of artificial neural network consisting of only input and output layers. Neural network: Feed-forward A type of artificial neural network in which information flows in one direction, that is, in the forward direction. Each neuron in a layer receives input from neurons in the previous layer and then passes its output to neurons in the next layer. Neural network: Deep feed-forward A type of neural network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Gonvolutional neural network that is particularly well-suited for analyzing visual data. Neural network: Recurrent network (CNN) A type of neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. BM watsonx Assistant A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techn	Machine learning	
Meta's Llama models An accessible, open-source LLM designed for developers, researchers, and businesses to build, experiment, and responsibly scale their generative AI ideas. Natural language processing (McIP) Machine learning technology that enables computers to interpret and comprehend human language. Neural networks Computational models that are influenced by the human brain's neural structure. Neurons in AI An artificial neural network consists of interconnected nodes known as neurons. The neurons take incoming data, like the human brain's neurological network, and learn to make decisions over time. Neural network: Perceptron The simplest type of artificial neural network consisting of only input and output layers. Neural network: Feed-forward Atype of artificial neural network in which information flows in one direction, that is, in the forward direction. Each neuron in a layer receives input from neurons in the previous layer and then passes its output to neurons in the next layer. Neural network: Deep feed-forward network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Modular A type of neural network that combines two or more neural networks to arrive at the output. Neural network: Convolutional neural network that is particularly well-suited for analyzing visual data. Neural networks: Recurrent network (CNN) Atype of neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. BM watsonx Assistant A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Rebabilitation robots Robots that help patients recover	Machine learning models	Computer programs that aim to train the computers to identify patterns within new data and make predictions.
Natural language processing (NLP) Machine learning technology that enables computers to interpret and comprehend human language. Neural networks Computational models that are influenced by the human brain's neural structure. Neurons in AI An artificial neural network consists of interconnected nodes known as neurons. The neurons take incoming data, like the human brain's neural structure. Neural network: Perceptron The simplest type of artificial neural network consisting of only input and output layers. Neural network: Peed-forward A type of artificial neural network in which information flows in one direction, that is, in the forward direction. Each neuron in a layer receives input from neurons in the previous layer and then passes its output to neurons in the next layer. Neural network: Deep feed-forward A type of neural network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Modular A type of neural network that combines two or more neural networks to arrive at the output. Neural network: Convolutional neural network that is particularly well-suited for analyzing visual data. Neural network: Recurrent neural network (RNNs) A type of neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. Predictive analytics A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Rehabilitation robots	Machine learning engineers	
Neural networks Computational models that are influenced by the human brain's neural structure. Neurons in AI An artificial neural network consists of interconnected nodes known as neurons. The neurons take incoming data, like the human brain's neurological network, and learn to make decisions over time. Neural network: Perceptron The simplest type of artificial neural network consisting of only input and output layers. Neural network: Feed-forward A type of artificial neural network in which information flows in one direction, that is, in the forward direction. Each neuron in a layer receives input from neurons in the previous layer and then passes its output to neurons in the next layer. Neural network: Deep feed-forward A type of neural network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Modular A type of neural network that combines two or more neural networks to arrive at the output. Neural network: Convolutional neural network (CNN) A type of neural network that is particularly well-suited for analyzing visual data. Neural network: Recurrent neural network (RNNs) A type of neural network there the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. BM watsonx Assistant A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. Predictive analytics A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Rebabilitation robots Robots that help patients recover mobility and strength, offering personalized therapy.	Meta's Llama models	
Neural network: Perceptron At type of artificial neural network in which information flows in one direction, that is, in the forward direction. Each neuron in a layer receives input from neurons in the previous layer and then passes its output to neurons in the next layer. Neural network: Deep feedforward A type of neural network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Modular A type of neural network that combines two or more neural networks to arrive at the output. Neural network: Convolutional neural network that is particularly well-suited for analyzing visual data. Neural network: Recurrent networks (RNNs) A type of neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. BM watsonx Assistant A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. Rehabilitation robots Robots that help patients recover mobility and strength, offering personalized therapy.		Machine learning technology that enables computers to interpret and comprehend human language.
human brain's neurological network, and learn to make decisions over time. Neural network: Perceptron The simplest type of artificial neural network consisting of only input and output layers. A type of artificial neural network in which information flows in one direction, that is, in the forward direction. Each neuron in a layer receives input from neurons in the previous layer and then passes its output to neurons in the next layer. Neural network: Deep feedforward A type of neural network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Modular A type of neural network that combines two or more neural networks to arrive at the output. Neural network: Convolutional neural network that is particularly well-suited for analyzing visual data. Neural networks: Recurrent neural networks (RNNs) A type of neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Rehabilitation robots Robots that help patients recover mobility and strength, offering personalized therapy.	Neural networks	Computational models that are influenced by the human brain's neural structure.
Neural network: Feed-forward A type of neural network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Deep feed-forward A type of neural network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Modular A type of neural network that combines two or more neural networks to arrive at the output. Neural network: Convolutional neural network (CNN) A type of neural network that is particularly well-suited for analyzing visual data. Neural network: Recurrent neural networks (RNNs) A type of neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. BM watsonx Assistant A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. Predictive analytics A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Robots that help patients recover mobility and strength, offering personalized therapy.	Neurons in AI	
Neural network: Peed-forward A type of neural network that is similar to the feed-forward network with just more than one hidden layer. Neural network: Deep feed-forward A type of neural network that combines two or more neural networks to arrive at the output. Neural network: Convolutional neural network (CNN) A type of neural network that is particularly well-suited for analyzing visual data. Neural network: Recurrent neural network (RNNs) A type of neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. IBM watsonx Assistant A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Rehabilitation robots Robots that help patients recover mobility and strength, offering personalized therapy.	Neural network: Perceptron	The simplest type of artificial neural network consisting of only input and output layers.
Neural network: Modular A type of neural network that is similar to the feed-forward network with just more than one indden layer. Neural network: Modular A type of neural network that combines two or more neural networks to arrive at the output. Neural network: Convolutional neural network (CNN) A type of neural network that is particularly well-suited for analyzing visual data. Neural network: Recurrent neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. IBM watsonx Assistant A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Rehabilitation robots Robots that help patients recover mobility and strength, offering personalized therapy.	Neural network: Feed-forward	
Neural network: Convolutional neural network (CNN) A type of neural network that is particularly well-suited for analyzing visual data. Neural network: Recurrent neural network (RNNs) A type of neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. IBM watsonx Assistant A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. Predictive analytics A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Rehabilitation robots Robots that help patients recover mobility and strength, offering personalized therapy.		A type of neural network that is similar to the feed-forward network with just more than one hidden layer.
neural network (CNN) A type of neural network that is particularly well-suited for analyzing visual data. Neural network: Recurrent neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input. IBM watsonx Assistant A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. Predictive analytics A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Rehabilitation robots Robots that help patients recover mobility and strength, offering personalized therapy.	Neural network: Modular	A type of neural network that combines two or more neural networks to arrive at the output.
neural networks (RNNs) to consider the context of the input. IBM watsonx Assistant A conversational AI solution that empowers a broader audience, including non-technical business users, to effortlessly build generative AI Assistants. OpenAI A private AI research laboratory that aims to develop and direct AI in ways that produce services. Predictive analytics A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Rehabilitation robots Robots that help patients recover mobility and strength, offering personalized therapy.		A type of neural network that is particularly well-suited for analyzing visual data.
OpenAI A private AI Assistants. A private AI research laboratory that aims to develop and direct AI in ways that produce services. Predictive analytics A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Rehabilitation robots Robots that help patients recover mobility and strength, offering personalized therapy.		A type of neural network where the neurons in hidden layers receive an input with a specific delay in time. This allows the RNN to consider the context of the input.
Predictive analytics A method that predicts future outcomes by using historical data combined with statistical modeling, data mining techniques, and machine learning. Rehabilitation robots Robots that help patients recover mobility and strength, offering personalized therapy.	IBM watsonx Assistant	
Rehabilitation robots Robots that help patients recover mobility and strength, offering personalized therapy.	OpenAI	A private AI research laboratory that aims to develop and direct AI in ways that produce services.
	Predictive analytics	
Reinforcement learning A category of machine learning technology that trains software to make decisions to achieve the most optimal results.	Rehabilitation robots	Robots that help patients recover mobility and strength, offering personalized therapy.
	Reinforcement learning	A category of machine learning technology that trains software to make decisions to achieve the most optimal results.

about:blank 2/3

27/11/24, 18:35 about:blank

<u> </u>	
Term	Definition
Robo-advisors	An online application that uses AI algorithms to offer automated, algorithm-driven investment suggestions, portfolio management, and financial planning services.
Robots	Machines with complex systems made up of several key components such as sensors, actuators, and controllers.
Robotics	A technology that involves designing, constructing, and operating robots, where the machines can perform tasks by themselves or with some help.
Robotic process automation (RPA)	A type of computer software that helps create, use, and control virtual robots. These robots act like humans when they work with digital systems and software.
Salesforce Marketing Cloud	An AI-driven marketing automation platform that uses machine learning algorithms to segment customers, target them with personalized messages, and optimize campaign performance.
Sentiment analysis	Processing digital text using AI to analyze and determine if the emotional tone of the message is positive, negative, or neutral.
Smart grids	An electricity network that uses digital technologies to monitor and manage the transport of electricity from sources to meet the varying electricity demands of end users.
Smart home	A technology that allows homeowners to control appliances, thermostats, lights, and other devices remotely using a smartphone or tablet through an internet connection.
Speech-to-text (STT)	A technology that changes spoken words into written text using neural networks.
Supervised learning	A category of machine learning technology that uses labeled datasets to train algorithms to predict outcomes and recognize patterns.
Strong AI or generalized AI	A type of AI system that replicates advanced human functions, such as reasoning, planning, and problem-solving.
Super AI or conscious AI	A type of AI system that is superintelligent by being self-aware and intelligent enough to surpass the cognitive abilities of humans.
Statistical analysis	The process of collecting large volumes of data and then using statistics and other data analysis techniques to identify trends, patterns, and insights.
Statistical methods	Methods useful to ensure that data is interpreted correctly and apparent relationships are meaningful and not just happening by chance.
Text-to-speech (TTS)	A type of assistive, "read aloud," technology that reads digital text aloud.
Unsupervised learning	A category of machine learning technology that uses algorithms to analyze and cluster unlabeled data sets.
Virtual assistance	AI-powered software applications designed to assist users with various tasks, such as setting reminders, providing information, and managing schedules.
Voice assistance	They can be interacted with using voice commands. Users can speak to these assistants to perform tasks, ask questions, and control other devices.
Video analytics	Use of advanced AI and machine learning algorithms to monitor, analyze, and manage large volumes of video.
Weak AI or narrow AI	AI that is focused on one narrow task.



about:blank 3/3