









江苏环谱检测技术服务有限公司 JiangSu HAP Testing Service Co.,Ltd.



Report No.: HAP17106585503 Page 1 of 15

JF Polymers(Suzhou) Co., Ltd. Applicant

Haicheng Industrial Park, Bldg 7, Changshu Econimic and Technological Zone, Changshu, Jiangsu Address

Province, China

Report on the submitted sample(s) said to be

The following sample(s) and sample information was/were submitted and identified on behalf of the clients

1# PolyLite PETG Sample Name

Sample Wire Diameter 1.75mm / 2.85mm

Black / white Sample Colour

Sample Received Date Oct. 10, 2017

Testing Period Oct. 10,2017 to Oct. 16,2017

Testing Requested As per client's request,

> (1) According to European Commission Regulation 1907/2006(REACH Act), to test the SVHC content which have been listed in ECHA's SVHC candidate list till 2017/07/07; http://echa.europa.eu/web/guest/candidate-list-table

> (2) to determine the RoHS 6 (Pb,Cd,Hg,Cr6+, PBBs, PBDEs) in the submitted sample according to RoHS Directive 2011/65/EU Annex II;

> (3) to determine the Polynuclear Aromatic Hydrocarbons (PAHs) content in the submitted sample according to AfPS GS 2014:01 PAK.

Testing Results Please refer to next page(s)

Conclusion According to the analytical results,

> (1) concentrations of 174 SVHC substances are all less than 0.1% in the sub mitted sample.Please refer to next page(s);

> (2) Based on the test samples, the test results of Cadmium(Cd), Lead(Pb), Mercur y(Hg), Hexavalent Chromium (Cr6+), The sum of Polybrominated Biphenyls (PBBs) and The sum of Polybrominated Diphenyl Ethers(PBDEs) comply with the limits

as set by RoHS Directive 2011/65/EUAnnex II; recasting 2002/95/EC.

Signer

1: 0514-89711561



Report No.: HAP17106585503 Page 2 of 15

1. Determination of REACH-SVHC (unit: %)

Testing method In-house method with reference to AfPS GS 2014:01 PAK,EPA 3550C:2007,EPA 305

2:1996,EPA 6010C:2007,EPA 5021:1996,EPA 8270D:2007,IEC 62321:2008,EN 14362-1: 2012,DIN EN ISO 17353:2005, By GC-MS, HPLC,UV-VIS, ICP-OES for measuring.

No.	Testing Item(s)	CASNo.	EC No.	MDL	1#*****
40	Anthracene	120-12-7	204-371-1	0.005	ND
2	4,4'-diaminodiphenylmethane (MDA)	101-77-9	202-974-4	0.005	ND
3	Dibutyl Phthalate (DBP)	84-74-2	201-557-4	0.005	ND
4	Cobalt dichloride*	7646-79-9	231-589-4	10-	ND
5	Diarsenic pentaoxide*	1303-28-2	215-116-9	_	ND
6	Diarsenic trioxide*	1327-53-3	215-481-4	_	ND
7	Sodium dichromate*	7789-12-0/105 88-01-09	234-190-3	_	ND
8	5-tert-butyl-2,4,6-trinitro-m-xylene(Musk xylene)	81-15-2	201-329-4	0.005	ND
9	Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	204-211-0	0.005	ND
10	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified:Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	25637-99-4/31 94-55-6	247-148-4/ 221-695-9	0.005	ND
11	Short Chain Chlorinated Paraffins (SCCPs)	85535-84-8	287-476-5	0.01	ND
12	Bis (tributyltin) oxide (TBTO) **	56-35-9	200-268-0	0.05	ND
13	Lead hydrogen arsenate*	7784-40-9	232-064-2	80L	ND
14	Benzylbutyl Phthalate (BBP)	85-68-7	201-622-7	0.005	ND
15	Triethyl arsenate*	15606-95-8	427-700-2	-	ND
16	Anthracene oil	90640-80-5	292-602-7	0.05	ND
17	Anthracene oil,anthracene paste,distn Lights	91995-17-4	295-278-5	0.05	ND
18	Anthracene oil,anthracene paste,anthracene fraction	91995-15-2	295-275-9	0.05	ND
19	Anthracene oil,anthracene-low	90640-82-7	292-604-8	0.05	ND
20	Anthracene oil,anthracene paste	90640-81-6	292-603-2	0.05	ND
21	Coal tar pitch,high temperature	659969-93-2	266-028-2	0.05	ND

江苏环谱检测技术服务有限公司 JIANGSU HAP TESTING SERVICE CO.,LTD 地址:扬州市经济技术开发区吴州东路 198 号

Adderss: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

URL: www.hap-test.com E-mail: hap@hap-test.com \$\mathbb{\sigma}\$; 400-6600-776 \$\mathbb{\textcom}\$: 0514-89711561



Report No.: HAP17106585503 Page 3 of 15

			~~/
CAS No.	EC No.	MDL	1#
121-14-2	204-450-0	0.01	ND
84-69-5	201-553-2	0.005	ND
7758-97-6	231-846-0	0-	ND
d 12656-85-8	235-759-9	_	ND
1344-37-2	215-693-7	_	ND
115-96-8	204-118-5	0.01	ИD
79-06-1	201-173-7	0.01	ND
79-01-6	201-167-4	0.005	ND
10043-35-3 11113-50-1	233-139-2 234-343-4	b -	ND
1330-43-4 12179-04-3 1303-96-4	215-540-4	-	ND
12267-73-1	235-541-3	_	ND
7775-11-3	231-889-5	6-	ND
7789-00-6	232-140-5	1-	ND
7789-09-5	232-143-1	-	ND
7778-50-9	231-906-6	-	ND
10124-43-3	233-334-2	6-	ND
10141-05-6	233-402-1	_	ND
513-79-1	208-169-4		ND
71-48-7	200-755-8	-	ND
109-86-4	203-713-7	0.01	ND
110-80-5	203-804-1	0.01	ND
1333-82-0	215-607-8	1-2	ND
7739 04 5.	231-801-5,236 -881-5	6-	ND
12	1		
	121-14-2 84-69-5 7758-97-6 d 12656-85-8 tt 1344-37-2 115-96-8 79-06-1 79-01-6 10043-35-3 11113-50-1 1330-43-4 12179-04-3 1303-96-4 12267-73-1 7775-11-3 7789-00-6 7789-09-5 7778-50-9 10124-43-3 10141-05-6 513-79-1 71-48-7 109-86-4 110-80-5 1333-82-0	121-14-2 204-450-0 84-69-5 201-553-2 7758-97-6 231-846-0 d 12656-85-8 235-759-9 at 1344-37-2 215-693-7 115-96-8 204-118-5 79-06-1 201-173-7 79-01-6 201-167-4 10043-35-3 233-139-2 11113-50-1 234-343-4 1330-43-4 12179-04-3 215-540-4 1303-96-4 12267-73-1 235-541-3 7775-11-3 231-889-5 7789-00-6 232-140-5 7789-09-5 232-143-1 7778-50-9 231-906-6 10124-43-3 233-334-2 10141-05-6 233-402-1 513-79-1 208-169-4 71-48-7 200-755-8 109-86-4 203-713-7 110-80-5 203-804-1 1333-82-0 215-607-8	121-14-2 204-450-0 0.01 84-69-5 201-553-2 0.005 7758-97-6 231-846-0 — d 12656-85-8 235-759-9 — at 1344-37-2 215-693-7 — 115-96-8 204-118-5 0.01 79-06-1 201-173-7 0.01 79-01-6 201-167-4 0.005 10043-35-3 233-139-2 — 1113-50-1 234-343-4 — 12179-04-3 215-540-4 — 12267-73-1 235-541-3 — 7789-00-6 232-140-5 — 7789-09-5 232-143-1 — 7778-50-9 231-906-6 — 10124-43-3 233-334-2 — 10141-05-6 233-402-1 — 513-79-1 208-169-4 — 71-48-7 200-755-8 — 109-86-4 203-713-7 0.01 110-80-5 203-804-1 0.01 1333-82-0 215-607-8 — 7738-94-5; 231-801-5,236 —

江苏环谱检测技术服务有限公司 JIANGSU HAP TESTING SERVICE CO.,LTD 地址:扬州市经济技术开发区吴州东路 198 号

Adderss: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

URL: www.hap-test.com E-mail: hap@hap-test.com \$\mathbb{C}: 400-6600-776 \text{lm}: 0514-89711561



Page 4 of 15 Report No.: HAP17106585503

~ 3 / 3	1/0 1/0	1/3		201	77.1
No.	Testing Item(s)	CAS No.	EC No.	MDL	1#
46	strontium chromate (1,2-Benzenedic) *	7789-6-2	232-142-6	_	ND
47	1,2-Benzenedicarboxylic acid,di-(C7-11)-branched and linear alkyl esters	68515-42-4	271-084-6	0.01	ND
48	Hydrazine	7803-57-8、 302-01-2	206-114-9	0.05	ND
49	1-Methyl-2-pyr rolidinone	872-50-4	212-828-1	0.01	ND
50	1,2,3-trichlor opropane (1,2-Benzenedic)	96-18-4	202-486-1	0.01	ND
51	1,2-Benzenedicarboxylic acid,di-(C6-8)-branched alkyl esters,C7-rich	71888-89-6	276-158-1	0.01	ND
52	Dichromium tris(chromate)*	24613-89-6	246-356-2	-	ND
53	Potassium hydroxyoctaoxodizincatedi-chromate*	11103-86-9	234-329-8	_	ND
54	Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	-	ND
55	Aluminosilicate Refractory Ceramic Fibres (RCF)***	_	650-017-00-8	0.05	ND
56	Zirconia Aluminosilicate Refractory Ceramic Fibres***	Ār.	650-017-00-8	0.05	ND
57	Formaldehyde, oligomeric reaction products with aniline	25214-70-4	500-036-01	0.05	ND
58	Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	0.005	ND
59	2-Methoxyaniline; o-Anisidine	90-04-0	201-963-1	0.01	ND
60	4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol)	140-66-9	205-426-2	0.01	ND
61	1,2-Dichloroethane	107-06-2	203-458-1	0.01	ND
62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.01	ND
63	Arsenic acid*	7778-39-4	231-901-9	_	ND
64	Trilead diarsenate*	3687-31-8	222-979-5	ò –	ND
65	Calcium arsenate*	7778-44-1	231-904-5	2	ND
66	N,N-dimethylacetamide	127-19-5	204-826-4	0.01	ND
67	Phenolphthalein	77-09-8	201-004-7	0.05	ND
68	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	202-918-9	0.01	ND

Adderss: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

E-mail: hap@hap-test.com URL: www.hap-test.com







Page 5 of 15 Report No.: HAP17106585503

~ 7 / 3 -	* Y7/2 Y7/2	~2/2	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	0	3/1/
No.	Testing Item(s)	CAS No.	EC No.	MDL	1#
69	Lead azide Lead diazide*	13424-46-9	236-542-1	_	ND
70	Lead styphnate*	15245-44-0	239-290-0	_	ND
71	Lead dipicrate*	6477-64-1	229-335-2	> _	ND
72	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	2003-977-3	0.01	ND
73	1,2-dimethoxyethane;ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.01	ND
74	Diboron trioxide*	1303-86-2	215-125-8	_	ND
75	Formamide	75-12-7	200-842-0	0.01	ND
76	Lead(II)bis(methanesulfonate)*	17570-76-2	401-750-5	-	ND
77	TGIC(1,3,5-tris[oxiranylmethyl)-1,3,5-triazine-2, 4,6(1H,3H,5H)-trione)	2451-62-9	219-514-3	0.01	ND
78	β-TGIC(1,3,5-tris[(2Sand2R)-2,3-epoxypropyl]- 1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	59653-74-6	423-400-0	0.01	ND
79	4,4'-bis(dimethylamino)benzophenone(Michler's ketone)	90-94-8	202-027-5	0.01	ND
80	N,n,n',n'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	202-959-2	0.01	ND
81	[4-[4,4'-bis(dimethylamino)benzhydryldene]cycl ohexa-2,5-dien-1-ylidene]dimethylammonium chloride(C.I.Basic Violet 3)[with≥0.1% of Michler's ketone(EC No.202-027-5)or Michler's base(EC No.202-959-2)]****	548-62-9	208-953-6	0.01	ND
82 [4]	[4-[[4-anilino-1-naphthyl][1-(dimethylamino) Phenyl]methylene]cyclohexa-2,5-dien-1ylidene] dimethylammonium chloride(C.I.Basic Blue 26)[with > 0.1% of Michler's ketone(EC No.202-027-5)or Michler's base(EC No.202-959-2)]****	2580-56-5	219-943-6	0.01	ND
83	a, a -Bis[4-(dimethylamino)phenyl]-4(phenylamino)n aphthalene-1-methanol(C.I.SolventBlue4)[with ≥0.1% of Michler's ketone(EC No.202-027-5)or Michler's base(EC No.202-959-2)]****	6786-83-0	229-851-8	0.01	ND



Page 6 of 15 Report No.: HAP17106585503

1	400	- V	· ·	~	
No.	Testing Item(s)	CAS No.	EC No.	MDL	1#
84	4,4'-bis(dimethylamino0-4"-(methylamino)trityl alcohol[with≥0.1% of Michler's ketone(EC No.202-027-5)or Michler's base(EC No.202-959-2)]****	561-41-1	209-218-2	0.01	ND
85	Bis(pentabromophenyl) ether (DecaBDE)	1163-19-5	214-604-9	0.001	ND
86	Pentacosafluorotridecanoic acid	72629-94-8	276-745-2	0.01	ND
87	Tricosafluorododecanoic acid	307-55-1	206-203-2	0.01	ND
88	Henicosafluoroundecanoic acid	2058-94-8	218-165-4	0.01	ND
89	Heptacosafluorotetradecanoic acid	376-06-7	206-803-4	0.01	ND
90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated -covering well-defined substances and UVCB substances, polymers and homologues	190	-14	0.01	ND
91	4-Nonylphenol, branched and linear -substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	140	- 41	0.01	ND
92	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	204-650-8	0.01	ND
93	Cyclohexane-1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)	85-42-7	201-604-9	0.01	ND
94	Hexahydromethylphathalic anhydride, Hexahydro-4-methylphathalic anhydride, Hexahydro-1-methylphathalic anhydride, Hexahydro-3-methylphathalic anhydride	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	247-094-1, 243-072-0, 256-356-4, 260-566-1	0.01	ND
95	Methoxy acetic acid	625-45-6	210-894-6	0.01	ND
96	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	284-032-2	0.01	ND
97	Diisopentylphthalate (DIPP)	605-50-5	210-088-4	0.01	ND
98	N-pentyl-isopentylphtalate	-		0.01	ND
99	1,2-Diethoxyethane	629-14-1	211-076-1	0.01	ND
100	N,N-dimethylformamide, dimethyl formamide	68-12-2	200-679-5	0.01	ND
101	Dibutyltin dichloride (DBT)	683-18-1	211-670-0	0.01	ND
102	Acetic acid, lead salt, basic*	51404-69-4	257-175-3	_	ND

江苏环谱检测技术服务有限公司 JIANGSU HAP TESTING SERVICE CO.,LTD

地址:扬州市经济技术开发区吴州东路 198号

Adderss: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

E-mail: hap@hap-test.com URL: www.hap-test.com





Page 7 of 15 Report No.: HAP17106585503

					4
No.	Testing Item(s)	CAS No.	EC No.	MDL	1#
103	Basic lead carbonate (trilead bis(carbonate)dihydroxide)*	1319-46-6	215-290-6	_	ND
104	Lead oxide sulfate (basic lead sulfate)*	12036-76-9	234-853-7	-	ND
105	[Phthalato(2-)]dioxotrilead (dibasic lead phthalate)*	69011-06-9	273-688-5	_	ND
106	Dioxobis(stearato)trilead*	12578-12-0	235-702-8	S	ND
107	Fatty acids, C16-18, lead salts*	91031-62-8	292-966-7	-	ND
108	Lead bis(tetrafluoroborate)*	13814-96-5	237-486-0	s=-	ND
109	Lead cynamidate*	20837-86-9	244-073-9	-	ND
110	Lead dinitrate*	10099-74-8	233-245-9	-	ND
111	Lead oxide (lead monoxide)*	1317-36-8	215-267-0	-	ND
112	Lead tetroxide (orange lead)*	1314-41-6	215-235-6	-	ND
113	Lead titanium trioxide*	12060-00-3	235-038-9	-	ND
114	Lead Titanium Zirconium Oxide*	12626-81-2	235-727-4	_	ND
115	Pentalead tetraoxide sulphate*	12065-90-6	235-067-7	1	ND
116	Pyrochlore, antimony lead yellow*	8012-00-8	232-382-1	_	ND
117	Silicic acid, barium salt, lead-doped*	68784-75-8	272-271-5	S	ND
118	Silicic acid, lead salt*	11120-22-2	234-363-3	-	ND
119	Sulfurous acid, lead salt, dibasic*	62229-08-7	263-467-1	_	ND
120	Tetraethyllead*	78-00-2	201-075-4	0-0	ND
121	Tetralead trioxide sulphate*	12202-17-4	235-380-9	-	ND
122	Trilead dioxide phosphonate*	12141-20-7	235-252-2	-	ND
123	Furan	110-00-9	203-727-3	0.01	ND
124	Propylene oxide, 1,2-epoxypropane, methyloxirane	75-56-9	200-879-2	0.01	ND
125	Diethyl sulphate	64-67-5	200-589-6	0.01	ND
126	Dimethyl sulphate	77-78-1	201-058-1	0.01	ND
127	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolid ine	143860-04-2	421-150-7	0.01	ND
128	Dinoseb	88-85-7	201-861-7	0.01	ND

江苏环谱检测技术服务有限公司 JIANGSU HAP TESTING SERVICE CO.,LTD 地址:扬州市经济技术开发区吴州东路 198 号

Adderss: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

E-mail: hap@hap-test.com URL: www.hap-test.com



Report No.: HAP17106585503 Page 8 of 15

27	m 1: 71 - (2)	GAGAT	EGN	101	* 11
No.	Testing Item(s)	CAS No.	EC No.	MDL	1#
129	4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.01	ND
130	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.001	ND
131	4-Aminoazobenzene, 4-Phenylazoaniline	1960-9-3	200-453-6	0.001	ND
132	4-methyl-m-phenylenediamine (toluene-2,4diamine)	95-80-7	202-453-1	0.001	ND
133	6-methoxy-m-toluidine (p-cresidine)	120-71-8	204-419-1	0.001	ND
134	Biphenyl-4-ylamine	92-67-1	202-177-1	0.01	ND
135	o-aminoazotoluene	97-56-3	202-591-2	0.001	ND
136	o-Toluidine, 2-Aminotoluene	95-53-4	202-429-0	0.001	ND
137	N-methylacetamide	79-16-3	201-182-6	0.01	ND
138	1-bromopropane, n-propyl bromide	106-94-5	203-445-0	0.01	ND
139	Cadmium*	7440-43-9	231-152-8		ND
140	Cadmium oxide*	1306-19-0	215-146-2	_	ND
141	Ammonium pentadecafluorooctanoate(APFO)	3825-26-1	223-320-4	0.01	ND
142	Pentadecafluorooctanoic acid(PFOA)	335-67-1	206-397-9	0.01	ND
143	Dipentyl phthalate(DPP)	131-18-0	205-017-9	0.01	ND
144	4-Nonylphenol, branched and linear,ethoxylated	140	-4	0.01	ND
145	Cadmium sulphide*	1306-23-6	215-147-8	-	ND
146	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-amin on aphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	209-358-4	0.03	ND
147	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	217-710-3	0.03	ND
148	Dihexyl phthalate	84-75-3	201-559-5	0.01	ND

\$: 400-6600-776 **1**: 0514-89711561





Page 9 of 15 Report No.: HAP17106585503

<9.\d	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Y9Z)	- '49 N	l .	~<-9.
No.	Testing Item(s)	CAS No.	EC No.	MDL	1#
149	Imidazolidine-2-thione (2-imidazoline-2-thiol)	96-45-7	202-506-9	0.03	ND
150	Lead di(acetate)*	301-04-2	206-104-4	_	ND
151	Trixyly phosphate	25155-23-1	246-677-8	0.01	ND
152	1,2-Benzenedicarboxylic avid,dihexyl ester,branched and linear	68515-50-4	271-093-5	0.01	ND
153	Sodium perborate, perboric acid, sodium salt*	_	239-172-9 234-390-0	_	ND
154	Sodium peroxometaborate*	7632-04-4	231-556-4	_	ND
155	Cadmium chloride*	10108-64-2	233-296-7	_	ND
156	Cadmium fluoride*	7790-79-6	232-222-0	_	ND
157	Cadmium sulphate*	10124-36-4 31119-53-6	233-331-6	-	ИD
158	2-benzotriazol-2-yl-4,6-di-tert-butylphenol	3846-71-7	223-346-6	0.01	ND
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol	25973-55-1	247-384-8	0.01	ND
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stanna tetradecanoate	15571-58-1	239-622-4	0.01	ND
161	reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stanna tetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]- 4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoat e	- Up	MAP	0.01	ND
162	1,2-benzenedicarboxylic acid,di-C6-10-alkyl esters;1,2-benzenedicarboxylic acid,mixed decyl and hexyl and octyl diesters with≥0.3% of dihexyl phthalate (EC NO.201-559-5)	68515-51-5 68648-93-1	271-094-0 272-013-1	0.05	ND
163	5-sec-butyl-2- (2,4-dimethylcyclohex-3-en-1-yl) -5-methyl-1,3-dioxane[1], 5-sec-butyl-2- (4,6-dimethylcyclohex-3-en-1-yl) -5-methyl-1,3-dioxane[2][covering any of the individual steroisomers of[1] and [2]or any	4p -	-	0.05	ND
19.	combination thereof]	Ola 2	481x		2/4





Page 10 of 15 Report No.: HAP17106585503

					. 4
No.	Testing Item(s)	CAS No.	EC No.	MDL	1#
164	1,3-Propanesultone	1120-71-4	214-317-9	0.01	ND
165	2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)pheno 1 (UV-327)	3864-99-1	223-383-8	0.01	ND
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol(UV-350)	36437-37-3	253-037-1	0.01	ND
167	Nitrobenzene	98-95-3	202-716-0	0.01	ND
168	Perfluorononan-1-oic acid (2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoronna noic acid) and its sodium and ammonium salts	375-95-1/ 21049-39-8 / 4149-60-4	206-801-3	0.01	ND
169	Benzo (e) pyrene	50-32-8	200-028-5	0.005	ND
170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	201-245-8	0.01	ND
171	nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2	206-400-3	0.01	ND
172	4-heptylphenol, branched and linear (4-HPbl)	1	1	0.01	ND
173	4-tert-pentylphenol (PTAP)	80-46-6	201-280-9	0.01	ND
174	Perfluorohexane-1-Sulphonic acid and its salts(PFHxS)	355-46-4	206-587-1	0.05	ND

*******To be continued******

江苏环谱检测技术服务有限公司 JIANGSU HAP TESTING SERVICE CO.,LTD 地址:扬州市经济技术开发区吴州东路 198 号



Report No.: HAP17106585503 Page 11 of 15

(1)Inaccordance with Regulation (EC)No.1907/2006, any producer or importer of articles shall Remark 1 notify ECHA,in accordance with paragraph 4 of Article 7,if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1),if both the following conditions are

> (a) The substance is present in those articles in quantities totalling over 1 tonne per producer or importer per year;

> (b) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w). (2)From 28 October 2008, EU&EEA suppliers of articles which contain subatances on the Candidate List in a concenteation cbove 0.1%(w/w)must provide sufficient information, available to them totheir customers and on request to a consumer within 45 days of the receipt of this request This information must ensure safe use of the article and, as a minimum, include the name of the substance.

Remark 2

(1) Calculated concentration of cobalt dichloride, cobalt(II) sulphate, cobalt(II) dinitrate, cobalt(II) carbonate and cobalt(II) diacetate is based on the identified heavy metal and anion result. Calculated concentration of diarsenic pentaoxide, diarsenic trioxide, chromium trioxide, sodium dichromate, dehydrate, lead hydrogen arsenate, triethyl arsenate, lead chromate, sodium chromate, strontium chromate ,potassium chromate, ammonium dichromate,potassium dichromate, lead chromate molybdate sulfate red, lead sulfochromate yellow and acids generated from chromium trioxide and their oligomers, Lead dipicrate, Lead styphnate, Lead azide Lead diazide, Trilead diarsenate, Calcium arsenate, Arsenic acid, Potassium hydroxyoctaoxodizincatedi-chromate, Dichromium tris(chromate), Pentazinc chromate octahydroxide, Lead(II) bis(methanesulfonate), Diboron trioxide ,Acetic acid, lead salt, basic, Basic lead carbonate (trilead bis(carbonate)dihydroxide), Lead oxide sulfate (basic lead sulfate), [Phthalato(2-)]dioxotrilead (dibasic lead phthalate), Dioxobis(stearato)trilead, Fatty acids, C16-18, lead salts, Lead bis(tetrafluoroborate), Lead cynamidate, Lead dinitrate, Lead oxide (lead monoxide), Lead tetroxide (orange lead), Lead titanium trioxide, Lead Titanium Zirconium Oxide, Pentalead tetraoxide sulphate Pyrochlore, antimony lead yellow ,Silicic acid, barium salt, lead-doped , Sulfurous acid, leadsalt, dibasic, Tetraethyllead, Tetralead trioxide sulphate, Trilead dioxide phosphonate, Cadmium, Cadmium oxide, Cadmium sulphide and Lead di(acetate), Cadmium chloride, Cadmium fluoride, Cadmium sulphate are based on the identified heavy metal result, boric acid, disodium tetraborate, anhydrous and tetraboron disodium heptaoxide, hydrate, Sodium perborate, perboric acid, sodium salt, Sodium peroxometaborate are based on the identified result of boron and sodium result. The identities of above metal substances present in the article have to be further confirmed; The RL(Reporting Limit) for these test items are 0.05%.

(2)** Concentration of bis(tributyltin)oxide, TBTO is reported as tributyltin, TBT. The result is a screening test of TBTO and can cover TBTO and other salts under current technologies Further investigation is needed to have the exact amount of TBTO;

Adderss: NO. 198 Wuzhou East Road, economic and technological development zone, YangZhou E-mail: hap@hap-test.com URL: www.hap-test.com

\$: 400-6600-776



Report No.: HAP17106585503 Page 12 of 15

Remark 2 (3)*** Calculated concentration of Aluminosilicate, Refractory Ceramic Fibres; Zirconia Aluminosilicate, Refractory Ceremic Fibres is based on the identified heavy metal result and confirmation by microscope;

- (4) ****The substance does only fulfil the criteria of REACH Art. 57 (a) if it contains Michler's ketone (EC Number: 202-027-5) or Michler's base (EC Number: 202-959-2) in a concentration ≥ 0.1% (weight / weight);
- (5) ND=Not detected, less than MDL;
- (6) MDL=Method Detection Limit;
- (7) *****1# sample test line
- 2. Determination of RoHS 6 (unit: mg/kg)

Testing method

- (1) With reference to IEC 62321-5:2013. By ICP OES for measuring;
- (2) With reference to IEC 62321-4:2013. By ICP-OES for measuring;
- (3) With reference to IEC 62321-7-2-2017. By UV-VIS for measuring,
- (4) With reference to IEC 62321-6:2015. By GC-MS for measuring.

Testing Item(s)	Method	MDL	Limit	1#****
Lead (Pb)	(1)	2	1000	ND
Cadmium (Cd)	(1)	2	100	ND
Mercury (Hg)	(2)	2	1000	ND
Chromium(VI) (Cr 6+)	(3)	2	1000	ND
Polybrominated Biphenyls (PBBs)	~ 40	_	1000	ND
Polybrominated Diphenyl Ethers (PBDEs)	(4)	_	1000	ND

Note:

- (1) 1 mg/kg=1 ppm=0.0001%
- (2) MDL=Method Detection Limit
- (3) ND=Not Detected (<MDL)
- (4) "-" =Not Regulated
- (5) Polybrominated diphenyl ethers
- (6) Polybrominated Biphenyls. Polybrominated Diphenyl Ethers list, and detection limit (MDL)

Polybrominated Biphenyls (PBBs)	MDL	DL Polybrominated Diphenyl Ethers (PBDEs)	
Bromobiphenyl	5	Bromobiphenyl ether	5
Dibromobiphenyl	5	Dibromobiphenyl ether	5
Tribromobiphenyl	5	Tribromobiphenyl ether	5
Tetrabromobiphenyl	5	Tetrabromodiphenyl ether	5
Pentabromobiphenyl	5	Pentabromodiphenyl ether	5
Hexabromobiphenyl	5	Hexabromodiphenyl ether	5
Heptabromobiphenyl	5	Heptabromodiphenyl ether	5
Octabromobiphenyl	5	Octabromobiphenyl ether	2.5
Nonabromobiphenyl	5	Nonabromobiphenyl ether	5
Decabromodiphenyl	5	Decabromobiphenyl ether	5

(7) *****1# sample test line

江苏环谱检测技术服务有限公司

JIANGSU HAP TESTING SERVICE CO.,LTD

地址: 扬州市经济技术开发区吴州东路 198号


Adderss: NO. 198 Wuzhou East Road, economic and technological development zone, YangZhou

URL: www.hap-test.com E-mail: hap@hap-test.com \$\mathbb{C}: 400-6600-776 \bigcup : 0514-89711561



Report No.: HAP17106585503 Page 13 of 15

RoHS Testing Flow Chart



URL: www.hap-test.com E-mail: hap@hap-test.com **\$**: 400-6600-776





Report No.: HAP17106585503 Page 14 of 15

3. Determination of Polynuclear Aromatic Hydrocarbons (PAHs) (unit: mg/kg)

Festing method With reference to AfPS GS 2014:01 PAK By GC-MS for measuring.

	1#*****
0.2	ND
4/2	ND
<i>\\ \)</i> -	ND
	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2

Note

- (1) 1mg/kg=1ppm=0.0001%
- (2) MDL=Method Detection Limit
- (3) ND=Not Detected (<MDL)
- (4) "-" =Not Regulated
- (5) ******1# sample test line

Adderss: NO.198 Wuzhou East Road, economic and technological development zone, YangZhou

URL: www.hap-test.com E-mail: hap@hap-test.com \$\mathbb{C}: 400-6600-776 \bigcite{\mathbb{O}}: 0514-89711561



Report No.: HAP17106585503 Page 15 of 15

Sample photo:



***End of report ***

This report is considered invalidated without the Special Seal for Inspection of the HAP. This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. If you have any objections t o the test results, please submit them in writing within 15 days after the date of issue of the report. Without written appr oval of HAP, this test report shall not be copied except in full and published as advertisement Report covers just for de coration, not included in the body of the report. (See the specific in general terms http://www.hap-test.com/customerser vice.html)



江苏环谱检测技术服务有限公司 JIANGSU HAP TESTING SERVICE CO.,LTD 地址: 扬州市经济技术开发区吴州东路 198号

Adderss: NO. 198 Wuzhou East Road, economic and technological development zone, YangZhou URL: www.hap-test.com E-mail: hap@hap-test.com

\$: 400-6600-776

1: 0514-89711561