Huffman Coding: An Application of Binary Trees and Priority Queues

Encoding and Compression of Data

- Fax Machines
- ASCII
- Variations on ASCII
 - -min number of bits needed
 - cost of savings
 - patterns
 - modifications

Purpose of Huffman Coding

- Proposed by Dr. David A.
 Huffman in 1952
 - "A Method for the Construction of Minimum Redundancy Codes"
- Applicable to many forms of data transmission
 - -Our example: text files

The Basic Algorithm

- Huffman coding is a form of statistical coding
- Not all characters occur with the same frequency!
- Yet all characters are allocated the same amount of space
 - -1 char = 1 byte, be it e or X

The Basic Algorithm

- Any savings in tailoring codes to frequency of character?
- Code word lengths are no longer fixed like ASCII.
- Code word lengths vary and will be shorter for the more frequently used characters.

The (Real) Basic Algorithm

- 1. Scan text to be compressed and tally occurrence of all characters.
- 2. Sort or prioritize characters based on number of occurrences in text.
- 3. Build Huffman code tree based on prioritized list.
- 4. Perform a traversal of tree to determine all code words.
- 5. Scan text again and create new file using the Huffman codes.

Building a Tree Scan the original text

 Consider the following short text:

Eerie eyes seen near lake.

 Count up the occurrences of all characters in the text

Building a Tree Scan the original text

Eerie eyes seen near lake.

• What characters are present?

```
E e r i space
y s n a r l k .
```

Scan the original text

Eerie eyes seen near lake.

 What is the frequency of each character in the text?

Char	Freq.	Char	Freq.	Char	Freq.
E	1	У	1	k	1
e	8	S	2	•	1
r	2	n	2		
i	1	a	2		
spac	e 4	1	1		


Building a Tree Prioritize characters

- Create binary tree nodes with character and frequency of each character
- Place nodes in a priority queue
 - The <u>lower</u> the occurrence, the higher the priority in the queue

Prioritize characters


• Uses binary tree nodes
public class HuffNode
{
 public char myChar;
 public int myFrequency;
 public HuffNode myLeft, myRight;
}


• The queue after inserting all nodes





• Null Pointers are not shown


- While priority queue contains two or more nodes
 - Create new node
 - Dequeue node and make it left subtree
 - Dequeue next node and make it right subtree
 - Frequency of new node equals sum of frequency of left and right children
 - Enqueue new node back into queue























































What is happening to the characters with a low number of occurrences?



























•After enqueueing this node there is only one node left in priority queue.

Dequeue the single node left in the queue.

This tree contains the new code words for each character.


Frequency of root node should equal number of characters in text.





Encoding the File Traverse Tree for Codes

- Perform a traversal of the tree to obtain new code words
- Going left is a 0 going right is a 1
- code word is only completed when a leaf node is reached



Encoding the File

Traverse Tree for Codes

Char	Code	
E	0000	
i	0001	
У	0010	26
y 1	0011	
k	0100	10
•	0101	
space	011	6 e 8
e	10	2 2 7
r	1100	
S	1101	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
n	1110	2 2 2 2
a	1111	

Encoding the File

 Rescan text and encode file using new code words

Eerie eyes seen near lake.

 Why is there no need for a separator character?

Char	Code
E	0000
i	0001
У	0010
1	0011
k	0100
•	0101
space	011
е	10
r	1100
s	1101
n	1110
a	1111

Encoding the File

Results

- Have we made things any better?
- 73 bits to encode the text
- ASCII would take 8 * 26 = 208 bits
- If modified code used 4 bits per character are needed. Total bits 4 * 26 = 104. Savings not as great.


Decoding the File

- How does receiver know what the codes are?
- Tree constructed for each text file.
 - Considers frequency for each file
 - Big hit on compression, especially for smaller files
- Tree predetermined
 - based on statistical analysis of text files or file types
- Data transmission is bit based versus byte based

Decoding the File

- Once receiver has tree it scans incoming bit stream
- 0 ⇒ go left
- 1 ⇒ go right

101000110111101111 01111110000110101



Summary

- Huffman coding is a technique used to compress files for transmission
- Uses statistical coding
 - more frequently used symbols have shorter code words
- Works well for text and fax transmissions
- An application that uses several data structures