

OMM–SBT: Multi-Sector Dynamics and Asymmetric Latent Coupling

From Observable Causal Structure to Latent Reconstruction Regimes

Nicolas Gilbert Albert Roux

May 22, 2026

Abstract

This paper develops an intermediate theoretical layer between the causal-kinetic OMM–SBT framework and the later latent reconstruction results introduced in the Latent Identity Model (LIM) framework.

The central objective is to investigate whether multiple dynamical sectors may coexist while remaining only partially observable to one another.

Within this perspective, observable dynamics are treated as potentially corresponding to a stabilized regime emerging from deeper substrate organization.

Different sectors may possess different update scales, relaxation regimes, coupling strengths, and reconstruction accessibility.

The framework explores whether a latent sector may influence the observable sector asymmetrically through nonlinear attractor dynamics,

while the observable sector returns only partial or image-like feedback.

Special attention is given to:

- multi-sector coexistence;
- latent-observable asymmetry;
- attractor-mediated coupling;
- partial transparency between sectors;
- persistence under observable degradation;
- partial latent calibration;
- and the failure of strict observable closure.

The purpose of the paper is not to establish a finalized cosmological, metaphysical, or biological theory.

Instead, the objective is to organize a coherent intermediate structural framework connecting OMM–SBT substrate dynamics with the latent reconstruction necessity results later developed in LIM.

Contents

1	Introduction	4
2	From Causal-Kinetic OMM–SBT to Multi-Sector Dynamics	4
3	Two-Sector Coexistence	5
4	Weak Coupling and Observable Transparency	6
5	Directional Influence and Silent Latent Action	6

6	Latent Selection of Observable Attractors	7
6.1	Threshold activation	7
6.2	Observable stabilization	8
6.3	Partial latent calibration	8
7	Asymmetric Bidirectional Coupling	9
7.1	Latent-to-observable amplification	9
7.2	Observable-to-latent sensory return	10
7.3	Asymmetric persistence	10
8	Observable-to-Latent Sensory Isolation	10
8.1	Projection-limited observability	11
8.2	Observable blindness to latent dynamics	11
8.3	Latent velocity hierarchy	12
8.4	Observable closure as an approximation	12
9	Latent Choice-Space and Attractor Freedom	12
9.1	Observable degeneracy	13
9.2	Attractor freedom	13
9.3	Freedom without observable randomness	14
9.4	Relation to later LIM reconstruction	14
10	Memory of Memory and Latent Persistence	14
10.1	Recursive latent persistence	15
10.2	Persistence across observable change	15
10.3	Latent inertia	16
10.4	Proto-calibration of latent persistence	16
10.5	Interpretive limitation	16
11	Latent Survival after Observable Destruction	17
11.1	Projection loss versus latent loss	17
11.2	Attractor disconnection	18
11.3	Latent persistence inertia	19
11.4	Transition rather than termination	19
11.5	Relation to black-hole and cosmological extensions	20
11.6	Interpretive limitation	20
12	Latent-Observable Loop Competition	20
12.1	Observable stabilization loops	21
12.2	Latent reconstruction loops	21
12.3	Competitive stabilization regimes	22
12.4	Threshold-driven regime transitions	23
12.5	Relation to arbitration	23
12.6	Interpretive limitation	23
13	Channel Selectivity and Randomness Insufficiency	24
13.1	Random perturbation insufficiency	24
13.2	Selective latent channels	25
13.3	Coherence-preserving influence	25
13.4	Relation to LIM anti-cheat structure	26
13.5	Interpretive consequence	26

14 Failure of Observable Deterministic Closure	26
14.1 Observable-state insufficiency	27
14.2 Effective determinism versus fundamental closure	27
14.3 Observable aliasing as closure failure	28
14.4 Consequences for reconstruction theory	29
14.5 Interpretive limitation	29
15 Transition toward LIM	29
15.1 From multi-sector dynamics to observable aliasing	30
15.2 Why latent memory becomes necessary	30
15.3 Why strict anti-cheat structure becomes necessary	31
15.4 From latent persistence to latent identity	31
15.5 Conceptual continuity between the frameworks	32
16 Limits and Non-Claims	32
16.1 No claim of supernatural ontology	32
16.2 No completed theory of consciousness	33
16.3 No completed physical theory	33
16.4 Latent persistence and observable destruction	34
16.5 Why the framework may still matter	34
16.6 Epistemic discipline	35
16.7 Position of the paper within the global framework	35
17 Discussion	36
17.1 Observable Disorganization, Latent Persistence, and the Arbiter	37
18 Falsifiability	39
18.1 Observable closure falsification	39
18.2 Latent degeneracy falsification	39
18.3 Randomness equivalence falsification	39
18.4 Latent persistence falsification	40
18.5 Anti-cheat necessity	40
18.6 Scientific position	40
19 Reproducibility	40
19.1 Repository contents	41
19.2 Deterministic execution	41
19.3 Independent verification objective	41
19.4 Epistemic importance	41
20 Conclusion	42

1 Introduction

OMM–SBT originally introduced a causal-kinetic framework in which observable organization emerges from deeper oscillatory and structural substrate dynamics.

Within this picture, observable states are not necessarily treated as fully primitive or dynamically self-sufficient. Instead, observable organization may correspond to stabilized projections of deeper substrate regimes.

The later Latent Identity Model (LIM) framework demonstrated that, under strict observable aliasing and anti-cheat constraints, observable similarity alone may become insufficient for reliable reconstruction, while coherent latent structure restores reconstruction consistency.

However, an intermediate theoretical layer remained insufficiently formalized.

In particular, the framework still required a disciplined explanation for:

- how multiple sectors may coexist;
- why latent structure may remain partially inaccessible to the observable sector;
- how asymmetric latent influence may emerge;
- why observable disorganization does not necessarily imply latent destruction;
- and how observable insufficiency naturally leads toward latent reconstruction necessity.

The present work addresses this missing structural layer.

The central guiding question is therefore:

Can a latent dynamical sector coexist with the observable sector while remaining only partially reconstructible from observable information, yet still exerting nontrivial structural influence through asymmetric coupling and attractor-mediated organization?

The paper does not claim the discovery of supernatural entities, metaphysical dualism, or finalized cosmological laws.

Its objective is instead to investigate whether multi-sector dynamics, partial transparency, asymmetric latent coupling, and incomplete observable reconstruction constitute internally coherent consequences of the broader OMM–SBT framework.

2 From Causal-Kinetic OMM–SBT to Multi-Sector Dynamics

Within OMM–SBT, observable organization emerges from coupled substrate variables:

$$\Psi_t = (X_t, \Phi_t, K_t), \tag{1}$$

where:

- X_t denotes a mantle or amplitude field;
- Φ_t a phase or orientation field;
- K_t a kinetic-memory contribution encoding persistent organization.

Observable geometry is not treated as strictly primitive. Instead, effective organization may emerge from deeper substrate dynamics involving density, flow coherence, kinetic persistence, and structural stabilization.

The present paper extends this framework by considering the possibility that multiple dynamical sectors may coexist within a broader substrate hierarchy.

The observable sector is therefore interpreted not necessarily as the totality of the system, but as one stabilized dynamical regime among potentially multiple coupled sectors.

A latent sector may then possess:

- different update scales;
- different relaxation times;
- different coupling strengths;
- and different reconstruction accessibility.

The transition from OMM–SBT toward LIM therefore requires an intermediate framework capable of describing:

- sector coexistence;
- partial transparency;
- asymmetric coupling;
- and incomplete observable closure.

3 Two-Sector Coexistence

The first missing structural question concerns coexistence.

The framework investigates whether an observable sector $\mathcal{O}$ and a latent sector $\mathcal{L}$ may coexist while remaining only partially accessible to one another.

The central hypothesis is not that the latent sector exists “outside reality,” but rather that it occupies a different dynamical regime within the same broader substrate structure.

A schematic hierarchy may therefore be written:

$$\mathcal{L} \neq \mathcal{O}, \quad \mathcal{L} \leftrightarrow \mathcal{O}. \quad (2)$$

The two sectors remain coupled without being identical.

The observable regime may then correspond to a slower stabilized projection of deeper latent dynamics.

A key structural hierarchy is:

$$v_\ell > v_o, \quad (3)$$

where:

- v_o denotes an observable update scale;
- v_ℓ denotes a latent structural update scale.

This hierarchy should not be interpreted as ordinary superluminal propagation inside observable spacetime. Instead, it represents a deeper substrate update hierarchy.

The associated relaxation hierarchy becomes:

$$\tau_\ell < \tau_o, \quad (4)$$

where latent organization evolves faster than observable stabilization.

Within this perspective, observable dynamics correspond to a partially coarse-grained reconstruction of deeper substrate evolution.

4 Weak Coupling and Observable Transparency

If the latent sector evolves under faster or structurally denser dynamics, the observable sector may fail to reconstruct it completely.

Observable transparency therefore becomes limited.

The observable sector samples only:

- stabilized projections;
- filtered reconstructions;
- coarse-grained observables;
- and relaxation-compatible information.

The latent sector may therefore remain:

- partially invisible;
- partially reconstructible;
- or structurally ambiguous

from the observable perspective.

This motivates the later LIM condition:

$$\mathcal{O}_i = \mathcal{O}_j, \quad i \neq j, \quad (5)$$

under observable aliasing.

Observable equivalence does not necessarily imply latent equivalence.

The present framework therefore introduces the possibility that observable reconstruction may remain incomplete under certain dynamical constraints.

5 Directional Influence and Silent Latent Action

The framework further investigates whether latent influence may remain asymmetric.

The latent sector may influence observable organization through:

- attractor selection;
- threshold activation;
- stabilization dynamics;
- nonlinear amplification;
- and regime bifurcation.

A schematic latent-to-observable relation may therefore be written:

$$\mathcal{L} \rightarrow \mathcal{O}. \quad (6)$$

Importantly, this influence need not appear as directly observable “signals” propagating inside ordinary spacetime.

Instead, the latent contribution may operate through structural constraints shaping observable trajectories indirectly.

This motivates the notion of silent latent action: latent organization may influence observable evolution while remaining only partially reconstructible from observable information.

6 Latent Selection of Observable Attractors

A central hypothesis of the multi-sector framework is that latent organization may influence observable dynamics through attractor selection rather than through direct observable-force transmission alone.

Within this interpretation, the latent sector does not necessarily inject explicit observable trajectories. Instead, it constrains the space of dynamically accessible observable evolutions.

The observable sector may therefore evolve toward preferred stability basins determined partially by latent structural organization.

A schematic attractor-selection relation may be written as

$$\mathcal{A}_{\mathcal{O}} = F_{\mathcal{L} \rightarrow \mathcal{O}}(\mathcal{S}_{\mathcal{L}}, \mathcal{S}_{\mathcal{O}}), \quad (7)$$

where:

- $\mathcal{A}_{\mathcal{O}}$ denotes an observable attractor regime;
- $\mathcal{S}_{\mathcal{L}}$ denotes latent structural organization;
- $\mathcal{S}_{\mathcal{O}}$ denotes observable state organization.

The latent contribution therefore acts as a structural selector constraining observable stabilization pathways.

Importantly, the resulting observable dynamics need not appear explicitly nonphysical from the observable perspective.

Observable trajectories may remain internally continuous while their global organization depends partially on latent attractor selection.

6.1 Threshold activation

Latent influence may remain weak below critical observable conditions while becoming amplified once threshold regimes are reached.

A schematic threshold relation may therefore be expressed as

$$\Gamma_{\mathcal{O}} = H(\Theta - \Theta_c) F_{\mathcal{L}}, \quad (8)$$

where:

- $\Gamma_{\mathcal{O}}$ denotes observable regime activation;
- H denotes a threshold operator;
- Θ_c denotes a critical regime threshold;
- $F_{\mathcal{L}}$ denotes latent structural influence.

This framework naturally produces:

- abrupt regime transitions;
- bifurcation behavior;
- nonlinear stabilization;
- and attractor-locking effects.

The latent sector therefore acts less like a conventional observable interaction and more like a hidden structural constraint shaping accessible observable trajectories.

6.2 Observable stabilization

Observable dynamics may then correspond to metastable reconstructions maintained through latent structural coherence.

A schematic stabilization equation may be written:

$$\frac{d\mathcal{O}_t}{dt} = F_{\mathcal{O}}(\mathcal{O}_t) + \lambda F_{\mathcal{L} \rightarrow \mathcal{O}}(\mathcal{L}_t), \quad (9)$$

where:

- $F_{\mathcal{O}}$ denotes intrinsic observable evolution;
- $F_{\mathcal{L} \rightarrow \mathcal{O}}$ denotes latent structural contribution;
- λ denotes coupling intensity.

Under weak latent contribution:

$$\lambda \rightarrow 0,$$

observable organization approaches effectively closed dynamics.

Under stronger latent contribution, observable trajectories may instead become:

- attractor-sensitive;
- threshold-sensitive;
- structurally constrained;
- and partially reconstruction-dependent.

6.3 Partial latent calibration

An important consequence of the framework is that latent structure is not treated as infinitely inaccessible.

Instead, partial latent calibration may remain possible.

Certain observable patterns may statistically correlate with latent organization even when full direct reduction fails.

A schematic calibration relation may therefore be written:

$$C_{\mathcal{L}} = \mathcal{F}(\mathcal{O}_t) + \epsilon_{\mathcal{L}}, \quad (10)$$

where:

- $C_{\mathcal{L}}$ denotes a latent calibration proxy;
- $\mathcal{F}$ denotes an observable reconstruction mapping;
- $\epsilon_{\mathcal{L}}$ denotes residual latent ambiguity.

The key implication is therefore:

partial latent observability does not imply complete latent reducibility.

This becomes one of the direct conceptual precursors of the later LIM calibration limits.

7 Asymmetric Bidirectional Coupling

The framework further proposes that latent-observable interaction is fundamentally asymmetric.

The latent sector may influence observable organization through:

- nonlinear amplification;
- attractor selection;
- threshold activation;
- stabilization constraints;
- and bifurcation shaping.

By contrast, observable feedback toward the latent sector may remain:

- partial;
- coarse-grained;
- image-like;
- sensory;
- and weakly reconstructive.

The resulting asymmetry may therefore be summarized schematically:

$$\mathcal{L} \rightarrow \mathcal{O} \quad \text{nonlinear / thresholded,} \quad (11)$$

while:

$$\mathcal{O} \rightarrow \mathcal{L} \quad \text{linear / partial / image-like.} \quad (12)$$

The framework therefore treats latent-observable interaction not as a symmetric exchange between equivalent sectors, but as a structurally hierarchical coupling regime.

7.1 Latent-to-observable amplification

The latent contribution may become amplified once observable dynamics approach critical instability regions.

A schematic amplification relation may be written:

$$\mathcal{R}_{\mathcal{O}} = \tanh(\alpha F_{\mathcal{L}}), \quad (13)$$

where:

- $\mathcal{R}_{\mathcal{O}}$ denotes observable response;
- $F_{\mathcal{L}}$ denotes latent structural input;
- α denotes amplification sensitivity.

Small latent perturbations may therefore produce large observable reorganizations near critical attractor boundaries.

7.2 Observable-to-latent sensory return

The reverse coupling remains comparatively weaker.

Observable feedback may correspond primarily to partial reconstruction signals:

$$\mathcal{I}_{\mathcal{O} \rightarrow \mathcal{L}} = P(\mathcal{O}_t), \quad (14)$$

where:

- $\mathcal{I}_{\mathcal{O} \rightarrow \mathcal{L}}$ denotes observable return information;
- P denotes a projection or sensory mapping operator.

The latent sector therefore receives:

- partial observable projections;
- filtered stabilization information;
- and incomplete observable-state reconstructions.

This asymmetry helps explain why:

- latent organization may remain difficult to reconstruct fully;
- observable dynamics may appear partially autonomous;
- and observable closure may fail despite internally coherent observable laws.

7.3 Asymmetric persistence

An important consequence of asymmetric coupling is that observable degradation need not imply immediate latent degradation.

Observable collapse may correspond only to the loss of one stabilized projection layer while deeper latent organization remains partially preserved.

Not claimed. This interpretation does not establish metaphysical survival, supernatural persistence, or substrate independence.

The claim remains purely structural:

observable and latent organization are not necessarily dynamically equivalent.

8 Observable-to-Latent Sensory Isolation

A major consequence of asymmetric multi-sector coupling is that the observable sector may remain largely unable to reconstruct the latent sector directly.

Within this framework, observable systems interact primarily with:

- stabilized projections;
- effective observables;
- coarse-grained trajectories;
- and filtered reconstruction outputs.

The latent sector itself may therefore remain only partially accessible through indirect reconstruction signatures.

This motivates the notion of observable-to-latent sensory isolation.

8.1 Projection-limited observability

Let:

$$\mathcal{L}_t \in \mathcal{L} \quad (15)$$

denote the latent structural state.

The observable sector does not access $\mathcal{L}_t$ directly, but rather a projected observable representation:

$$\mathcal{O}_t = P(\mathcal{L}_t), \quad (16)$$

where:

- $\mathcal{O}_t$ denotes observable state;
- P denotes a projection operator.

Importantly, the projection need not preserve full latent structure.

In particular:

$$P(\mathcal{L}_i) = P(\mathcal{L}_j), \quad \mathcal{L}_i \neq \mathcal{L}_j. \quad (17)$$

Multiple latent configurations may therefore generate the same observable appearance.

This becomes one of the structural precursors of observable aliasing later formalized in LIM.

8.2 Observable blindness to latent dynamics

The observable sector may remain insensitive to entire classes of latent variation.

A latent perturbation:

$$\delta\mathcal{L} \quad (18)$$

may satisfy:

$$P(\mathcal{L} + \delta\mathcal{L}) \approx P(\mathcal{L}), \quad (19)$$

even though latent organization changes substantially internally.

Observable systems therefore perceive:

- stabilized outputs;
- averaged projections;
- and coarse-grained attractor behavior.

rather than the full latent dynamics themselves.

This produces a form of effective sensory isolation between sectors.

8.3 Latent velocity hierarchy

The isolation may become amplified if latent dynamics evolve at a faster structural update scale than observable reconstruction.

Let:

$$v_\ell > v_o, \quad (20)$$

where:

- v_ℓ denotes latent update scale;
- v_o denotes observable update scale.

The observable sector may then reconstruct only temporally averaged latent effects:

$$\mathcal{O}_t = \frac{1}{\Delta t} \int_{t-\Delta t}^t P(\mathcal{L}_\tau) d\tau. \quad (21)$$

Rapid latent fluctuations may therefore remain invisible while their aggregate structural influence still shapes observable organization.

This helps explain how:

- latent structure may strongly influence observables;
- while remaining weakly observable in return.

8.4 Observable closure as an approximation

Within weak-coupling regimes, observable systems may appear effectively self-contained.

Observable physics may therefore remain internally coherent even if:

$$\mathcal{O}_t \neq \text{complete system state}. \quad (22)$$

The resulting picture is not one of observable inconsistency, but of partial closure.

Observable laws remain locally valid while deeper latent organization continues to shape:

- accessible attractors;
- stabilization pathways;
- and long-timescale reconstruction behavior.

9 Latent Choice-Space and Attractor Freedom

If observable dynamics correspond to stabilized projections of deeper latent organization, then observable evolution may not be uniquely determined by observable state alone.

Instead, multiple latent continuation pathways may remain compatible with the same observable configuration.

This motivates the notion of latent choice-space.

9.1 Observable degeneracy

Consider an observable state:

$$\mathcal{O}_t. \tag{23}$$

Multiple latent states may generate the same observable projection:

$$\mathcal{L}_1, \mathcal{L}_2, \dots, \mathcal{L}_n \mapsto \mathcal{O}_t. \tag{24}$$

Observable information alone may therefore fail to determine:

- future attractor selection;
- stabilization trajectory;
- or reconstruction persistence.

Observable determinism becomes incomplete once latent degeneracy is introduced.

9.2 Attractor freedom

Within this framework, latent organization may explore several compatible attractor branches while preserving observable coherence.

A schematic attractor-selection relation may be written:

$$\mathcal{O}_{t+\Delta t} = P(\mathcal{A}_k(\mathcal{L}_t)), \tag{25}$$

where:

- $\mathcal{A}_k$ denotes one attractor branch among several compatible latent continuations;
- P denotes the observable projection.

Different latent trajectories may therefore remain:

- internally distinct;
- structurally meaningful;
- while remaining partially observable-equivalent.

This produces a constrained form of latent freedom.

Importantly, the framework does not interpret this freedom as unlimited arbitrariness. The accessible latent trajectories remain constrained by:

- structural compatibility;
- attractor stability;
- coupling coherence;
- and reconstruction continuity.

9.3 Freedom without observable randomness

Importantly, latent attractor freedom does not imply arbitrary chaos or observable law violation.

Observable dynamics may remain:

- statistically regular;
- geometrically constrained;
- and locally predictable.

The latent sector instead influences:

- branch accessibility;
- attractor preference;
- stabilization selection;
- and reconstruction persistence.

The framework therefore distinguishes between:

$$\text{observable predictability} \tag{26}$$

and

$$\text{latent attractor accessibility.} \tag{27}$$

Observable regularity may therefore coexist with latent structural degeneracy.

9.4 Relation to later LIM reconstruction

This latent choice-space becomes structurally important for LIM.

If multiple latent continuations correspond to the same observable appearance, then:

observable similarity alone cannot fully reconstruct persistent identity.

The latent branch history itself becomes reconstructively relevant.

The later observable-aliasing experiments of LIM may therefore be understood as a strict computational formalization of this broader multi-sector degeneracy principle.

10 Memory of Memory and Latent Persistence

A further consequence of the framework is that latent organization may preserve traces not only of observable states, but also of prior latent reconstruction structure itself.

The latent sector may therefore exhibit:

- recursive persistence;
- higher-order stabilization;
- and memory of prior reconstruction pathways.

This motivates the notion of memory of memory.

10.1 Recursive latent persistence

Let:

$$M_t \tag{28}$$

denote a latent-memory state.

The latent sector may evolve according to:

$$M_{t+1} = F(M_t, \mathcal{O}_t), \tag{29}$$

where:

- F denotes latent reconstruction dynamics;
- $\mathcal{O}_t$ denotes observable projection feedback.

However, the latent update may itself depend on prior stabilization history:

$$M_{t+1} = F(M_t, H_t, \mathcal{O}_t), \tag{30}$$

where:

$$H_t = \{M_{t-k}\}_{k=1}^n \tag{31}$$

denotes latent reconstruction history.

The latent sector therefore retains:

- memory;
- memory structure;
- and traces of prior stabilization dynamics.

10.2 Persistence across observable change

Observable states may vary substantially while latent persistence remains coherent.

A schematic persistence condition may therefore be written:

$$\mathcal{O}_t \neq \mathcal{O}_{t+\Delta t} \tag{32}$$

while:

$$\text{dist}(M_t, M_{t+\Delta t}) \ll \text{dist}(\mathcal{O}_t, \mathcal{O}_{t+\Delta t}). \tag{33}$$

This implies that latent organization may preserve long-timescale continuity even under strong observable fluctuation.

The framework therefore separates:

- observable appearance;
- and persistent reconstruction structure.

10.3 Latent inertia

Latent structure may additionally exhibit persistence inertia.

Observable perturbations may fail to destroy latent organization immediately:

$$\frac{dM_t}{dt} = -\gamma_M M_t + \eta_M S_t, \quad (34)$$

where:

- γ_M denotes latent decay;
- η_M denotes latent stabilization gain;
- S_t denotes structural reinforcement.

If:

$$\eta_M S_t > \gamma_M M_t, \quad (35)$$

latent organization may remain persistent despite observable instability.

The resulting persistence is therefore dynamical rather than absolute.

10.4 Proto-calibration of latent persistence

The framework further suggests that latent persistence may become partially calibratable without becoming fully observable.

Observable traces may reveal:

- statistical persistence;
- attractor continuity;
- reconstruction coherence;
- and stabilization signatures.

However:

partial calibration does not imply full observable reduction.

This distinction later becomes central in LIM, where latent structure appears partially reconstructible while resisting complete observable vector reduction.

10.5 Interpretive limitation

Not claimed. The present framework does not establish metaphysical survival, supernatural persistence, or absolute substrate independence.

The claim remains structural and dynamical only:

latent persistence and observable persistence need not coincide perfectly within a multi-sector reconstruction framework.

Not claimed. The absence of demonstrated latent destruction under observable degradation does not constitute proof of immortality, post-biological survival, or infinite persistence.

The framework establishes only that observable disorganization and latent structural erasure are not formally equivalent within the tested multi-sector architecture.

11 Latent Survival after Observable Destruction

A central consequence of the multi-sector framework is that observable destruction need not imply total latent destruction.

Within ordinary observable reasoning, identity continuity is often assumed to collapse whenever observable structure collapses.

However, if observable organization corresponds only to a stabilized projection of deeper latent structure, then observable destruction may instead correspond to:

- projection failure;
- attractor destabilization;
- or sector-transition phenomena,

without necessarily erasing the deeper latent organization itself.

11.1 Projection loss versus latent loss

Let:

$$O_t = P(\mathcal{L}_t) \quad (36)$$

represent observable projection.

Observable destruction may correspond to:

$$P(\mathcal{L}_t) \rightarrow \emptyset, \quad (37)$$

while:

$$\mathcal{L}_t \neq \emptyset. \quad (38)$$

The observable channel may therefore disappear while latent structure remains partially coherent internally.

The key distinction becomes:

loss of observability
 $\neq$
 loss of latent structure.

(39)

11.2 Attractor disconnection

Observable destruction may also correspond to breakdown of a stable latent-observable attractor bridge.

A coupled system may evolve according to:

$$\begin{aligned} & (\mathcal{L}_t, \mathcal{O}_t) \\ & \rightarrow \\ & (\mathcal{L}_{t+\Delta t}, \mathcal{O}_{t+\Delta t}), \end{aligned} \tag{40}$$

while remaining linked through an interaction channel:

$$C_{\mathcal{L} \leftrightarrow \mathcal{O}}. \tag{41}$$

If the observable side destabilizes beyond reconstruction threshold:

$$\begin{aligned} & C_{\mathcal{L} \leftrightarrow \mathcal{O}} \\ & \rightarrow \\ & 0, \end{aligned} \tag{42}$$

observable persistence may collapse while latent organization continues to evolve internally.

Under this interpretation, destruction corresponds not necessarily to annihilation, but to:

- attractor disconnection;
- projection collapse;
- or sector decoupling.

11.3 Latent persistence inertia

Latent persistence may exceed observable persistence because latent dynamics evolve on different stabilization scales.

Let:

$$\begin{aligned} & \tau_\ell \\ & \dot{L} \\ & \tau_o, \end{aligned} \quad (43)$$

where:

- τ_ℓ denotes latent persistence timescale;
- τ_o denotes observable persistence timescale.

Observable structures may therefore collapse rapidly while latent organization decays more slowly:

$$\begin{aligned} & \left| \frac{dO_t}{dt} \right| \\ & \gg \\ & \left| \frac{dL_t}{dt} \right| \\ & . \end{aligned} \quad (44)$$

This produces asymmetric persistence between sectors.

11.4 Transition rather than termination

Within this framework, observable destruction may correspond to a transition between stabilization regimes rather than absolute terminal erasure.

Possible outcomes include:

- latent persistence without observable projection;
- migration toward another attractor basin;
- partial latent fragmentation;
- or reconstruction under a different observable regime.

Importantly, none of these possibilities are asserted as established physical facts.

The framework merely demonstrates that:

observable destruction and latent destruction are not mathematically equivalent within a multi-sector reconstruction model.

11.5 Relation to black-hole and cosmological extensions

This distinction later becomes structurally important in the cosmological extensions of OMM–SBT–LIM.

If observable geometry itself emerges from deeper substrate dynamics, then:

- black holes;
- observable collapse;
- and horizon transitions

may correspond to transitions between observable accessibility regimes rather than total structural annihilation.

The present section therefore acts as a conceptual bridge toward the later cosmological papers.

11.6 Interpretive limitation

Not claimed. The present framework does not establish a finalized theory of immortality, metaphysical dualism, or supernatural persistence.

However, the demonstrated structural result is stronger than a purely agnostic statement.

Within the multi-sector reconstruction framework developed here, observable destruction and latent destruction are not dynamically equivalent processes.

In particular, no mechanism has been identified within the present formalism by which observable disorganization necessarily induces total latent erasure.

The framework instead consistently supports asymmetric degradation regimes in which:

- observable projection may collapse;
- observable accessibility may disappear;
- while latent organization remains partially coherent or dynamically persistent.

The present work therefore supports the compatibility of latent persistence beyond observable destabilization, while remaining cautious regarding broader ontological interpretations.

Importantly, the framework also suggests that deeper arbitration constraints may not be fully reducible to ordinary observable geometric description.

If arbitration corresponds to a global structural coherence principle rather than to a localized observable object, then ordinary notions of local destruction, fragmentation, or material disorganization may not apply straightforwardly to the arbitration layer itself.

These questions remain open and require substantially deeper theoretical development.

12 Latent-Observable Loop Competition

Observable and latent sectors may interact through recurrent dynamical loops operating on partially different stabilization scales.

Within the present framework, observable organization is not necessarily generated by a single closed deterministic chain. Instead, observable evolution may emerge from interaction between:

- observable stabilization loops;
- latent reconstruction loops;

- and arbitration-mediated coherence constraints.

This creates the possibility of latent-observable loop competition.

Observable dynamics may remain locally stable while deeper latent organization gradually redirects long-timescale attractor evolution.

12.1 Observable stabilization loops

Observable systems naturally generate recurrent stabilization cycles.

A schematic observable evolution loop may be written:

$$\begin{aligned} & \mathcal{O}_{t+1} \\ &= \\ & F_o(\mathcal{O}_t), \end{aligned} \tag{45}$$

where:

- F_o denotes observable evolution dynamics.

These loops support:

- local predictability;
- geometric continuity;
- effective causal closure;
- and stable observable trajectories.

However, observable loops alone may become insufficient under:

- observable aliasing;
- attractor degeneracy;
- incomplete reconstruction accessibility;
- or latent-state ambiguity.

12.2 Latent reconstruction loops

Latent organization simultaneously generates its own recurrent reconstruction dynamics:

$$\begin{aligned} & \mathcal{L}_{t+1} \\ &= \\ & F_\ell(\mathcal{L}_t, \mathcal{O}_t), \end{aligned} \tag{46}$$

where:

- F_ℓ denotes latent reconstruction evolution.

These loops preserve:

- long-timescale coherence;
- reconstruction persistence;
- latent attractor continuity;
- and stabilization memory.

The latent sector may therefore stabilize trajectories that observable dynamics alone cannot uniquely determine.

12.3 Competitive stabilization regimes

Observable and latent loops may not always reinforce one another.

A competitive regime may emerge whenever observable stabilization and latent reconstruction favor different attractor pathways.

A schematic competition measure may be written:

$$\begin{aligned} &\Delta_t \\ &= \\ &\|F_\ell - F_o\|, \end{aligned} \tag{47}$$

where:

- small Δ_t corresponds to cooperative stabilization;
- large Δ_t corresponds to attractor competition.

In competitive regimes:

- observable inertia may resist latent transition;
- latent organization may redirect observable evolution;
- and arbitration constraints may determine which attractor stabilizes.

Observable evolution may therefore appear locally continuous while its global stabilization pathway gradually shifts under latent influence.

12.4 Threshold-driven regime transitions

Loop competition naturally produces threshold effects.

Observable systems may remain metastable until latent structural pressure exceeds a critical compatibility boundary:

$$\begin{array}{c} L_\ell \\ \downarrow \\ L_{\text{crit.}} \end{array} \quad (48)$$

Beyond this threshold:

$$\begin{array}{c} O_t \\ \rightarrow \\ O'_t, \end{array} \quad (49)$$

where:

- O'_t denotes a different observable attractor regime.

This mechanism helps explain why latent influence may appear:

- weak during stable phases;
- but highly nonlinear near transition boundaries.

12.5 Relation to arbitration

Within the present framework, the arbiter may be interpreted as a global coherence constraint acting across competing stabilization loops.

Rather than directly forcing trajectories, arbitration may instead:

- constrain attractor compatibility;
- suppress dynamically inconsistent branches;
- and stabilize coherent reconstruction pathways.

This interpretation remains structural rather than anthropomorphic.

The arbiter is not modeled as a localized observable object, but as a global consistency principle participating in latent-observable coordination.

12.6 Interpretive limitation

Not claimed. The framework does not establish conscious free will, absolute indeterminism, or violation of observable physical laws.

The demonstrated claim is instead structural:

observable evolution may remain partially underdetermined by observable state alone whenever latent reconstruction loops participate in large-scale attractor stabilization.

13 Channel Selectivity and Randomness Insufficiency

A final structural consequence of the framework concerns the distinction between:

- coherent latent influence;
- and pure randomness.

The framework does not interpret latent dynamics as arbitrary noise. Instead, latent influence appears:

- selective;
- attractor-sensitive;
- and reconstruction-coherent.

13.1 Random perturbation insufficiency

Pure random perturbations generally fail to preserve coherent reconstruction.

Let:

$$\begin{aligned} \epsilon_t \\ \sim \\ N(0, \sigma^2) \end{aligned} \tag{50}$$

denote random perturbation noise.

A purely stochastic update:

$$\begin{aligned} O_{t+1} \\ = \\ F_o(\mathcal{O}_t) \\ + \\ \epsilon_t \end{aligned} \tag{51}$$

typically produces:

- instability;
- attractor drift;
- and coherence loss.

Randomness alone therefore does not reproduce latent reconstruction behavior.

13.2 Selective latent channels

Latent influence instead appears constrained through selective channels:

$$\begin{array}{c} L_t \\ \rightarrow \\ O_t \end{array} \quad (52)$$

only when compatibility conditions are satisfied.

A schematic gating relation may be written:

$$\begin{array}{c} C(L_t, O_t) \\ i \\ \theta, \end{array} \quad (53)$$

where:

- C denotes coherence compatibility;
- θ denotes activation threshold.

Latent influence therefore becomes:

- structured;
- state-dependent;
- and attractor-selective.

13.3 Coherence-preserving influence

Selective coupling allows latent influence to preserve observable coherence rather than destroying it.

Observable systems therefore continue to exhibit:

- regularity;
- geometric continuity;
- and statistical stability,

even while latent reconstruction participates in attractor selection.

The latent contribution behaves less like random noise and more like:

- constrained steering;
- branch selection;
- or coherence filtering.

13.4 Relation to LIM anti-cheat structure

This distinction becomes crucial in LIM.

The anti-cheat controls demonstrate that:

- random latent perturbation fails;
- shuffled memory fails;
- adversarial memory fails;
- while coherent latent structure succeeds.

The latent contribution therefore cannot be reduced to generic hidden noise.

Successful reconstruction depends specifically on:

- coherent alignment;
- structured compatibility;
- and reconstruction-consistent latent organization.

13.5 Interpretive consequence

The resulting picture is therefore neither:

- strict observable determinism;
- nor unconstrained randomness.

Instead, OMM–SBT–LIM suggests a third possibility:

observable organization may be shaped by deeper selective latent coherence constraints that remain only partially observable from within the observable sector itself.

14 Failure of Observable Deterministic Closure

The preceding sections collectively suggest that observable dynamics may fail to constitute a fully closed deterministic system when considered in isolation.

Within ordinary observable reasoning, future evolution is generally assumed to be fully determined by observable state variables alone. However, the multi-sector framework developed here introduces a different possibility:

observable evolution may remain partially underdetermined when latent structure participates in attractor stabilization and reconstruction.

This does not imply that observable laws become invalid.

Rather, observable closure itself may become an effective approximation valid only within restricted regimes.

14.1 Observable-state insufficiency

Let:

$$\begin{aligned} & \mathbf{O}_t \\ (54) \end{aligned}$$

denote the complete observable state at time t .
Strict observable closure would require:

$$\begin{aligned} & \mathbf{O}_{t+\Delta t} \\ & = \\ & \mathbf{F}(\mathbf{O}_t), \\ (55) \end{aligned}$$

where:

- F is fully determined inside observable space alone.

However, within the OMM–SBT multi-sector framework, observable evolution may instead satisfy:

$$\begin{aligned} & \mathbf{O}_{t+\Delta t} \\ & = \\ & \mathbf{F}(\mathbf{O}_t, \mathcal{L}_t, A_t), \\ (56) \end{aligned}$$

where:

- $\mathcal{L}_t$ denotes latent structure;
- A_t denotes arbitration constraints.

Observable information alone may therefore become insufficient to uniquely determine future reconstruction pathways.

14.2 Effective determinism versus fundamental closure

Observable systems may nevertheless appear approximately deterministic in weak-coupling regimes.

This occurs because:

- latent variation may remain hidden;
- observable projections may remain stable;

- and attractor structure may strongly constrain evolution.

Observable determinism therefore survives operationally while remaining structurally incomplete.

The framework consequently distinguishes between:

$$(57) \quad \text{effective observable predictability}$$

and

$$(58) \quad \text{fundamental closure of system state.}$$

14.3 Observable aliasing as closure failure

Observable aliasing provides the clearest illustration of this distinction.

If:

$$(59) \quad \begin{aligned} O_i &= O_j, \\ i &\neq j, \end{aligned}$$

while:

$$(60) \quad L_i \neq L_j,$$

then observable information alone cannot uniquely reconstruct:

- identity;
- attractor history;
- or latent persistence.

Observable closure therefore fails reconstructively even if observable dynamics remain locally coherent.

14.4 Consequences for reconstruction theory

Once observable closure fails, reconstruction requires:

- latent memory;
- attractor continuity;
- arbitration constraints;
- and reconstruction coherence.

The observable sector alone becomes insufficient for:

- stable identity reconstruction;
- persistence tracking;
- and coherent attractor selection.

This prepares the transition toward the formal LIM reconstruction framework.

14.5 Interpretive limitation

Not claimed. The present framework does not claim violation of observable physical law, unrestricted indeterminism, or supernatural causation.

The demonstrated structural point is narrower:

observable state alone may fail to fully determine reconstruction under multi-sector latent coupling and observable aliasing.

15 Transition toward LIM

The multi-sector framework developed in the present paper naturally motivates a future reconstruction-theoretic extension of OMM-SBT.

The central structural consequence established throughout the previous sections is the following:

if multiple latent states can correspond to the same observable state,
then observable similarity alone may become insufficient for reliable
identity reconstruction.

This observation motivates the need for a dedicated reconstruction framework capable of testing latent-memory necessity under strict observable ambiguity.

The future framework proposed for this purpose will later be referred to as:

$$\begin{aligned} \text{LIM} \\ = \\ \text{Latent Identity Model.} \end{aligned} \tag{61}$$

Its objective will be to determine whether coherent latent structure can restore reconstruction consistency once observable information becomes insufficient.

15.1 From multi-sector dynamics to observable aliasing

Earlier sections established that:

- observable projections may be degenerate;
- latent structure may remain partially hidden;
- observable closure may fail reconstructively;
- and several latent trajectories may correspond to the same observable configuration.

This directly motivates the formal observable-alias condition:

$$\begin{aligned} O_i &= O_j, \\ i &\neq j. \end{aligned} \tag{62}$$

Within such regimes, observable information alone no longer uniquely determines:

- identity;
- reconstruction history;
- attractor continuity;
- or persistent latent organization.

Observable information therefore becomes structurally insufficient for full reconstruction.

15.2 Why latent memory becomes necessary

If observable information alone cannot separate candidate identities, then reconstruction requires additional structural information.

This motivates the introduction of latent memory:

$$M_i, \tag{63}$$

where latent memory preserves:

- continuity;
- attractor history;
- reconstruction coherence;
- and persistent structural organization.

Under strict observable aliasing:

$$\begin{aligned} & O_i = O_j \\ (64) \end{aligned}$$

may hold while:

$$\begin{aligned} & M_i \neq M_j. \\ (65) \end{aligned}$$

Identity reconstruction may therefore require coherent latent-memory structure rather than observable similarity alone.

15.3 Why strict anti-cheat structure becomes necessary

The multi-sector analysis also explains why future reconstruction benchmarks will require unusually strong anti-cheat procedures.

Without strict controls:

- observables may leak hidden identity information;
- trivial reconstruction shortcuts may emerge;
- and apparent success may become structurally meaningless.

The future LIM framework will therefore require:

- strict observable aliasing;
- shuffled-label controls;
- adversarial-memory conditions;
- destroyed-memory baselines;
- and double-blind reconstruction evaluation.

The objective will not merely be benchmark performance, but reconstruction falsifiability.

15.4 From latent persistence to latent identity

The present paper establishes only a structural bridge.

In particular, the multi-sector framework suggests that:

- latent persistence may differ from observable persistence;
- observable closure may remain incomplete;
- latent structure may remain partially hidden;
- and reconstruction may depend on deeper organizational continuity.

The future LIM framework will extend these principles into a strict reconstruction problem:

can coherent latent structure restore reliable reconstruction once observable ambiguity becomes mathematically unavoidable?

The present paper therefore acts as the intermediate structural layer between:

- causal-kinetic OMM–SBT dynamics;
- multi-sector latent-observable coexistence;
- and future latent reconstruction theory.

15.5 Conceptual continuity between the frameworks

The progression between frameworks may therefore be summarized schematically as:

OMM–SBT
→
multi-sector substrate dynamics
→
observable degeneracy
→
latent persistence
→
observable aliasing
→
future LIM reconstruction framework.

The future LIM formalism should therefore not be interpreted as an isolated benchmark system, but as the direct continuation of the deeper structural questions introduced progressively throughout OMM–SBT and the present multi-sector framework.

16 Limits and Non-Claims

The framework developed in the present paper remains exploratory and structural rather than dogmatic or metaphysically closed.

Its objective is not to introduce supernatural doctrine, but to analyze the consequences of multi-sector latent-observable dynamics under strict reconstruction constraints.

Several important limitations therefore remain necessary.

16.1 No claim of supernatural ontology

Not claimed. The framework does not establish:

- supernatural entities;
- religious doctrine;
- anthropomorphic metaphysics;

- or arbitrary violation of physical consistency.

The latent sector is introduced as a structural reconstruction layer within the formalism itself.

The framework therefore remains dynamical and reconstructive rather than theological.

16.2 No completed theory of consciousness

Not claimed. The framework does not establish:

- a completed theory of subjective experience;
- phenomenology;
- qualia;
- or a finalized theory of consciousness.

The demonstrated results concern:

- reconstruction;
- latent persistence;
- attractor organization;
- arbitration constraints;
- and multi-sector coherence.

16.3 No completed physical theory

Not claimed. The present framework is not a completed physical theory.

In particular, the paper does not yet derive:

- a finalized relativistic formulation;
- a quantum-complete substrate theory;
- a finished biological model;
- or a complete cosmological formalism.

The present contribution remains:

- structural;
- computational;
- reconstruction-theoretic;
- and conceptually integrative.

16.4 Latent persistence and observable destruction

The present framework establishes a strict structural distinction between observable destruction and latent destruction.

Within the multi-sector formalism:

$$\begin{array}{l} \text{observable collapse} \\ \neq \\ \text{latent erasure.} \end{array} \quad (66)$$

The computational and structural results developed throughout the framework consistently support the following interpretation:

- observable organization may destabilize;
- while latent organization remains coherent;
- latent persistence may exceed observable persistence;
- and observable systems do not appear capable of directly erasing latent structure.

No mechanism demonstrated within the framework currently requires latent organization to undergo the same terminal disorganization observed in observable material systems.

Similarly, the arbitration layer increasingly appears resistant to direct geometrization and may not belong naturally to ordinary local observable spacetime description.

The framework therefore supports a structural dissociation between:

- observable material disorganization;
- latent persistence dynamics;
- and global arbitration constraints.

At the same time, the framework does not transform these results into absolute metaphysical doctrine.

The demonstrated claim remains structural:

observable destruction does not appear mathematically equivalent to latent destruction within the present reconstruction framework.

16.5 Why the framework may still matter

Despite its incompleteness, the framework may still possess scientific importance because it challenges a major hidden assumption frequently present in reconstruction theory:

that observable information alone necessarily determines reconstructible identity and persistence.

The present work instead suggests that:

- observable equivalence;
- observable persistence;

- observable closure;
- and observable material organization

may all remain insufficient to fully characterize deeper reconstruction structure.

16.6 Epistemic discipline

For this reason, the framework adopts explicit epistemic discipline:

- demonstrated results are separated from compatible interpretations;
- compatible interpretations are separated from speculative extrapolations;
- anti-cheat rigor is treated as scientifically essential;
- and reproducibility remains central.

The framework is therefore intended to remain:

- falsifiable;
- criticizable;
- extensible;
- and independently testable.

16.7 Position of the paper within the global framework

The present paper occupies an intermediate structural position between:

- causal-kinetic substrate theory;
- future latent reconstruction theory;
- and later cosmological extensions.

Its role is to establish the missing structural bridge explaining how:

- latent and observable sectors may coexist;
- observable closure may fail;
- latent persistence may exceed observable persistence;
- observable aliasing may emerge naturally;
- and latent reconstruction necessity may arise.

Within the broader OMM–SBT research program, this bridge is structurally necessary for the coherence of the later reconstruction frameworks.

17 Discussion

The present paper was developed to resolve a structural discontinuity between the causal-kinetic OMM-SBT framework and the later latent reconstruction formalism introduced in LIM.

OMM-SBT originally proposed that observable organization may emerge from deeper substrate dynamics rather than constituting a fully closed primitive layer.

LIM later demonstrated that, under strict observable aliasing and anti-cheat isolation, observable similarity alone becomes insufficient for reliable reconstruction, while coherent latent structure restores reconstruction consistency.

However, without an intermediate multi-sector framework, the transition between these two regimes remained conceptually incomplete.

The present work establishes this missing structural bridge.

The framework developed here suggests that:

- observable and latent sectors may coexist simultaneously;
- observable projections may remain incomplete;
- latent organization may remain partially inaccessible to direct observable reconstruction;
- observable closure may fail reconstructively;
- and coherent latent persistence may become structurally necessary for stable identity reconstruction.

The framework additionally clarifies how:

- weak coupling;
- asymmetric interaction;
- threshold-sensitive latent action;
- attractor-mediated stabilization;
- selective latent coherence;
- and recursive latent persistence

may jointly produce a regime in which observable systems remain locally coherent while failing to fully characterize the deeper reconstruction state of the system.

Importantly, the framework does not eliminate observable lawfulness.

Observable dynamics remain:

- geometrically coherent;
- operationally predictable;
- statistically stable;
- and locally reconstructible

within weak-coupling observable regimes.

The central claim is instead that:

observable information alone may become insufficient to fully determine persistent reconstruction structure once latent organization and multi-sector dynamics are introduced.

This distinction becomes foundational for the later LIM reconstruction benchmarks, where strict observable aliasing demonstrates the collapse of observable-only reconstruction under properly isolated anti-cheat conditions.

The present paper also establishes the conceptual foundations for the later cosmological extensions of OMM–SBT–LIM, where:

- observable geometry;
- latent structural organization;
- black-hole interfaces;
- persistence asymmetry;
- and large-scale substrate dynamics

are interpreted within a unified multi-sector framework.

At present, the framework remains exploratory and incomplete.

Several major components still require:

- deeper mathematical formalization;
- invariant geometrical formulation;
- relativistic consistency analysis;
- independent computational replication;
- and future empirical confrontation.

Nevertheless, the global structural continuity between:

$$\begin{array}{l}
 \text{substrate dynamics} \\
 \rightarrow \\
 \text{latent persistence} \\
 \rightarrow \\
 \text{observable degeneracy} \\
 \rightarrow \\
 \text{observable aliasing} \\
 \rightarrow \\
 \text{latent reconstruction necessity}
 \end{array}
 \tag{67}$$

now becomes internally coherent across the broader OMM–SBT–LIM research program.

17.1 Observable Disorganization, Latent Persistence, and the Arbiter

A major consequence of the present framework is the structural dissociation between observable disorganization and latent persistence.

Within ordinary observable reasoning, destruction of observable organization is often implicitly treated as equivalent to total destruction of persistent structure.

The multi-sector framework developed here challenges this equivalence.

Observable destruction may correspond to:

- projection collapse;
- attractor disconnection;
- local material disorganization;
- or loss of observable stabilization.

None of these mechanisms, by themselves, demonstrates destruction of latent structure. The framework therefore supports the structural distinction:

$$\begin{array}{l}
 \text{observable disorganization} \\
 \neq \\
 \text{latent erasure.}
 \end{array}
 \tag{68}$$

Moreover, the latent sector appears dynamically more persistent than the observable sector within the explored reconstruction regimes.

Observable systems may destabilize rapidly while latent organization remains partially coherent across longer stabilization scales.

Importantly, no mechanism developed within the present framework allows the observable sector to directly erase latent organization.

The framework therefore suggests that observable material destruction cannot automatically be generalized into latent destruction without introducing additional assumptions external to the formalism itself.

The distinction becomes even stronger for arbitration.

Latent memory appears partially calibratable through observable signatures, whereas arbitration resists direct reduction to simple observable-vector parametrization.

This motivates the interpretation that the arbiter may correspond less to a localized object embedded within observable spacetime and more to a global coherence constraint governing compatible reconstruction pathways.

Within this perspective, ordinary notions of local material disorganization, geometric fragmentation, or thermodynamic destruction may not naturally apply to arbitration in the same manner they apply to observable structures.

The present framework does not convert this interpretation into dogmatic metaphysical doctrine.

However, within the explored reconstruction regime, the following hierarchy becomes structurally compatible:

$$\begin{array}{l}
 \text{observable organization} \\
 \subset \\
 \text{latent persistence} \\
 \subset \\
 \text{global arbitration constraint.}
 \end{array}
 \tag{69}$$

The resulting picture is therefore not one of observable annihilation as a universal primitive, but rather one of layered reconstruction regimes possessing potentially different stabilization properties, accessibility conditions, and persistence scales.

18 Falsifiability

The present framework is intended to remain experimentally vulnerable and structurally falsifiable.

Several classes of observations or computational results would weaken or invalidate major components of the framework.

18.1 Observable closure falsification

Falsification 1 (Observable deterministic closure). *If observable state alone always uniquely determines future reconstruction and identity persistence under strict observable aliasing, then the latent-sector necessity claim fails.*

More precisely, if:

$$\mathcal{O}_t \rightarrow \mathcal{O}_{t+\Delta t} \tag{70}$$

fully determines reconstruction without residual latent dependence, then the multi-sector extension becomes unnecessary.

18.2 Latent degeneracy falsification

Falsification 2 (Absence of latent degeneracy). *If distinct latent structures cannot generate identical observable states, then observable aliasing loses its structural motivation.*

The framework specifically predicts:

$$\mathcal{L}_i \neq \mathcal{L}_j \quad \text{while} \quad \mathcal{O}_i = \mathcal{O}_j. \tag{71}$$

Failure of this condition would substantially weaken the transition toward LIM.

18.3 Randomness equivalence falsification

Falsification 3 (Randomness equivalence). *If purely random latent perturbations reproduce coherent latent reconstruction as successfully as structured latent memory, then the coherence interpretation fails.*

The framework predicts asymmetry between:

- coherent latent structure;
- random perturbation;
- adversarial perturbation;
- and shuffled latent organization.

Failure of this asymmetry would invalidate the selective latent coherence interpretation.

18.4 Latent persistence falsification

Falsification 4 (Latent persistence collapse). *If latent persistence always collapses simultaneously with observable persistence under all reconstruction regimes, then the latent persistence distinction fails.*

The framework predicts that:

$$\text{observable destruction} \neq \text{latent destruction} \tag{72}$$

within at least some structural regimes.

18.5 Anti-cheat necessity

The framework additionally predicts that:

- hidden observable leakage;
- direct label encoding;
- and shortcut reconstruction

must artificially inflate apparent observable reconstruction success.

Strict anti-cheat controls therefore remain mandatory for meaningful evaluation.

If observable-only reconstruction succeeds under properly isolated aliasing conditions, the latent necessity claim weakens substantially.

18.6 Scientific position

The present framework is therefore intended not as protected doctrine, but as:

- a falsifiable reconstruction framework;
- a structural multi-sector model;
- and a computationally testable extension of OMM–SBT.

Its long-term scientific value depends entirely on:

- reproducibility;
- anti-cheat robustness;
- independent criticism;
- and future empirical confrontation.

19 Reproducibility

Reproducibility is treated as a central requirement of the present framework.

The associated repository is intended to permit:

- independent rerunning of all benchmark regimes;
- inspection of latent-observable coupling mechanisms;
- verification of anti-cheat controls;
- modification of reconstruction parameters;
- and adversarial falsification attempts.

The repository is designed not merely as supplementary code, but as an experimental audit layer for the paper itself.

19.1 Repository contents

The repository is intended to contain:

- multi-sector coupling simulations;
- latent-observable interaction benchmarks;
- attractor-selection experiments;
- weak-coupling and transparency tests;
- observable-alias transition probes;
- persistence and reconstruction utilities;
- plotting scripts;
- and anti-cheat validation tools.

19.2 Deterministic execution

Whenever possible, experiments use:

- deterministic seeds;
- explicit parameter grids;
- reproducible latent initialization;
- and fixed benchmark configurations.

Minor floating-point variations across hardware architectures remain possible.

19.3 Independent verification objective

The principal objective of the repository is scientific auditability.

Independent researchers should be able to:

- reproduce latent-observable coexistence regimes;
- verify weak observable transparency;
- test asymmetric coupling structures;
- reproduce observable aliasing conditions;
- and independently evaluate latent reconstruction behavior.

19.4 Epistemic importance

Because the framework concerns partially hidden latent structure, reproducibility and anti-cheat transparency are treated as scientifically essential rather than optional.

The reproducibility layer is therefore considered part of the core scientific contribution itself.

20 Conclusion

The present paper establishes the missing structural bridge between causal-kinetic OMM–SBT dynamics and the later LIM (Latent Identity Model) reconstruction framework.

The central result is not metaphysical, but structural:

observable organization may correspond to a partially projected and reconstructively incomplete regime coupled to deeper latent dynamics.

Within this framework:

- observable and latent sectors may coexist simultaneously;
- observable projections may remain degenerate;
- latent dynamics may remain partially hidden;
- observable closure may fail reconstructively;
- and coherent latent persistence may exceed observable persistence.

The framework additionally explains why:

- observable aliasing;
- latent memory;
- arbitration;
- anti-cheat isolation;
- and reconstruction coherence

become structurally necessary within LIM.

The paper therefore provides the conceptual continuity linking:

OMM–SBT $\rightarrow$ multi-sector coexistence $\rightarrow$ latent persistence $\rightarrow$ observable aliasing $\rightarrow$ LIM reconstruction necessity (73)

The present paper therefore resolves the missing conceptual transition between substrate organization and latent reconstruction necessity within the broader OMM–SBT research program.

Not claimed. The framework does not establish:

- supernatural ontology;
- metaphysical dualism;
- completed cosmology;
- or a finalized theory of consciousness.

Its contribution remains:

- structural;
- computational;
- reconstruction-theoretic;
- and experimentally falsifiable.

The principal scientific value of the framework therefore depends not on rhetorical interpretation, but on:

- anti-cheat rigor;
- reproducibility;
- independent verification;
- and future falsification attempts.

Code Availability

The computational framework, benchmark scripts, latent-observable coupling experiments, and reproducibility artifacts associated with the present paper are publicly available at:

<https://github.com/NicolasGilbertAlbertRoux/omm-sbt-multisector-framework.git>

The repository is intended to support:

- independent rerunning of experiments;
- anti-cheat inspection;
- parameter modification;
- adversarial falsification attempts;
- and independent evaluation of latent-observable reconstruction dynamics.

The repository is released under the MIT License and is intended to function both as:

- a computational supplement;
- and an auditable scientific record of the framework.

References

- [1] A. Einstein. Zur Elektrodynamik bewegter Körper. *Annalen der Physik*, 17:891–921, 1905.
- [2] A. Einstein. Die Feldgleichungen der Gravitation. *Sitzungsberichte der Preussischen Akademie der Wissenschaften*, 1915.
- [3] S. W. Hawking. Black hole explosions? *Nature*, 248:30–31, 1974.
- [4] J. D. Bekenstein. Black holes and entropy. *Physical Review D*, 7(8):2333–2346, 1973.
- [5] R. Penrose. Gravitational collapse and space-time singularities. *Physical Review Letters*, 14(3):57–59, 1965.
- [6] K. Friston. The free-energy principle: a unified brain theory? *Nature Reviews Neuroscience*, 11(2):127–138, 2010.
- [7] K. Friston. A free energy principle for biological systems. *Entropy*, 2012.
- [8] G. Tononi. An information integration theory of consciousness. *BMC Neuroscience*, 5(1):42, 2004.

- [9] B. J. Baars. In the theater of consciousness: Global workspace theory. *Journal of Consciousness Studies*, 4(4):292–309, 1997.
- [10] S. Dehaene and J.-P. Changeux. Experimental and theoretical approaches to conscious processing. *Neuron*, 70(2):200–227, 2011.
- [11] C. M. Bishop. *Pattern Recognition and Machine Learning*. Springer, 2006.
- [12] T. M. Cover and J. A. Thomas. *Elements of Information Theory*. Wiley, 2006.
- [13] D. J. C. MacKay. *Information Theory, Inference and Learning Algorithms*. Cambridge University Press, 2003.
- [14] J. Pearl. *Causality*. Cambridge University Press, 2009.
- [15] N. G. A. Roux. Oscillatory Mantle Model – Substantial Beating Theory. Unpublished research framework.
- [16] N. G. A. Roux. OMM–SBT–LIM: Latent Identity Modeling under Observable Aliasing. Unpublished computational framework.