```
1
     #VARIABLES
 2
 3
     MAKEFILE = makefile
 4
     EXE = Parking
 5
     COMP = q++
6
     RM = rm
     EDL = q++
 7
8
     ECHO = echo
     CONFIG = Config.h
9
10
     INT = Mere.h Simulation.h Entree.h Sortie.h
     REAL = \$(INT:.h=.cpp)
11
12
     OBJ = \$(INT:.h=.o)
13
     OUTPUT = -0
14
     RMFLAGS = -f
15
     CPPFLAGS = -std = c + +11 - Wall
     EDLFLAGS = \$(LIBPATH)
16
17
     LIBS = -ltp -lncurses -ltcl
     INCLUDES = /share/public/tp/tp-multitache
18
     LIBPATH = -L\$(INCLUDES)
19
     INCPATH = -I\$(INCLUDES)
20
21
     CLEAN = clean
     SOS = backup
22
23
     BACKUPFILE = backup.sh
24
     RESSOURCES =
25
26
27
     #RULES
28
29
     $(EXE) : $(OBJ)
30
         $(ECHO) "Edition des liens"
31
         $(EDL) $(OUTPUT) $(EXE) $(EDLFLAGS) $(LIBPATH) $(OBJ) $(LIBS)
32
33
     %.0 : %.cpp
34
         $(ECHO) "Compilation de <$<>"
35
         $(COMP) $(CPPFLAGS) $(INCPATH) -c $<
36
37
38
     $(CLEAN):
39
         $(ECHO) "nettoyage du repertoire..."
40
         $(RM) $(RMFLAGS) $(EXE) $(OBJ) core
41
42
43
     $(SOS):
         ./$(BACKUPFILE) $(MAKEFILE) $(INT) $(REAL) $(RESSOURCES)
44
                                                                                 7
         $(BACKUPFILE) $(CONFIG)
45
46
     Mere.o : Mere.h Simulation.h Entree.h Sortie.h $(CONFIG) $(MAKEFILE)
     Simulation.o : Simulation.h $(CONFIG) $(MAKEFILE)
47
48
     Entree.o : Entree.h $(CONFIG) $(MAKEFILE)
     Sortie.o : Sortie.h $(CONFIG) $(MAKEFILE)
49
50
```