

INSTALLATION REPORT		
Project	c10	Date: 02.09.2025 15:01
Section		
Company	psa	Operator: dd
GPS	46,245185, 7,001220, 421,9m	

DUCT		CABLE	MACHINE
Supplier:		Supplier:	Optijet (SN#112)
Type:		Type: AD2Y	Asset: ATEL PSAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAA
Configuration:		Diameter: 6 mm, Fibers: 2	Lubricator: []
Color: Rot		Reel: f	Lubricant: withoutaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaa
Inner Layer: corrugated		Installed In: SpeedNetRohr	Compressor:
Temperature: 0°C		Cable Temp: 0°C	Aftercooler: []
			Cable Head: []
SUMMARY		Max Push Force: 200 N	

Recorded Data

Length [m]	Pushing Force [N]	Duct Pressure [bar]	Speed [m/min]	Time Duration [hh:mm:ss]	Remarks
0,0	0	0,0	0,0	00:00:00	
1,0	13	0,0	17,7	00:00:03	
2,0	13	0,0	94,0	00:00:03	
3,0	13	0,0	107,1	00:00:04	
4,0	17	0,0	108,7	00:00:04	
5,0	91	0,0	109,0	00:00:05	
6,0	137	0,0	109,1	00:00:05	
7,0	143	0,0	109,2	00:00:06	
8,0	142	0,0	108,9	00:00:06	
9,0	141	0,0	109,0	00:00:07	
10,0	140	0,0	108,9	00:00:08	
11,0	139	0,0	108,7	00:00:08	
12,0	138	0,0	108,9	00:00:09	
13,0	138	0,0	108,9	00:00:09	
14,0	137	0,0	109,2	00:00:10	
15,0	137	0,0	108,8	00:00:10	
16,0	137	0,0	108,7	00:00:11	
17,0	136	0,0	108,8	00:00:11	
18,0	136	0,0	108,8	00:00:12	
19,0	136	0,0	108,6	00:00:13	
20,0	136	0,0	108,6	00:00:13	
21,0	135	0,0	108,6	00:00:14	
22,0	136	0,0	108,7	00:00:14	
23,0	135	0,0	108,9	00:00:15	
24,0	135	0,0	108,8	00:00:15	
25,0	135	0,0	108,7	00:00:16	
26,0	134	0,0	108,6	00:00:16	
27,0	134	0,0	108,7	00:00:17	
28,0	134	0,0	108,7	00:00:17	
29,0	134	0,0	109,1	00:00:18	
30,0	134	0,0	108,9	00:00:19	
31,0	134	0,0	108,8	00:00:19	
32,0	134	0,0	108,6	00:00:20	
33,0	134	0,0	108,8	00:00:20	
34,0	134	0,0	108,7	00:00:21	
35,0	134	0,0	109,1	00:00:21	
36,0	133	0,0	108,9	00:00:22	
37,0	134	0,0	108,9	00:00:22	
38,0	133	0,0	108,6	00:00:23	
39,0	134	0,0	109,0	00:00:24	
40,0	133	0,0	108,8	00:00:24	
41,0	133	0,0	108,6	00:00:25	
42,0	140	0,0	108,8	00:00:25	
43,0	157	0,0	108,8	00:00:26	
44,0	174	0,0	108,7	00:00:26	
45,0	185	0,0	108,7	00:00:27	
46,0	188	0,0	108,5	00:00:27	
47,0	187	0,0	108,6	00:00:28	
48,0	186	0,0	108,5	00:00:28	

Length [m]	Pushing Force [N]	Duct Pressure [bar]	Speed [m/min]	Time Duration [hh:mm:ss]	Remarks
49,0	186	0,0	108,6	00:00:29	
50,0	185	0,0	119,3	00:00:30	
51,0	185	0,0	123,2	00:00:30	
52,0	185	0,0	123,9	00:00:31	
53,0	185	0,0	124,0	00:00:31	
54,0	185	0,0	123,9	00:00:32	
55,0	188	0,0	123,8	00:00:32	
55,9	200	0,0	123,7	00:00:32	
56,0	198	0,0	123,7	00:00:33	
57,0	200	0,0	123,8	00:00:33	
58,0	200	0,0	123,7	00:00:34	
59,0	200	0,0	121,7	00:00:34	
60,0	200	0,0	116,3	00:00:35	
61,0	200	0,0	96,8	00:00:35	
61,5	81	0,0	15,7	00:00:41	