

INSTALLATION REPORT		
Project	c10	Date: 09/02/2025, 03:01 PM
Section		
Company	psa	Operator: dd
GPS	46.2452°, 7.0012°, 422m	
DUCT	CABLE	MACHINE
Supplier:	Supplier:	Optijet (SN#112)
Type:	Type: AD2Y	Asset: ATEL PSAAAAAAAAAAAAAAAAAAAAA...
Configuration:	Diameter: 6 mm, Fibers: 2	Lubricator: [ ]
Color: Rot	Reel: f	Lubricant: withoutaaaaaaaaaaaaaaaaaaaaa...
Inner Layer: corrugated	Installed In: SpeedNetRohr	Compressor:
Temperature: 0°C	Cable Temp: 0°C	Aftercooler: [ ]
		Cable Head: [ ]
SUMMARY	Max Push Force: 200 N	

## Recorded Data

Length [m]	Pushing Force [N]	Duct Pressure [bar]	Speed [m/min]	Time Duration [hh:mm:ss]	Remarks
0.0	0	0.0	0.0	00:00:00	
1.0	12.9502441...	0.0	17.7	00:00:03	
2.0	12.5197816...	0.0	94.0	00:00:03	
3.0	12.7134897...	0.0	107.1	00:00:04	
4.0	16.8495631...	0.0	108.7	00:00:04	
5.0	91.1761294...	0.0	109.0	00:00:05	
6.0	137.285588...	0.0	109.1	00:00:05	
7.0	142.889551...	0.0	109.2	00:00:06	
8.0	142.159374...	0.0	108.9	00:00:06	
9.0	140.643168...	0.0	109.0	00:00:07	
10.0	139.912441...	0.0	108.9	00:00:08	
11.0	138.717166...	0.0	108.7	00:00:08	
12.0	138.343099...	0.0	108.9	00:00:09	
13.0	138.225473...	0.0	108.9	00:00:09	
14.0	137.324894...	0.0	109.2	00:00:10	
15.0	137.277510...	0.0	108.8	00:00:10	
16.0	136.542729...	0.0	108.7	00:00:11	
17.0	136.363266...	0.0	108.8	00:00:11	
18.0	136.078270...	0.0	108.8	00:00:12	
19.0	136.029413...	0.0	108.6	00:00:13	
20.0	136.022627...	0.0	108.6	00:00:13	
21.0	135.218959...	0.0	108.6	00:00:14	
22.0	135.575466...	0.0	108.7	00:00:14	
23.0	135.422580...	0.0	108.9	00:00:15	
24.0	134.673147...	0.0	108.8	00:00:15	
25.0	134.758674...	0.0	108.7	00:00:16	
26.0	134.250410...	0.0	108.6	00:00:16	
27.0	134.163279...	0.0	108.7	00:00:17	
28.0	134.151178...	0.0	108.7	00:00:17	
29.0	134.149103...	0.0	109.1	00:00:18	
30.0	134.148815...	0.0	108.9	00:00:19	
31.0	133.613723...	0.0	108.8	00:00:19	
32.0	134.059585...	0.0	108.6	00:00:20	
33.0	134.136019...	0.0	108.8	00:00:20	
34.0	134.146634...	0.0	108.7	00:00:21	
35.0	133.613411...	0.0	109.1	00:00:21	
36.0	133.435316...	0.0	108.9	00:00:22	
37.0	133.779316...	0.0	108.9	00:00:22	
38.0	133.462967...	0.0	108.6	00:00:23	
39.0	133.515744...	0.0	109.0	00:00:24	
40.0	133.419039...	0.0	108.8	00:00:24	
41.0	132.974426...	0.0	108.6	00:00:25	
42.0	140.194791...	0.0	108.8	00:00:25	
43.0	157.215394...	0.0	108.8	00:00:26	
44.0	173.571403...	0.0	108.7	00:00:26	
45.0	184.988938...	0.0	108.7	00:00:27	
46.0	187.562978...	0.0	108.5	00:00:27	
47.0	186.987743...	0.0	108.6	00:00:28	
48.0	186.335692...	0.0	108.5	00:00:28	
49.0	186.009909...	0.0	108.6	00:00:29	
50.0	185.236456...	0.0	119.3	00:00:30	
51.0	185.107547...	0.0	123.2	00:00:30	
52.0	185.086062...	0.0	123.9	00:00:31	
53.0	184.783020...	0.0	124.0	00:00:31	
54.0	184.719886...	0.0	123.9	00:00:32	
55.0	187.830267...	0.0	123.8	00:00:32	
55.9	200	0.0	123.7	00:00:32	
56.0	197.711363...	0.0	123.7	00:00:33	
57.0	200	0.0	123.8	00:00:33	
58.0	200	0.0	123.7	00:00:34	
59.0	200	0.0	121.7	00:00:34	
60.0	200	0.0	116.3	00:00:35	

Length [m]	Pushing Force [N]	Duct Pressure [bar]	Speed [m/min]	Time Duration [hh:mm:ss]	Remarks
61.0	200	0.0	96.8	00:00:35	
61.5	80.6208920...	0.0	15.7	00:00:41	